



From security and safety to styles and finishes, SeceuroGlide has it all.

At first glance, you'd be forgiven for assuming that all garage doors are the same. Look a little closer and you'll discover that SeceuroGlide has taken garage door design and technology to the next level.

Developed by industry experts, SeceuroGlide Garage Doors are packed full of clever and unique features, making them the number one choice for quality, safety and security.

- Choice of roller, sectional and side-sliding doors
- Electric operation at the touch of a button
- Insulated cores keep the heat in and cold out
- Advanced security features
- Space-saving designs mean you can park right up to your door
- Choice of powerful motors with up to 7-year automation warranty
- Enhanced safety features built in as standard
- 2 stylish handsets included with every door
- Designed and made in Britain













An **elegantly simple**, yet well proven design.

SeceuroGlide is robust, reliable and durable – offering secure protection for your car and home.

A choice of low maintenance finishes, insulation and the convenience of remote automatic operation powered by a high quality SeceuroDrive Motor as standard make SeceuroGlide Roller Garage Doors an excellent all round choice.

SeceuroGlide's aluminium slats lock into position to resist attack by intruders, while advanced insulation and brush sealing keeps out the cold and makes the door as weatherproof as it is secure. Vertical opening means you can make maximum use of your drive and garage space – parking safely just inches from the door.

SeceuroGlide Roller Garage Doors are supplied complete with your choice of remote control, SeceuroSense Plus or Somfy Rollixo. You'll have a choice of handsets and the control equipment will include a courtesy light, bottom slat transmitter, safety edge and manual controls to operate the garage door.

A wide choice of finishes including Woodgrain and Painted Woodgrain help you to match your door to existing paintwork or woodgrain double glazing for a coherent look to your home's exterior. Our SeceuroGlide Original and SeceuroGlide Excel is also available powder coated to any RAL or BS number for a surcharge.

SeceuroGlide Excel combines all the benefits of SeceuroGlide Original with an even higher security specification, and is officially tested and approved to Police and insurance standards. Available at a surcharge on the price of a SeceuroGlide Original.













SWS UK | Retail Price List - SeceuroGlide Garage Doors



EXPLORE THE DIFFERENCES

SeceuroGlide | LT Standard, Insulated Garage Door

SeceuroGlide | Original Secure, Insulated Garage Doors



SeceuroGlide | Excel High Security, Insulated Garage Doors







Aluminium End Plate

Standard, aluminium cast end plate.



A 70 mm axle alongside spring loaded plastic locking straps secure the standard SeceuroGlide LT.

Endlocks

Crimped and stapled endlocks used to secure the curtain in operation.



Steel End Plates

Steel end plates on the **SeceuroGlide Original & Excel** provide a sturdier
design and increased security when
compared with aluminium end plates.

Strength & Security

100 mm fluted axle, extruded aluminium hinges & top rail, provide greater strength when the door is in operation and in the locked position.

Unique Locking System

Both the **Original** and the **Excel** come with auto locking as standard for greater security, preventing the door from being lifted by an intruder. Centralised locking blocks ensure better running of the door during operation.

Security & Noise Reduction

Webbing on each side of the curtain provides additional security whilst also reducing the noise made by the curtain in operation.



The SeceuroGlide Excel boasts Secured by Design and insurance approved Level One Security Rating for internal face and reveal fixtures.

Secured by Design

Upgraded 90 mm channels as standard, work alongside locking bottom slats to provide greater security, one of many features which make this door accredited by Secured by Design, even on between fit installations. Locking bottom slat on the **SeceuroGlide Excel** is designed to prevent the door being pushed out of the guides by an intruder.

SECURE

VERY SECURE



ULTRA SECURE








Exceptional design and security.

Since the introduction of our hugely popular SeceuroGlide Original back in 1997, we have gone on to develop a series of garage doors which address everything from security and strength, to aesthetics, clever design and ease of use. In addition to the Secured by Design accreditation of the Original, the Excel also meets the higher specification set by the LPCB to create the most advanced roller door on the market.

Profiles & Sizes 34 mm 75 mm



SeceuroGlide Excel guide rail notes:

- 90 mm guide rails supplied as standard on SeceuroGlide Excel.
- Reveal fitted guide rails require steel reinforcement plates.



Unique locking system

Both the Original and the Excel
come with auto locking as
standard for greater security.



Webbing
Webbing provides additional
security, weatherproofing and
noise reduction.



Strength and Security
100 mm fluted axle, extruded
aluminium hinges and top rail
make for a secure operation.



Event may width

Excel max, width





					(Overall Gui	de Width (mm)	Excel ma	ix. width			
NO	ВОХ	1500	2000	2500	3000	3500	4000	4600	5200	5400	5590		
Guid	le Width*	75	75	75	75	90	90	90	90	90	90	Headroom	Total Height
	1900	1931	2139	2351	2574	2741	3128	3486	3872	3920	3968	300	2200
<u>-</u>	2150	2015	2192	2367	2606	2787	3174	3527	3942	4050		300	2450
t (mm	2300	2067	2258	2411	2652	2838	3228	3602	4001	4377		300	2600
leigh	2500	2164	2357	2502	2839	2914	3361	3837	4200	4525		300	2800
Guide Height (mm)	3000	2318	2595	2848	3064	3134	3640	4147	4481			350	3350
Ū	3500	2552	2763	3038	3350	3354	4088			 		350	3850
	3700	2786	2931	3228	3640	3575	4538					350	4050
roGlide	Excel will alv	ways be sup	plied with 90) mm guides									

Overall Guide Width (mm)

*SeceuroGlide Excel will always be supplied with 90 mm guides

NC	ВОХ	1500	2000	2500	3000	3500	4000	4600	5200	5400	5590		
Guid	le Width*	75	75	75	75	90	90	90	90	90	90	Headroom	Total Height
	1900	2118	2388	2663	2946	3186	3634	4066	4525	4602	4676	300	2200
	2150	2224	2467	2741	3041	3293	3747	4204	4686	4820		300	2450
(mm)	2300	2293	2559	2798	3099	3372	3836	4302	4792	5202		300	2600
Guide Height (mm)	2500	2311	2682	2910	3325	3494	3966	4602	5061	5418		300	2800
ide F	3000	2613	2989	3343	3653	3832	4436	5061	5513			350	3350
ਰ	3500	2895	3218	3611	4038	4169	4907					350	3850
	3700	3175	3450	3878	4423	4507	5379					350	4050

Overall Guide Width (mm)







Colour matched guide, box and end plates in any RAL or BS colour. From £94.76 per square metre

EXCEL UPGRADE

Face fit guide rails £152.04 (pair) Reveal fit guide rails £210.44 (pair)





SECEURODRIVE MOTOR

Supplied as standard: FOC



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



SECEUROSENSE PLUS



SOMFY | ROLLIXO

ALARM SURCHARGE



SOMFY | ROLLIXO Included

Standard Colours

Woodgrain Colours

^{*}SeceuroGlide Excel will always be supplied with 90 mm guides







						C	overall Gui	de Width (mm)	Excel ma	x. width				
	HAL	.F BOX	1500	2000	2500	3000	3500	4000	4600	5200	5400	5590			
	Guid	e Width*	75	75	75	75	90	90	90	90	90	90	Headroom	Total Height	
ILS		1900	1999	2235	2510	2761	2961	3374	3771	4191	4254	4316	300	2200	
Coloui		2150	2081	2279	2547	2808	3007	3420	3831	4261	4381		300	2450	
	(mm)	2300	2127	2352	2582	2839	3051	3473	3888	4322	4710		300	2600	
Standard	eight	2500	2167	2447	2658	3027	3132	3527	4124	4519	4858		300	2800	
Sta	Guide Height (mm)	3000	2407	2757	3051	3303	3416	3971	4433	4807			350	3350	Ex
	ŋ5	3500	2675	2924	3238	3591	3697	4511					350	3850	Excel max.
		3700	2944	3095	3427	3883	3982	5055					350	4050	x. height
*Seceu	ıroGlide	Excel will alv	vays be supp	olied with 90) mm guides										ħŧ

					C	Overall Gui	de Width ((mm)	Excel ma	ax. width				
HAU	.F BOX	1500	2000	2500	3000	3500	4000	4600	5200	5400	5590			
Guio	de Width*	75	75	75	75	90	90	90	90	90	90	Headroom	Total Height	
	1900	2177	2471	2789	3131	3391	3868	4339	4833	4921	5011	300	2200	
	2150	2285	2550	2881	3230	3498	3982	4473	4988	5138		300	2450	
Guide Height (mm)	2300	2347	2643	2911	3290	3577	4071	4573	5101	5518		300	2600	
eight	2500	2403	2762	3013	3459	3699	4306	4870	5365	1 5735		300	2800	
ide H	3000	2734	3145	3542	3890	4097	4681	5247	5731	I I		350	3350	Exc
G	3500	2991	3384	3810	4276	4492	5298					350	3850	Excel max.
	3700	3247	3620	4079	4665	4885	5921			1		350	4050	x. heigh
uroGlide	Evcel will als	wave he cun	nlied with 90) mm quides										꿈

^{*}SeceuroGlide Excel will always be supplied with 90 mm guides





Anthracite

Powder coated guide rails, bottom slats and vision slats (where specified) are supplied brown as standard.

Box: White or brown as standard. Other colour options are available at a surcharge of £37.11 per metre.

End Plates: Galvanised, white, brown or black as standard. Other colour options are available at a surcharge of £32.54 per pair.

Guides Rails: Other non standard colours available at £48.63 per pair.



Colour matched guide, box and end plates in any RAL or BS colour. From £94.76 per square metre

EXCEL UPGRADE

Woodgrain Colours

Face fit guide rails £152.04 (pair) Reveal fit guide rails £210.44 (pair)





SECEURODRIVE MOTOR

Supplied as standard: FOC



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



SECEUROSENSE PLUS



SOMFY | ROLLIXO

ALARM SURCHARGE





SECEUROSENSE PLUS £106.86

SOMFY | ROLLIXO Included

HALF BOX DIMENSIONS

Premier finishes are also available at a surcharge additional to the price shown of £22.07 per square metre.





* 90° section of 350 mm box comes in 2 parts

SWS UK | Retail Price List - SeceuroGlide Garage Doors







						C	Overall Gui	de Width (mm)	Excel ma	x. width				
	FUL	L BOX	1500	2000	2500	3000	3500	4000	4600	5200	5400	5590			
	Guid	e Width*	75	75	75	75	90	90	90	90	90	90	Headroom	Total Height	
		1900	2010	2263	2523	2790	3011	3434	3846	4282	4352	4421	300	2200	
		2150	2087	2310	2559	2841	3055	3479	3904	4350	4477		300	2450	
	Guide Height (mm)	2300	2135	2378	2595	2871	3104	3533	3957	4407	4786		300	2600	
	eight	2500	2172	2469	2664	3048	3173	3602	4179	4591	4926		300	2800	
	ide H	3000	2457	2810	3135	3422	3577	4005	4477	4864			350	3350	Exc
	હ	3500	2679	2967	3315	3696	3980	4408					350	3850	Excel max.
		3700	2901	3124	3490	3969	4379	4809					350	4050	x. height
eu	roGlide	Excel will alw	ays be supp	olied with 90	mm guides										μţ

*SeceuroGlide Excel will always be supplied with 90 mm guides

					•	Veran Gar	ac matri	()	EXCCITIO	ix. Wideii			
FUL	L BOX	1500	2000	2500	3000	3500	4000	4600	5200	5400	5590		
Guid	le Width*	75	75	75	75	90	90	90	90	ı 90	90	Headroom	Total Height
	1900	2192	2506	2823	3149	3419	3903	4384	4893	4986	5304	300	2200
	2150	2294	2581	2896	3246	3521	4009	4511	5040	5192		300	2450
(mm)	2300	2353	2668	2955	3301	3600	4098	4610	5143	5552		300	2600
Guide Height (mm)	2500	2408	2783	3055	3516	3713	4217	4890	5394	5760		300	2800
iideH	3000	2743	3187	3606	3988	4219	4745	5327	5824	l		350	3350
હ	3500	3011	3406	3862	4355	4982	5531					350	3850
	3700	3280	3628	4116	4722	5235	5796					350	4050

Overall Guide Width (mm)





Woodgrain finishes are supplied on one face only on brown or white slats as specified above. Other base colours available at a cost of £45.60 per square metre NET.

Premier finishes are also available at a surcharge additional to the price shown of £22.07 per square metre.

Guides Rails: Other non standard

colours available at £48.63 per pair.

match as standard.

Powder coated guide rails, bottom slats and vision slats (where specified) are supplied brown as standard. Box: White or brown as standard. Other

colour options are available at a surcharge of £65.18 per metre.

End Plates: Galvanised, white, brown or black as standard. Other colour options are available at a surcharge of £32.54 per pair.

Guides Rails: Other non standard colours available at £48.63 per pair.



White

Colour matched guide, box and end plates in any RAL or BS colour. From £94.76 per square metre

EXCEL UPGRADE

Face fit guide rails £152.04 (pair) Reveal fit guide rails £210.44 (pair)





SECEURODRIVE MOTOR

Supplied as standard: FOC



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



Excel max, width

SECEUROSENSE PLUS




SOMFY | ROLLIXO

ALARM SURCHARGE



SOMFY | ROLLIXO Included

FULL BOX DIMENSIONS



* 90° section of 350 mm box comes in 2 parts

Standard Colours

Woodgrain Colours

^{*}SeceuroGlide Excel will always be supplied with 90 mm guides







The versatile roller garage door.

The entry level SeceuroGlide LT has been created as the perfect solution for those wanting to invest in the look and feel of the SeceuroGlide Original but without a need for all of the high security benefits and built-in noise reduction features offered by the standard SeceuroGlide product. Combining space saving vertical operation with the benefits of an insulated profile and the convenience of electrical operation the SeceuroGlide LT provides a made to measure solution to give lasting value to your property.

Profiles & Sizes



75 mm guide rails supplied as standard on SeceuroGlide LT







Aluminium End Plate Standard, aluminium cast end plate.



Standard Locking System
Improved aluminium
locking straps secure the LT.



Endlocks
Endlocks used to secure the curtain in operation.

SWS UK | Retail Price List - SeceuroGlide Garage Doors





Overall Guide Width (mm)

NO	ВОХ	2000	2400	2600	3000	3600	4000	4500	4800	5200		
Guio	le Width	75	75	75	75	75	75	75	90	90	Headroom	Total Height
<u>e</u>	1900	1966	2065	2107	2171	2307	2437	2775	2928	2988	300	2200
Height (mm)	2150	2006	2122	2176	2224	2411	2643	2979	3131	3279	300	2450
Heigh	2300	2098	2171	2247	2300	2498	2705	3046	3204	3340	300	2600
Guide	2500	2155	2199	2309	2420	2534	2753	3086	3291		300	2800
G	2650	2213	2296	2406	2472	2583	2798	3165	3317		300	2950

Overall Guide Width (mm)

NO	ВОХ	2000	2400	2600	3000	3600	4000	4500	4800	5200		
Guio	le Width	75	75	75	75	75	75	75	90	90	Headroom	Total Height
<u>e</u>	1900	2232	2409	2498	2717	3020	3198	3456	3601	3650	300	2200
t (mm)	2150	2344	2542	2684	2905	3125	3385	3639	3731	3836	300	2450
Height	2300	2416	2649	2775	2937	3234	3535	3812	3893	4010	300	2600
Guide l	2500	2498	2763	2902	3127	3455	3716	3910	4072		300	2800
G	2650	2577	2850	2995	3262	3493	3776	3973	4147		300	2950

STANDARD COLOURS Powder coated bottom slats and vision slats (where specified) to match the curtain colour are supplied as standard. Burgundy Navy Blue Light Beige Brown Fir Green Black End Plates: Aluminium, white (RAL 3004) (RAL 5011) (BS 08B17) (RAL 8014) (RAL 6009) (RAL 9005) or brown as standard. Other colour options are available at a surcharge of £32.54 per pair. Guides Rails: White or Brown as standard. Other colour options are available at a surcharge of White Silver Metallic Anthracite Graphite Ivory Agate Grey £48.63 per pair. (RAL 9016) (RAL 9006) (RAL 7016) (RAL 1015) (RAL 7038) Vision slats and guide rails are not available in painted woodgrain finishes. Duck Egg Chartwell Golden Irish Oak Rosewood Dark Brown Blue Green Moss Green Cream White (RAL 6005) (RAL 9001)



surcharge additional to the price shown of £22.07 per square metre.

SECEURODRIVE MOTOR

Supplied as standard: **FOC**



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



SECEUROSENSE PLUS



SOMFY | ROLLIXO

ALARM SURCHARGE



Standard Colours

Woodgrain Colours

Standard Colours

Woodgrain Colours





Overall Guide Width (mm)

HAU	LF BOX	2000	2400	2600	3000	3600	4000	4500	4800	5200		
Gui	de Width	75	75	75	75	75	75	75	90	90	Headroom	Total Height
	1900	2005	2162	2156	2328	2566	2700	2901	3014	3023	300	2200
(mm):	2150	2059	2261	2338	2484	2690	2870	3104	3174	3340	300	2450
Guide Height (mm)	2300	2113	2329	2399	2530	2805	2974	3194	3234	3396	300	2600
Guide	2500	2190	2366	2482	2603	2890	3094	3261	3343		300	2800
	2650	2238	2393	2542	2702	2943	3179	3306	3467		300	2950

Overall Guide Width (mm)

HAL	F BOX	2000	2400	2600	3000	3600	4000	4500	4800	5200		
Guid	de Width	75	75	75	75	75	75	75	90	90	Headroom	Total Height
	1900	2355	2555	2654	2895	3234	3432	3717	3880	3949	300	2200
t (mm)	2150	2434	2689	2838	3087	3337	3681	3970	4082	4216	300	2450
Guide Height (mm)	2300	2506	2784	2932	3190	3422	3751	4146	4247	4392	300	2600
Guide	2500	2624	2857	3061	3309	3578	3833	4243	4428		300	2800
	2650	2703	3000	3154	3445	3716	3969	4306	4504		300	2950







Woodgrain finishes are supplied on one face only on brown or white slats as specified above. Other base colours available at a cost of £45.60 per square meter NET.

Anthracite

Premier finishes are also available at a surcharge additional to the price shown of £22.07 per square metre.

Powder coated guide rails, bottom slats and vision slats (where specified) are supplied brown as standard.

Box: White or brown as standard. Other colour options are available at a surcharge of £37.11 per metre.

End Plates: Aluminium, white or brown as standard. Other colour options are available at a surcharge of £32.54 per pair.

Guides Rails: White or Brown as standard. Other colour options are available at a surcharge of £48.63 per pair.

SECEURODRIVE MOTOR

Supplied as standard: **FOC**



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



SECEUROSENSE PLUS




SOMFY | ROLLIXO

ALARM SURCHARGE



SOMFY | ROLLIXO Included

HALF BOX OPTIONS



White

BOX MADE UP AS STANDARD

Boxes for SeceuroGlide LT come made up as standard.

If you do not wish to take advantage of this manufacturing process, there will be a £15 net discount.







Overall Guide Width (mm)

FUL	L BOX	2000	2400	2600	3000	3600	4000	4500	4800	5200		
Guid	de Width	75	75	75	75	75	75	75	90	90	Headroom	Total Height
<u>~</u>	1900	2035	2196	2262	2452	2714	2864	3157	3211	3240	300	2200
ıt (mm)	2150	2109	2349	2428	2626	2886	3035	3302	3348	3405	300	2450
Height	2300	2160	2408	2503	2703	2954	3137	3397	3434	3521	300	2600
Guide	2500	2211	2430	2543	2751	3037	3260	3443	3540		300	2800
G	2650	2267	2488	2606	2823	3090	3324	3471	3564		300	2950

Overall Guide Width (mm)

FUL	L BOX	2000	2400	2600	3000	3600	4000	4500	4800	5200		
Guio	le Width	75	75	75	75	75	75	75	90	90	Headroom	Total Height
<u>e</u>	1900	2438	2657	2764	3024	3194	3607	3914	4089	4178	300	2200
t (mm)	2150	2508	2765	2950	3091	3292	3855	4167	4292	4442	300	2450
Height	2300	2573	2847	3043	3170	3377	4006	4340	4455	4618	300	2600
Guide I	2500	2647	2943	3171	3385	3486	4112	4437	4635		300	2800
G	2650	3018	3211	3265	3594	3942	4254	4502	4710		300	2950





Premier finishes are also available at a

surcharge additional to the price shown of £22.07 per square metre.

at a surcharge of £32.54 per pair. Guides Rails: White or Brown as standard.

Other colour options are available at a surcharge of £48.63 per pair.

SECEURODRIVE MOTOR

Supplied as standard: FOC



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



SECEUROSENSE PLUS




SOMFY | ROLLIXO

ALARM SURCHARGE



FULL BOX OPTIONS

'Distance A' $= 300 \, \text{mm}$



White

Anthracite

BOX MADE UP AS STANDARD

Boxes for SeceuroGlide LT come made up as standard.

If you do not wish to take advantage of this manufacturing process, there will be a £15 net discount.

Standard Colours


Woodgrain Colours






SeceuroGlide Compact internal/external fitting roller garage door.

The SeceuroGlide Compact has been developed especially for garages with limited headroom. SeceuroGlide Compact's insulated aluminium slats are narrower than those used for the SeceuroGlide allowing a tighter, smaller coil which requires just 8" (205 mm) clearance above the opening height. An extensive range of sizes also means openings of up to 3000 mm wide (Overall Guide Width) can be accommodated.





Side Slat Profile



End Plate
The Compact features a ridged
locking system for peace-ofmind security.



Slimline Design
The Compact's slimline slat
is fully insulated, yet has an
exposed face just 55 mm high.



are supplied as standard.

Overall Guide Width (mm)

	HALF BOX	2000	2500	3000		
	Guide Width	60	60	60	Headroom	Total Height
uide ht (mm)	1900	2190	2322	2530	205	2105
Gui	2150	2226	2348	2573	205	2355

	FULL BOX	2000	2500	3000		
	Guide Width	60	60	60	Headroom	Total Height
uide ht (mm)	1900	2248	2374	2568	205	2105
Gu Heigh	2150	2279	2410	2609	205	2355

Overall Guide Width (mm)

ı	HALF BOX	2000	2500	3000		
	Guide Width	60	60	60	Headroom	Total Height
de :(mm)	1900	2427	2621	2889	205	2105
Gui	2150	2490	2697	2973	205	2355

	FULL BOX	2000	2500	3000		
	Guide Width	60	60	60	Headroom	Total Height
ide t (mm)	1900	2471	2658	2909	205	2105
Gu Heigh	2150	2530	2735	2992	205	2355

STANDARD COLOURS



Half Box: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £37.11 per metre.

Full Box: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £65.18 per metre.

Powder coated bottom slats to match the curtain colour

End Plates: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £32.54 per pair. Guides Rails: White, Brown or Fir Green as standard.

Other colour options are available at a surcharge of £48.63 per pair

FOILED WOODGRAIN COLOURS



Anthracite

(RAL 7016)

lvorv

(RAL 1015)

Moss Green Cream White Dark Brown (RAL 6005) (RAL 9001) (RAL 8019)





Agate Grey Chartwell

(RAL 7038)

Woodgrain finishes are supplied on one face only on brown slats as standard or white on request (Other base colours available at a cost of £45.60 per square metre NET).

Premier finishes are also available at a surcharge additional to the price shown of £22.07 per square metre.



Half Box: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £37.11 per metre.

Full Box: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £65.18 per metre.

End Plates: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £32.54 per pair.

Guides Rails: White, Brown or Fir Green as standard. Other colour options are available at a surcharge of £48.63 per pair.

SECEURODRIVE MOTOR

Supplied as standard: FOC



SOMFY MOTOR

Available with a surcharge: £35 net



CONTROL OPTIONS

Supplied as standard – choose ONE of the following:



SECEUROSENSE PLUS



SOMFY | ROLLIXO

ALARM SURCHARGE



HALF BOX DIMENSIONS 205 mm box 90° fascia



FULL BOX DIMENSIONS

'Distance A'

 $= 205 \, \text{mm}$



PG 14

Standard Colours

Woodgrain Colours







SeceuroGlide Manual the only insulated manual roller garage door on the market.

Developed to the same high standards and build quality as the SeceuroGlide range, SeceuroGlide Manual offers the ideal solution for applications where electricity is not available. The SeceuroGlide Manual has been engineered with ease of use in mind to provide the smoothest operation, whilst still offering the high levels of security and insulation.

Profiles & Sizes



75 mm guide rails supplied as standard on SeceuroGlide Manual



Side Slat Profile



Smooth Operation
The rolling bracket ensures
smooth operation and
reduces wear.



Strengthening Bottom Slat Patented bottom slat profile provides strength and aids operation.



Insulated SlatsFoam filled aluminium slats.







Overall Guide Width (mm)

	NO BOX	1000	1500	2000	2500	3000		
	Guide Width	75	75	75	75	75	Headroom	Total Height
mm)	1900	1182	1381	1579	1789	2011	300	2200
Guide Height (mm)	2150	1243	1461	1629	1826	2057	300	2450
Guid	2300	1313	1507	1703	1863	2074	300	2600




KEY OPERATION

The key operated lock is located in the middle of the door. Integrated handles are located in the middle and at the bottom for convenient operation from inside or outside the garage.



In partnership with the Weather Defender



SECEUROSEAL

SeceuroSeal provides a watertight seal and a physical barrier to prevent water and debris entering the garage. Particularly useful for garages with uneven floors, or those that lie at the bottom of a sloping driveway, SeceuroSeal is fitted on the ground underneath the door and has been developed to ensure garages are kept dry and clean, even in the worst of the British weather.

SeceuroSeal is supplied flat in pre-cut lengths for £26.30 per metre. SeceuroSeal Adhesive (290ml) is available for £17.12 each.

Standard Colours






Our lateral running door offers a unique and stylish solution for any garage design.

The Vertico makes the most of your garage space and creating a design feature for your home. Vertico is made from aluminium foam filled slats which link together to ensure exceptionally smooth operation and insulation, making the Vertico an ideal choice for heated garages and workshops. The vertical design offers partial opening ensuring minimal heat-loss and provides a convenient solution for pedestrian or bicycle access.

Configuration Examples





Many configurations are possible, for further examples, please scan the QR code.





Space Saving

Park next to door without affecting the door's operation.



Headroom Only 50 mm of headroom required.



Insulated Slats CFC-free foam-filled aluminium slat design.





Unit Width (mm)

		2000	2200	2400	2600	2800	3000	3200	3400	3600	3800	4000	4200	4400	4600	4800	5000	5200	5400	5600	5800	6100
	2000	4553	4737	4831	4926	5123	5308	5499	5592	5783	5878	6065	6249	6341	6526	6624	6807	6992	7084	7349	7611	8004
2	2200	4649	4834	4930	5026	5210	5390	5579	5674	5859	5950	6134	6317	6407	6584	6677	6858	7040	7132	7393	7657	8050
Int (mr	2400	4924	5113	5210	5304	5499	5690	5883	5972	6168	6267	6453	6651	6747	6943	7040	7233	7429	7527	7803	8085	8503
nit Heig	2600	5088	5280	5371	5463	5649	5837	6027	6118	6309	6403	6592	6785	6878	7065	7165	7355	7545	7641	7926	8205	8633
5	2800	5384	5579	5674	5770	5964	6158	6349	6448	6642	6733	6929	7128	7227	7421	7520	7714	7918	8011	8310	8602	9049
	3000	5592	5783	5878	5971	6161	6349	6538	6634	6825	6920	7111	7294	7383	7567	7665	7851	8034	8124	8427	8732	9179



VERTICO ACCESSORIES AND EXTRAS


IMAGE	DESCRIPTION	PROFILE	PRICE (£)	IMAGE	DESCRIPTION	PROFILE	PRICE (£)
	ACCESSORIES						
1980	Emergency safety release from outside, lockable per unit.	per unit	211.34		Additional hand transmitter (HS 2-M, 2 command 868 MHz)	per unit	154.52
1	170x40mm extruded aluminium corner cover for reveal fix installation	per vertical M	61.87	(3)	Additional hand transmitter (HS 4-M, 4 command, 868 MHz)	per unit	258.50
	Window opening 50x150mm, Two super- imposed windows possible per slat CD77/SF, vision slat curtain with plexiglass inserts.	per	49.55		Digital 526, Radio-Code button, 3 channel with cover	per unit	512.54
	Recommendation: Light-band/window opening: installation in every fourth slat in horizontal direction.	window	49.55	1	Multi-function interior push button station with system plug. Functions: – Door status display, open-closed – Permanent lighting on-off	per unit	198.22
Man .	Coating design package: Special RAL				– Operator, open-stop-close		
	coating design package: special rAL coatings for guide channel, covers, turn radius and optional screen.	per unit	519.66		Surface-mounted key operated switch with system plug (29002/M) Flush-mounted version (29003/M)	per unit	195.96


SUPPLIED AS STANDARD WITH:


- Remote control motor unit including two transmitters
- Emergency unlocking from inside
- Galvanised floor rail


TECHNICAL OVERVIEW:

- Space requirement in the lintel area can be minimised to 50 mm
- Maximum unit width: 6100 mm
- Maximum unit height: 3050 mm
- Bottom track only 25 mm high
- Certified by TUV (Technical Inspection Authorities), produced according to DIN-EN safety standards









Standard Colours

CALCULATING SIZE AND PRICE - ROLLER



Drive Through & Total Sizing:

Manual

75

■ Drive through width = Over guide width minus (guide width x 2)

Width

- Drive through height = Guide height minus hangdown
- Total/overall height = Guide height plus headroom

		Priced on ove	r guide width	Priced on guide height					
		Gui	des	Hangdown	room				
	Up to 3000	Up to 4600	Up to 5200	Up to 5590		Up to 2500	Up to 3500		
Excel	90	90	90		110	300	350		
Original	75	90	90	90	110	300	350		
LT	75	75	90		110	30	00		
Compact	60				90	20)5		

105

Guide Height (mm)

Height

300

Overall Height Guide Height Drive Through Width Over Guide Width

Minimum and maximum sizes across the range:

Over guide width (mm)

	Min	Max	Min	Max
Excel	1500	5200	1500	3500
Original	1050	5590	1500	3700
LT	1050	5200	1500	2650
Compact	1050	3000	1700	2150
Manual	1000*	3000	1500	2300

^{*}Minimum width above 2150 mm guide height = 1100 mm $\,$













Make an Entrance with SeceuroGlide Sectional Garage Doors

By choosing a SeceuroGlide Sectional garage door, you are investing in a product that has it all; security, kerb-appeal, ease of operation and choice.

Providing reliable performance when you need it most, SeceuroGlide Sectionals are designed to accommodate everyday modern life, yet every bespoke door can be configured to match your own personal style and requirements. With an emphasis on choice, you are in control of how your door is operated (choose from manual or electric) and with an extensive choice of colours, finishes, panels and accessories, how your door looks is down to you.

Good looks doesn't mean a compromise on safety as every electrically operated SeceuroGlide Sectional has obstacle detection built into the motor, which means it will never close when anything is detected in its path, providing perfect peace of mind for all the family.



With widths up to 5500 mm, the best-selling Elite uses a side-mounted tension spring system for smooth operation.

The pre-assembled springs ensure the door is perfectly balanced, ensuring reliable performance for years to come.

Also available, for doors outside the Elite's size range:





Reduction for Standard Heights: £30 nett

2000 mm, 2110 mm, 2220 mm, 2330 mm, 2440 mm



Panel Styles Centre Ribbed

		ELITE: Width: N	Min 1875 mm, N	1ax 5500 mm I	Height: Min 185	0 mm, Max 300	0 mm, COMPAC	: Width: Min 18	375 mm, Max 55	500 mm Height	t: Min 1900 mm	, Max 3000 mm	, PLUS: Width: I	Min 1875 mm, N	lax 5000 mm I	Height: Min 180	0 mm, Max 250	0 mm		Side Cover Profiles 40 mm & 100 mm (per side)		
		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm / 12ft 6in	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm / 16ft 5in	5180 mm / 17ft	5500 mm / 18ft	Standard Colours	Classic Colours	Any RAL
n	1981 mm / 6ft 6in	1484	1527	1576	1637	1684	1796	1858	1932	2003	2060	2221	2261	2312	2386	2503	2526	2545	2675	51	62	66
	2134 mm / 7ft	1602	1657	1707	1769	1834	1954	2034	2092	2149	2235	2397	2451	2519	2596	2714	2763	2811	2946	55	66	72
	2235 mm / 7ft 4in	1669	1735	1785	1847	1925	2053	2129	2155	2179	2270	2432	2474	2558	2709	2740	2848	2956	3282	57	69	75
	2438 mm / 8ft	1696	1769	1824	1900	1959	2093	2168	2236	2307	2407	2571	2649	2708	2800	2943	3160	3203	3369	63	75	81
	2500 mm / 8ft 2in	1707	1780	1837	1907	1965	2101	2185	2247	2312	2411	2585	2680	2714	2805	2956	3174	3219	3384	65	78	84
	3000 mm / 9ft 10in	1954	2027	2101	2170	2258	2432	2519	2622	2705	2822	3049	3315	3390	3520	3675	3754	3835	3948	78	94	100
	Classic Colours			275					360						4.	32						
	Any RAL			337					440						52	28						
	Surcharge for Compact / Plus			195					233						28	35					available in Compa for Compact/Plus	

Lintel Profile 60/90/100/130 mm

Between Track Legs (width)

		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm /8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm / 12ft 6in	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm / 16ft 5in	5180 mm / 17ft	5500 mm / 18ft
Standard	Colours	68	77	86	97	107	124	140	152	173	198	222	242	264	286	309	333	363	405
Classic C	Colours	97	108	121	135	151	177	197	213	245	278	315	342	372	404	437	471	512	571
Any I	RAL	124	140	157	175	196	229	255	276	317	360	407	442	481	521	565	608	662	738

Reveal Fitting Kits

Floor To Underside Of Fascia (height)

Executive Framing Kits		
Single Executive Full Framing Kit (width up to 3000 mm)	Standard Colours	517.88
Single executive rull rearning Kit (width up to 5000 min)	To Match Door	647.35
Double Executive Full Framing Kit (width 3001 mm to 4420 mm)	Standard Colours	665.01
Double Executive Full Framing Nit (Width 5001 Mill to 4420 Mill)	To Match Door	788.59
Large Double Executive Full Framing Kit (width 4420 mm +)	Standard Colours	729.74
Large Double executive rull rial ling kit (wigth 4420 mm +)	To Match Door	894.52
Basic Reveal Fixing Kits		
Products Divots Nivts & Polts	Loose	75.33
Brackets, Rivets, Nuts & Bolts	Fitted	147.08

Windows See page 28 for further window information Rectangular Polycarbonate Windows and PVC Frames 129.47 White or Black Frame with Matt or Clear Glazing 141.24 Anthracite Frame with Matt or Clear Glazing 153.01 Golden Oak Frame with Matt or Clear Glazing 170.67 White or Black Frame with Georgian Cross with Matt or Clear Glazing 35.00 Outer Frames Painted to Match the Door (surcharge) Glass Windows with Stainless Steel Frames 391.94 Medium Square Window with Matt or Clear Glazing 391.94 Large Square Window with Clear Glazing 391.94 Medium Round Window with Clear Glazing 391.94 Large Round Window with Matt or Clear Glazing

Standard Colours (free of charge)



*Colour availability varies depending on the type of panel.

GEORGIAN CASSETTE



Panel Style

ELITE: Width:	Min 2040 mm, N	Max 5000 mm	Height: Min 196	55 mm, Max 300	00 mm, COMPAC	T: Width: Min 2	040 mm, Max 5	6000 mm Heigl	nt: Min 1965 mn	m, Max 3000 mm, PLUS: Width: Min 2040 mm, Max 5000 mm Height: Min 1965 mm, Max						
2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm / 12ft 6in	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm / 16ft 5in	
1484	1527	1576	1637	1934	2074	2154	2236	2336	2421	2221	2261	2728	2815	2946	2980	
1602	1657	1707	1769	2102	2252	2352	2421	2507	2624	2397	2451	2967	3059	3192	3253	
1669	1735	1785	1847	2207	2365	2462	2498	2555	2676	2432	2474	3027	3099	3241	3361	
1696	1769	1824	1900	2267	2435	2531	2611	2715	2849	2571	2649	3219	3329	3487	3871	
1707	1780	1837	1907	2278	2451	2558	2632	2732	2866	2585	2703	3238	3347	3515	3900	
1954	2027	2101	2170	2637	2851	2966	3083	3208	3366	3049	3474	4183	4340	4524	4623	
	275					360					432					
	337					440					528					

Side Cover Profiles 40 mm & 100 mm (per side)

		(1)
Standard Colours	Classic Colours	Any RAL
51	62	66
55	66	72
57	69	75
63	75	81
65	78	84
78	94	100

Only available in Compact or Plus. Surcharge for Compact/Plus does not apply.

Lintel Profile 60/90/100/130 mm

Between Track Legs (width)

285

	2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm /8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm / 12ft 6in	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm / 16ft 5in
Standard Colours	68	77	86	97	107	124	140	152	173	198	222	242	264	286	309	333
Classic Colours	97	108	121	135	151	177	197	213	245	278	315	342	372	404	437	471
Any RAL	124	140	157	175	196	229	255	276	317	360	407	442	481	521	565	608

233

Reveal Fitting Kits

Floor To Underside Of Fascia (height)

1981 mm / 6ft 6in 2134 mm /7ft 2235 mm /7ft4in 2438 mm /8ft 2500 mm /8ft 2in 3000 mm /9ft 10in Classic Colours Any RAL Surcharge for Compact / Plus

0		
Executive Framing Kits		
Single Executive Full Framing Kit (width up to 3000 mm)	Standard Colours	517.88
Single executive ruli Framing Kit (width up to 5000 min)	To Match Door	647.35
Double Executive Full Framing Kit (width 3001 mm to 4420 mm)	Standard Colours	665.01
Double Executive Full Harrising Nit (Width 3001 Hill to 44420 Hill)	To Match Door	788.59
Large Double Executive Full Framing Kit (width 4420 mm +)	Standard Colours	729.74
Large Double Executive Full Framing Kit (Wigth 4420 Min +)	To Match Door	894.52
Basic Reveal Fixing Kits		
Products Divots Nuits & Polts	Loose	75.33
Brackets, Rivets, Nuts & Bolts	Fitted	147.08

195

Windows

WIIIUUW3	see page 28 for further windo	w information.
Rectangular Polycarbonate Windo	ws and PVC Frames	
White or Black Frame with Matt or Cl	lear Glazing	129.47
Anthracite Frame with Matt or Clear	Glazing	141.24
Golden Oak Frame with Matt or Clea	r Glazing	153.01
White or Black Frame with Georgian	Cross with Matt or Clear Glazing	170.67
Outer Frames Painted to Match the D	Door (surcharge)	35.00

Lead time for Woodgrain Embossed varies depending on size and panel configuration.

Standard Colours (free of charge)



Reduction for Standard Heights: £30 nett

2000 mm, 2110 mm, 2220 mm, 2330 mm, 2440 mm



Panel Style

Vertical Rib

ELITE: Width: Min 1875 mm, Max 5500 mm | Height: Min 1850 mm, Max 5000 mm | Height: Min 1850 mm, Max 5000 mm | Height: Min 1800 mm, Max 2500 mm

Side	Cover Profiles
40 mm 8	& 100 mm (per side
Character of	Cl .

Only available in Compact or Plus. Surcharge for Compact/Plus does not apply.

		2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm / 8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm / 12ft 6in	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm / 16ft 5in	5180 mm / 17ft	5500 mm / 18ft	Standard Colours	Classic Colours	Any RAL
eight	1981 mm / 6ft 6in	1967	2024	2090	2174	2237	2384	2467	2564	2662	2740	2957	3011	3080	3178	3335	3367	3395	3570	51	62	66
cia (h	2134 mm / 7ft	2125	2201	2268	2351	2438	2594	2703	2783	2859	2976	3194	3266	3358	3463	3621	3688	3751	3935	55	66	72
Jt Fas	2235 mm / 7ft 4in	2217	2306	2374	2455	2562	2729	2831	2867	2900	3023	3242	3297	3411	3487	3656	3802	3948	4389	57	69	75
side (2438 mm / 8ft	2253	2351	2426	2527	2609	2784	2884	2977	3071	3205	3429	3534	3614	3737	3930	4223	4283	4507	63	75	81
nder	2500 mm / 8ft 2in	2268	2367	2443	2540	2614	2794	2907	2993	3080	3213	3447	3574	3621	3743	3948	4241	4304	4525	65	78	84
0	3000 mm / 9ft 10in	2600	2699	2800	2893	3013	3242	3358	3498	3608	3765	4074	4432	4535	4709	4918	5026	5134	5286	78	94	100
P100	Classic Colours			275					360						4.	32						
	Any RAL			337					440						52	28						

Lintel Profile 60/90/100/130 mm

Between Track Legs (width)

285

	2134 mm / 7ft	2286 mm / 7ft 6in	2438 mm / 8ft	2591 mm /8ft 6in	2743 mm / 9ft	3048 mm / 10ft	3250 mm / 12ft 6in	3353 mm / 11ft	3658 mm / 12ft	3962 mm / 13ft	4267 mm / 14ft	4420 mm / 14ft 6in	4572 mm / 15ft	4725 mm / 15ft 6in	4877 mm / 16ft	5000 mm / 16ft 5in	5180 mm / 17ft	5500 mm / 18ft
Standard Colours	68	77	86	97	107	124	140	152	173	198	222	242	264	286	309	333	363	405
Classic Colours	97	108	121	135	151	177	197	213	245	278	315	342	372	404	437	471	512	571
Any RAL	124	140	157	175	196	229	255	276	317	360	407	442	481	521	565	608	662	738

233

Reveal Fitting Kits

Surcharge for Compact / Plus

Floor To Underside Of Fascia (height)

Standard	Colour	(free	of	charg	e

Executive Framing Kits		
Single Executive Full Framing Kit (width up to 3000 mm)	Standard Colours	517.88
Single executive rull rianning kit (width up to 5000 mm)	To Match Door	647.35
Double Everythy Full Francisco Vit (width 2001 mm to 4420 mm)	Standard Colours	665.01
Double Executive Full Framing Kit (width 3001 mm to 4420 mm)	To Match Door	788.59
Large Double Executive Full Framing Kit (width 4420 mm +)	Standard Colours	729.74
Large Double Executive rull Flaming Nit (Width 4420 min +)	To Match Door	894.52
Basic Reveal Fixing Kits		
Products Directs Nuts & Polts	Loose	75.33
DIACKELS, NIVELS, INULS & DUILS	Fitted	147.08
Brackets, Rivets, Nuts & Bolts	Fitted	147.08

195






Colours and Measurements



Metallic Colours



Standard Colours* Free of charge



Foiled Woodgrain**

Available in Centre Rib and Un-Ribbed



Golden Oak

**Classic Colours pricing applies.



SECEUROSENSE / BLACK EDITION OPERATOR OPTIONS & ACCESSORIES

IMAGE	DESCRIPTION	PROFILE	STOCK CODE	PRICE (£)
	SPARES AND UPGRADES			
	SeceuroSense Plus Receiver Unit – Wireless	each	EC89100	236.02
3.	SeceuroSense Plus Receiver Unit – Wired	each	EC892O0	236.02
A	SeceuroSense Plus Receiver Unit – Wireless IP/External BST	each	EC893O0	236.02
•	SeceuroSense Bottom Slat Transmitter 1.5v	each	EC75100	149.32
	SeceuroSense Bottom Slat Transmitter for Built-In Alarm (BST25) 1.5v	each	EC752O0	160.04
	Radio Card & BST Upgrade Kit	each	EC990O0	313.83
	Upgrade to SeceuroSense External Bottom Slat Transmitter	each	YSGACCS1 EXTERNAL	160.87
	Replacement Light Bulb for SeceuroSense Courtesy Light	each	EC725O0	5.48
	Batteries for SeceuroSense Transmitters (CR2032)	each	EC361O1	6.85
COMMON TO STATE OF THE PARTY OF	Duracell Batteries for SeceuroSense Bottom Slat Transmitter 1.5v	each	EC751O1	2.46
	3.6v Lithium Battery For SeceuroSense (2pk)	each	EC71101	35.62
A	Radio Card for 3.6v BST	each	EC79900	160.03
	Radio Card for 3.6/1.5v BST	each	EC798O0	160.03
	Radio Card for 1.5v BST25	each	EC798O2	160.03
OB TO	Alarm Kit for SeceuroSense Plus	each	EC723O0	106.86
	Seceuro Sense Hard Wired Magnets (for uneven floors)	each	EC726O0	64.38
	SeceuroSense Photocell & Reflector	each	EC705O0	117.49

IMAGE	DESCRIPTION	PROFILE	STOCK CODE	PRICE (£)
	SECEUROSENSE HAND TRANSMITTERS			
	Chrome Deluxe 2 channel transmitter	each	EC716O2	106.46
	Chrome Deluxe 4 channel transmitter	each	EC716O4	106.46
	Smooth black 2 channel transmitter	each	EC712O2	93.16
	Smooth black 4 channel transmitter	each	EC712O4	93.16
	Smooth black 4 channel bi-directional transmitter	each	EC751O4	112.33
	Smooth white 2 channel transmitter	each	EC711O2	93.16
	Smooth white 4 channel transmitter	each	EC711O4	93.16
	Smooth white 4 channel bi-directional transmitter	each	EC750O4	112.33
	S/Sense Black Deluxe 2 channel transmitter	each	EC717O2	93.16
	S/Sense Black Deluxe 4 channel transmitter	each	EC717O4	93.16
	Plus 3 channel transmitter	each	EC713O3	93.16
	SECEUROSENSE WALL SWITCHES AND BIDIRECTIONAL CO	NTROLS		
	4 channel black wall transmitter	each	EC731O4	119.18
	4 channel black bi-directional wall switch	each	EC741O4	171.24
(=	4 channel white wall transmitter	each	EC730O4	119.18
	4 channel white bi-directional wall switch	each	EC740O4	171.24
	4 channel stainless steel cover for wall transmitter	each	EC73000	49.32
III	Wireless keypad	each	EC703O0	284.95
	SECEUROSENSE LIGHTING			
San Parket	Lighting strip external 1000 mm With transformer	each	EC76000	306.87
The state of the s	One light per operator	each	-	183.17
	Lighting Strip External 2 x 1000 mm	each	EC77000	402.77
	Lighting Aluminium Cover 2000 mm	each	EC78000	113.71
00	Moon Lights Kit. 2 Lights with Transformer	each	EC790O0	155.56

SWS UK | Retail Price List - SeceuroGlide Garage Doors

SOMFY OPTIONS & ACCESSORIES



IMAGE	DESCRIPTION	PROFILE STOCK CODE		PRICE (£)	
	SPARES AND UPGRADES				
	Rollixo Receiver & 2 Keygo Transmitters	each	EC46000	421.42	
somfy	Rollixo XSE Bottom Slat Transmitter	each	BS680B0	146.45	
	Photocell and reflector	each	SG102P1	117.83	Rollixo
200	Rollixo alarm kit	each	EC410O1	26.88	
"	Rollixo magnet	each	BS680M0	31.56	
The state of the s	Battery Back-up Pack (5-10 operating cycles in 24 hours)	each	SG098P0	52.06	Dexxo
	Photocell Set	pair	SG102P0	95.64	XO .
my V	Somfy Smoove Origin RTS	each	EC377O0	67.18	
9	Keygo transmitters	each	SG100P0	92.99	
	Situo 1 RTS Pure II Situo 1 RTS Iron II Situo 1 RTS Natural II Situo 1 RTS Artic II	each	EC378O0 EC378O1 EC378O2 EC378O3	64.44 125.90 131.44 131.44	
() () () () () () () () () ()	Situo 5 RTS Pure II Situo 5 RTS Iron II Situo 5 RTS Natural II Situo 5 RTS Artic II	each	EC37900 EC37901 EC37902 EC37903	93.74 126.44 168.63 168.63	Rollixo + Dexxo
	Somfy RTS Standard Receiver	each	SG103P0	152.13	+ Dexx
Control of the Contro	Batteries for Keygo Transmitter	each	EC36100	6.76	Ö
- 1, -	Wireless Keypad 2 RTS	each	SG101P1	151.44	
•	Wireless Wall Mounted Switch RTS	each	SG099P0	47.08	
	Wireless Wallswitch 3 RTS	each	SG099P1	81.50	

IMAGE	DESCRIPTION	PROFILE	STOCK CODE	PRICE (£)	
	SPARES AND UPGRADES				
	TaHoma Switch	each	EC462TS	342.14	
· ·	RTS Plug	each	EC466PL	46.42	
	Indoor Camera	each	EC470IC	352.92	אסווואס - מכאאס
0	Smoke Detector	each	EC481SM	160.00	00000
	Temperature Sensor	each	EC482TS	212.54	
	Outdoor Camera (White)	each	EC471CW	510.73	
9	Outdoor Camera (Anthracite)	each	EC472CA	510.73	

A Smart Way of Living

With its easier-than-ever installation and programming, the new TaHoma Switch enables to you to operate your garage door, motorised blinds, gates, awnings and lights at anytime, from anywhere, all in one place.



EASY HOME AUTOMATION

- Easy plug in and go set-up
- Can be installed anywhere in your home thanks to WiFi connectivity
- Customise each button to create your own personalised scenarios
- Operate everything from one place with the Somfy app
- Convenient voice control for on-the-go operation
- Compatible with over 300 products including Amazon Alexa, Google Home, Sonos, Hive, IFTTT and many more





ROLLER OPTIONS & ACCESSORIES

IMAGE	DESCRIPTION	PROFILE	STOCK CODE	PRICE (£)
	OPTIONAL EXTRAS			(=/
The state of the s	Fitted manual override lock (SeceuroGlide Compact Only)	each	YSGACCS1 O/R LOK	169.76
34 mm	90 mm guides (upgrade from 75 mm guides)	per door	YSGACCS1 90 GUIDE	102.83
	SLOPING BOTTOM SLAT: Not available on Excel (please use order form) Overall door width from 0 to 5000 mm Online prices per linear metre @ £115.44 when specified with door	per linear metre	YACCS SLOPE	149.79
	SeceuroGlide Vision Slat (punched and glazed) Available Inline or Brick Bond	per linear metre	YSGACCS1 VISION	20.49
	Seceuro Glide Vented Slat* *Not available in Renolit or Painted Woodgrain finishes	per linear metre	SL777VS VENTED	62.98
	300 mm 90' fascia box support (4 required up to 3000 mm, 6 required – 3001 to 5400 mm)	each	BX000B0	9.06
1	Emergency low level external manual override kit	each	MT120M1	246.56
	Spacer Block for Low Level Override	each	BS781B0	14.13
A STATE OF THE PARTY OF THE PAR	Loose manual override exit lock	each	MT018A1	71.42
	SeceuroSeal	per metre	BS810B0	26.30
	SeceuroSeal Adhesive (290ml)	each	BS810B1	17.12
	ALUMINIUM BOX AND ANGLES			
•	30 x 20 Aluminium L Section Angle (Mill Finish) 30 x 20 Aluminium L Section Angle Powder Coated (White) 30 x 20 Aluminium L Section Angle Powder Coated (Brown)	per metre	YBS300E0 YBS300E1 YBS300E2	13.43
	50 x 20 Aluminium Box Section/Packer (Mill Finish) 50 x 20 Aluminium Box Section/ Packer Powder Coated (White) 50 x 20 Aluminium Box Section/Packer Powder Coated (Brown)	per metre	YBS520E0 YBS520E1 YBS520E2	24.85
	50 x 50 Aluminium Box Section/Packer (Mill Finish) 50 x 50 Aluminium Box Section/Packer Powder Coated (White) 50 x 50 Aluminium Box Section/Packer Powder Coated (Brown)	per metre	YBS550E0 YBS550E1 YBS550E2	31.11
	OTHER CONTROL OPTIONS			
1.4.1	Keyswitch	each	EC381O3	97.08
**	Keyswitch Keyed Different	each	EC381O2	91.78
14	SO12 Flush Front Plate	each	EC381O4	8.25
0.	Tubular Motor Test Lead	each	EC409O0	118.15

IMAGE	DESCRIPTION	PROFILE	STOCK CODE	PRICE (£)
	SECEUROGLIDE & SECEUROGLIDE COMPACT LATH REPL	ACEMENTS		
	SeceuroGlide cut Slat (Standard colours)	per metre	YSL770A1	15.17
	SeceuroGlide cut Slat (Woodgrain colours)	per metre	YSL770A2	24.24
	SeceuroGlide Compact cut Slat (Standard colours)	per metre	YSL30A1	7.04
	SeceuroGlide Compact cut Slat (Woodgrain colours)	per metre	YSL30A2	23.31
	SECEUROGLIDE CURTAINS			
	SECEUROGLIDE READY MADE CURTAIN (The surcharge does not include the cost of safety edge this needs to be added on (cut out for the RDU is included if needed) Standard colours Woodgrain Foiled Woodgrains	per metre square	SGLIDE CD77 CURT WOODGRAIN	213.68 267.01
	SECEUROGLIDE COMPACT READY MADE CURTAIN (The surcharge does not include the cost of safety edge this needs to be added on (cut out for the RDU is included if needed) Standard colours Woodgrain	per metre	CURT CD300 WOODGRAIN	184.13 231.38
	UPGRADE KITS	square	WOODGINAIIV	231.30
	OFGRADERITS			
A. C	Seceuro Sense Plus Wireless Upgrade Kit	each	EC699O3	443.10
	SeceuroSense Plus Wired Upgrade Kit	each	EC699O2	443.10
	Somfy Rollixo Garage Door Remote Control Upgrade Kit	each	EC499O0	440.70
	AEGDW Bottom Slat	per metre	YBS005E1	37.03
	Triple Chamber Rubber Seal	per metre	BS730B0	21.91
	Radio Card & BST Upgrade Kit	each	EC990O0	313.83
	TOUCH-UP PAINT POT & PEN			
	TOUCH-UP PAINT POT Anthracite (RAL7016), Black (RAL9005), Brown (RAL8014), Burgundy (RAL3004), Duck Egg Blue, Chartwell Green (B514C35), Fir Green (RAL6009), Graphite (RAL7024), Heritage Green (RAL6021), Ivory (RAL1015), Light Beige (BS08B17), Agate Grey (RAL7038), Navy Blue (RAL5011), Silver Metallic (RAL9006), White (RAL9016)	each	PC500 XX	7.75
() AMAX	TOUCH-UP PAINT PEN Anthracite (RAL7016), Black (RAL9005), Brown (RAL8014), Burgundy (RAL3004), Light Beige (BS08B17), Agate Grey (RAL7038), Silver Metallic (RAL9006)	each	PC502P X	31.09
	COVERCAPS			
9	13MM COVERCAPS Brown, Black, Blue, Cream, Dark Grey, Grey, Heritage Green, Red, White	each	GU010 XX	0.19

SWS UK | Retail Price List - SeceuroGlide Garage Doors

SECTIONAL OPTIONS & ACCESSORIES

	PRICE (£)
RECTANGULAR POLYCARBONATE WINDOWS WITH PVC FRAMES	
White Frame with Matt or Clear Glazing each SG150P0	129.47
Black Frame with Matt or Clear Glazing each SG151P0	129.47
Anthracite Frame with Matt or Clear Glazing each SG154P0	141.24
Golden Oak Frame with Matt or Clear Glazing each SG152P0	153.01
White Frame with Georgian Cross with Matt or Clear Glazing each SG155W1	170.67
Black Frame with Georgian Cross with Matt or Clear Glazing each SG156W1	170.67
Outer Frames Painted to Match the Door (Surcharge) each –	33.00
GLASS WINDOWS WITH STAINLESS STEEL FRAMES	
Medium Square Window with Matt Glazing each SG161W0	391.94
Medium Square Window with Clear Glazing each SG161W1	391.94
Large Square Window with Clear Glazing each SG160W2	391.94
Medium Round Window with Clear Glazing each SG161W2	391.94
Large Round Window with Matt Glazing each SG160W0	391.94
Large Round Window with Clear Glazing each SG160W1	391.94
IMAGE DESCRIPTION PROFILE STOCK CODE	PRICE (£)
LOCKABLE HANDLES	
Handle with Euro Cylinder Lock – Black each SG122P0	218.92
Handle with Euro Cylinder Lock – Aluminium each SG123P0	218.92
Slide Bolt each SG125P0	26.06
MANUAL OVERRIDES	
Lockable Manual Override (to be fitted onsite) MT018A1 each SG305L0	77.30
Lockable Manual Override (to be fitted onsite) MT018A1 each SG305L0 Factory Fitted To The Top Panel YSGACCS1 O/R LOK each -	77.30 183.87
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each –	
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each – MISC. SeceuroSeal per metre BS810B0 SeceuroSeal Adhesive (290 ml) each BS810B1	183.87
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each – MISC. SeceuroSeal per metre BS81080 SeceuroSeal Adhesive (290 ml) each BS810B1 OTHER ACCESSORIES	26.30 17.12
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each – MISC. SeceuroSeal per metre BS810B0 SeceuroSeal Adhesive (290 ml) each BS810B1	183.87 26.30
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each – MISC. SeceuroSeal per metre BS81080 SeceuroSeal Adhesive (290 ml) each BS810B1 OTHER ACCESSORIES	26.30 17.12
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each – MISC. SeceuroSeal per metre BS810B0 SeceuroSeal Adhesive (290 ml) each BS810B1 OTHER ACCESSORIES Sectional Elite Spring Cover 87x22 L2300 mm each SG897C0	183.87 26.30 17.12
Factory Fitted To The Top Panel YSGACCS1 O/R LOK each – MISC. SeceuroSeal per metre BS810B0 SeceuroSeal Adhesive (290 ml) each BS810B1 OTHER ACCESSORIES Sectional Elite Spring Cover 87x22 L2300 mm each SG897C0 Sectional Elite Spring Cover 87x22 L2800 mm each SG897C1	26.30 17.12 31.19 37.66

Standard window positions are horizontal, across the top or vertical down either the left or right size. Bespoke positions are also available on request.

Window Styles



Size: 487 mm x 323 mm Glazing: Matt or Clear





Size: 310 mm x 310 mm Glazing: Clear



Size: 230 mm X 230 mm Glazing: Matt or Clear



Diameter: 330 mm Glazing: Matt or Clear



Diameter: 243 mm Glazing: Clear

SECTIONAL OPERATORS

BLACKEDITION



The 800Nm Black Edition motor operator by NRG is compatible with a variety of hand transmitters, wall switches and keypads, offering great value, choice and control.



Features:

- For doors up to 2800 mm high
- Simple programming and force setting
- Obstacle detection
- Soft start and stop
- Hidden program buttons
- Integrated LED light

STOCK CODE	DESCRIPTION	PRICE (£)
YSG840B1	Black Edition 800 Operator & one-piece 3000 mm Belt Rail (With 2 Chrome Deluxe Handsets)	336.86
YSG840B2	Black Edition 800 Operator & one-piece 3300 mm Belt Rail (With 2 Chrome Deluxe Handsets)	353.16
YSG840B3	Black Edition 800 Operator & one-piece 3600 mm Boom/Belt Rail (With 2 Chrome Deluxe Handsets)	396.63

Please Note: 2700 mm is the max height with Black Edition Operators on Compact Doors.

See page 25 for the full range of compatible handsets, wireless wall switches and key switches.





The Dexxo range of motor operators from Somfy, the European leader in motor and control solutions, are easy to install, program and modify. Fully compatible with Somfy's extensive range Home Automation accessories, include security cameras and motion sensors.

Dexxo Compact

Dexxo Optimo 800

Dexxo Pro 1000








Feature	Compact 600	Optimo 800	Pro 1000
Door Size	Up to 7 m²	Up to 10 m²	Up to 15 m ²
Speed	Up to 14 cm/s	Up to 14 cm/s	Up to 18 cm/s
Functions	2	4	Up to 17
Obstacle Detection	✓	✓	✓
Soft Start and Stop	✓	✓	✓
Pre-Programmed Settings	✓	✓	✓
Lock Programming	X	✓	✓
Integrated LED Light	✓	✓	✓
Smart Home Compatible	✓	✓	✓

YEC600C2	Dexxo Compact Operator & 2900 mm Belt Rail (With 2 Keytis 4 Channel Transmitters)	380.33
YEC600C3	Dexxo Compact Operator & 3500 mm Belt Rail (With 2 Keytis 4 Channel Transmitters)	391.19
YEC800C2	Dexxo Optimo 800 RTS Operator & 2900 mm Belt Rail (With 2 Keytis 4 Channel Transmitters)	385.76
YEC800C3	Dexxo Optimo 800 RTS Operator & 3500 Belt Rail (With 2 Keytis 4 Channel Transmitters)	396.63
YEC100D2	Dexxo Pro 1000 RTS Operator & 2900 mm Belt Rail (With 2 Keygo 4 Channel Transmitters)	499.86
YEC100D3	Dexxo Pro 1000 RTS Operator & 3500 mm Belt Rail (With 2 Keygo 4 Channel Transmitters)	510.73

See page **26** for the full range of additional Somfy accessories.

CALCULATING SIZE & PRICE - SECTIONAL



Dimensions and Headrooms

	Minimum Side Room	Actual Drive Through Height (electric)			Head Room uired
Types	Required (D1 & D2)	Manual	Manual Electric		Electric (C)
Elite	85 mm	DOH – 230 mm	DOH- 20 mm	100 mm	130 mm
Plus	85 mm	DOH – 170 mm	DOH – 0 mm	160 mm	190 mm
Compact	85 mm	N/A	DOH – 85 mm	N/A	90 mm


DOW Daylight Opening Width (A on illustration)
DOH Daylight Opening Height (B on illustration

Executive frame kit has a 100 mm frame leg each side. Executive frame kit has 100 mm wide head frame.

2 WAYS TO ORDER ONLINE



Enter your opening height and we'll produce a made-to-measure door that will fit the opening perfectly.



Bespoke doors are priced and ordered on the basis of between track legs and floor to underside of fascia.

2 Standard Sizes

Select from the standard heights below for a £30 nett reduction and our fastest available lead times.



Standard height doors are configured with an optional 100 mm cover profile and are priced and ordered on the basis of between track legs and total panel height.

IMPORTANT INFORMATION

SECEUROGLIDE COMPLIANCE WITH THE LATEST CE STANDARDS

The SeceuroGlide range is fully compliant with the latest UK product directives and standards including BS EN 13241-1 applicable from the 1st May 2005.

COMPLIANCE WITH CURRENT LEGISLATION

- To ensure compliance with the Construction Products Regulation SeceuroGlide Compact must be installed with either a SeceuroSense Plus / Rollixo remote control or a 'hold-to-run' switch or key switch.
- We recommend the use of photocells in addition to the standard bottom slat sensor in garages where a vehicle will be parked close to the door. Moreover, where a door opens directly onto a pavement or in a public area, a combination of bottom slat sensor and photocells is a statutory requirement.
- Antidrop devices are supplied when required at no extra cost.
- If planning to operate a garage door with Somfy home automation equipment, then the door must be fitted with photocells.
- If ordering photocells retrospectively, the panel will need to be checked for compatibility. For more information please contact our Technical Support line on 01524 772 400.

SECEUROGLIDE EXTREME WEATHER CONDITIONS

High winds and high temperatures can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is packed off the wall sufficiently to allow for door movement during these extreme weather conditions.

Please note darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door.

Whilst the garage door profiles and panels are primed and coated for the external environment – any doors fitted in coastal environments may be at risk of deterioration due to the weather conditions. Ensure you keep your door clean and follow the instructions for cleaning the door in the operating and maintenance instructions.

Please note: if a door is situated in an exposed location and subjected to very high winds and driving rain, the SeceuroGlide range does not guarantee against water ingress. As part of the product's testing for the CE or UKCA marking, the product has not been tested against this and as such is classified as NPD (No Performance Declared).

SECURITY AND RESISTANCE TO HIGH WINDS

SeceuroGlide Original and Excel doors tested to a minimum Class 2 wind resistance classification, which is equivalent to 59mph winds (Force 10 Storm).

SeceuroGlide Sectional Doors tested to a Class 5 wind resistance classification, which is equivalent to 114mph winds (Force 14 Storm).

SECEUROGLIDE ROLLER FITTING

- SeceuroGlide Excel must always be fitted internal face fitted / reveal fitted.
- When fitted externally SeceuroGlide Original will always be supplied with a full box.
- SeceuroGlide Compact external comes supplied with a full box.
- SeceuroGlide Manual can only be fitted internally.
- A low level override option not available for SeceuroGlide Excel. Where the garage door is the only means of exit from a garage, a low level override can be supplied, however this will affect the Level 1 certification and SBD certification will not be supplied.
- If vented slats are selected as an option on SeceuroGlide Original or Excel, they will be supplied, however, this will affect the Level 1 and SBD accreditation and the security certification will not be supplied.
- Unless requested otherwise, when installed internally, tubular motors will be fitted on the left hand side of each door (when viewed from inside the garage looking out). Alternatively, unless requested otherwise, when installed externally, tubular motors will be fitted on the left hand side of each door (when viewed from outside the garage looking in).

SECEUROGLIDE COLOURS AND FINISHES

- Powder coated boxes, guides, bottom and locking slats may be a slightly different shade to the curtain.
- Powder coated cover profiles and executive frames may be a slightly different shade to the panels.
- Other Renolit woodgrain finishes are available at the same cost as the standard Foiled Woodgrain colours, however longer lead times may apply.
- Longer lead times also apply for Georgian Cassette sectional doors in Smooth White and Smooth Golden Oak.
- SeceuroGlide Compact textured woodgrain doors are supplied with matching bottom slats and brown inner face, guides, end plates and half box as standard.
- SeceuroGlide Manual is NOT AVAILABLE in Woodgrain or Painted Woodgrain
- For woodgrain effect doors, any vision/vented slats will be supplied in a solid colour nearest to the colour of the woodgrain. Golden Oak will be supplied with brown. Vision slats are NOT available on the Compact or the Manual.
- Marking may occur at the top of the concave (coil) side of the curtain over time. This is unavoidable and due to prolonged contact with the locking system.
- Any Matched RAL colour garage doors are finished in a low gloss finish which is similar in gloss level to the precoated colours.

SECEUROGLIDE SECTIONAL FORCE TESTING

When a SeceuroGlide Sectional door is supplied motor ready, the installer is required to carry out force testing and is responsible for ensuring the results are within the permitted force.

SWS UK | Retail Price List - SeceuroGlide Garage Doors

DELIVERY, PACKING & WARRANTIES

Delivery Charges	Price (£)
Over £450 net on standard run	Nil
Under £450 net on standard run	48.50
All orders required on a different day to standard delivery run	POA
Collection from distribution depot	Nil
Pre agreed time slot for standard deliveries	POA
Site delivery charge one man offload	71.00 extra
Site delivery charge two man offload	116.50 extra
Redelivery of goods	44.50 extra
Deliveries to Scotland	42.50 per drop
Deliveries to Ireland	POA

All packaged items above 6.8 m will incur an additional charge and will be subject to quotation.

Carrier Services	Price (£)
Component items up to 5 kg	14.47
Component items up to 20 kg	36.00
Delivery & packaging of fragile items over 20 kg	78.38
Pre 10.30 am	45.15 extra
Pre noon	33.29 extra
Saturday pre noon	55.97 extra
Additional surcharges apply on the following:	
Northern Ireland	85.00
Isle of Man, Channel Islands & Scottish offshore	105.00
Isle of Wight, Grampian & Highlands	40.00
Devon & Cornwall	15.55
Central London	4.00

Delivery Service

Our standard delivery service covers England and Wales weekly, Scotland and Ireland fortnightly. Our pricing includes delivery on all orders over £450 on our standard weekly service. Additional chargeable deliveries can often be arranged with your internal account manager. We also offer home/site delivery service options with one or two men depending on the size of delivery and site conditions. Delivery confirmations for our own dedicated service will be emailed or texted the previous afternoon to confirm if AM or PM the following working day. Please ensure an email address and/or mobile number is supplied on your order.

IMPORTANT DELIVERY NOTES: Site deliveries will only be made if the installer is in attendance to assist off loading or if extra help with off loading has been arranged. The most cost effective and safest way of delivering orders is via our own transport

For urgent orders in certain areas of the country, collection is possible from our 3 distribution depots (must be collected within 24 hours):

South (Heathrow)

Units 2, 3 & 4, Lakeside Industrial Estate, Lakeside Road, Colnbrook SL3 0ED

Midlands (Willenhall)

DX Freight, Unit 1 Bays 1, 2, 3 East Acre, Off Long Acre, Willenhall WV13 2JZ

Bristol

Jupiter Road, Patchway, Bristol BS34 5BW

COMPONENT ORDERS

All small component orders required next day must be received by 2 pm the day before delivery. Orders placed on a Friday must be received by 12 noon for delivery on Monday.

If you require powder-coated items, please allow an additional 24 hours at least from the receipt of order. Items for assembly need to be booked in for manufacturing – for example complete shutter curtains. Please allow a minimum of three working days depending on the delivery method.

Regrettably it is not possible to send items over 5 m in length by overnight carriers.

CRATE CHARGES

We can offer delivery by crate on a POA basis. Please speak to Customer Services.

SWS UK is proud to be an official supporting supplier of The Association Of Garage Door Specialists. In line with SWS UK's policy of continuous product development, we reserve the right to make changes without prior notification. All information is believed correct at the time of publication, errors and omissions excepted.

DELIVERY CHECK-LIST

A. Pre-delivery

- A postcode must be supplied for all delivery addresses.
- We currently operate a range of delivery vehicles. It is therefore important to check the lorry's dimensions when arranging a delivery for the first time.
- If you require a delivery to site you must supply us with a contact name and a contact telephone number of the person who will assist the driver to unload.

B. Receipt of goods - own premises

- We require a person to assist off-load, check and sign for goods.
- For large deliveries, please ensure you have several people to assist, this will minimise any delays for subsequent customers.
- Deliveries received must be checked before signing the delivery note. It is not possible to claim compensation for damaged or missing items unless highlighted on the drivers delivery notes. If possible take a copy of this documentation for future reference.

C. Receipt of goods - to site

- Deliveries will only be made to site if an installer is present to assist the driver with unloading and to check and sign for the goods.
- For large deliveries, please ensure you have several people to assist, this will minimise any delays for subsequent customers.
- Before the goods arrive, please prepare a location to unload and store the items safely and securely.
- Deliveries received by overnight carrier must be checked before signing the delivery note. It is not possible to claim compensation for damaged or missing items unless highlighted on the drivers delivery notes. If possible take a copy of this documentation for future reference

D. Claims for damages

- Please check the contents of your order against the delivery note on the day received. Care should be taken when using sharp objects to cut through the packaging.
- Claims for missing or damaged items will only be processed if the drivers delivery note has been signed for as damaged or missing and must be reported within 2 days of delivery.

IF YOU SUSPECT DAMAGE Please fully inspect the product prior to signing. If the product is damage, clearly state "DAMAGED" when signing the consignment note. Signing as "Unchecked" is insufficient.

APPROVED SUPPLIER:

SECEUROGLIDE PEACE-OF-MIND WARRANTIES

SeceuroGlide Excel, SeceuroGlide Original, SeceuroGlide LT, SeceuroGlide Compact and SeceuroGlide Manual are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty for a period of 5 years from the date of purchase, subject to correct installation, maintenance and operation. When purchased together, the SeceuroDrive motor and SeceuroSense control unit carry a 7 year warranty, subject to registration (www. seceuroglide.co.uk) within 3 months of installation (excluding LT). When purchased together, the Somfy motor and Rollixo control unit carry a 7 year warranty, subject to registration (www. seceuroglide.co.uk) within 3 months of installation (excluding LT). Foiled woodgrain finishes (including the full range of Renolit wood effect finishes) are guaranteed for a period of 10 years from the date of purchase.

SeceuroGlide Vertico is guaranteed for a period of 2 years from the date of purchase, subject to correct installation, maintenance and operation

SeceuroGlide Sectional products are guaranteed against defect of material or workmanship by SWS UK with a parts only warranty for a period of 5 years from the date of purchase. The Black Edition operator is guaranteed for a period of 5 years from the date of purchase. Somfy Dexxo operators are guaranteed for a period of 5 years from the date of purchase. Painted panels and hardware are guaranteed for a period of 5 years from the date of purchase. Un-painted panels are guaranteed for a period of 10 years from the date of purchase.

WARRANTY REGISTRATION

End users are invited to register their door at www.seceuroglide. co.uk to activate the free warranty. Registering makes it easier to access maintenance and operation information, spare parts and warranty claims.

MK542B2 February 2023 R1