



Theftord
Accoya Range

10 year
finish warranty

the coach house

range of craftsman built garage doors

price list CE

August 2017





Welcome to the Woodrite garage door price list.

Here are the top ten items to note when using this price list:

1

Prices are in sterling and exclude VAT and delivery. Net delivery charges per door:
1 door £57 2 doors £45. Mainland England and Wales - please call for other areas.

2

All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding.

3

All up and over doors are priced including retractable gear. Canopy gear is available on doors up to 8'0" x 7'0" (2438mm x 2134mm) as a no cost option.

4

Somerset Buckingham Balmoral and York doors are supplied with a base coat treatment ready for staining to the colour of your choice. Fully finished doors are available as an option in the colours listed. Warwick Monmouth and Thetford doors are supplied fully finished as standard.

5

Timber is a natural material and will have variations in colour shade and grain that will change over time as part of the normal ageing process.

6

If you are ordering doors to be fitted side by side please tell us and we will select timbers to produce a sympathetic match of colour and shade.

7

Drawings illustrate a single 7'0" x 7'0" door.
(3'0" wide for personnel doors) Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise.
Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

8

The proportions of the door panels and the lock handle position may vary dependent upon the door size ordered even within doors of the same style.

9

Doors are supplied with a lock hole unless otherwise specified. Up & Over doors have the lock handle in the lower third of the door.

10

Made to measure sizes are available in mm increments. For pricing locate the size band into which your door falls in the made to measure price tables.

How to Order

1. Operation

First select your type of operation - up and over or side hinged or personnel

2. Style

Select your preferred design or short-list a few alternatives. If you are ordering doors to be installed side by side make this clear on your order.

3. Size

Locate the size you require from the standard sizing tables or the size band if the door is made to measure.

All sizes are for the opening into which the door will fit and are shown width x height - suitable clearance is built into the door panel to allow opening without binding. See page 36 onwards for full details on door and opening sizes.

4. Gear

Panel-built up and over doors from the Somerset Buckingham Monmouth Thetford and Warwick ranges are available with Masta-Gear or Super-Chassis - specify your preference.

Solid-built up and over doors from Balmoral Thetford and Warwick ranges are available with Masta-Gear only.

If your door is to be automated you may wish to specify that no lock handle is required - leaving the door face clear.

Side Hinged and personnel doors can be specified with different hardware by selecting the alternative hardware packs from the option listing.

5. Finish

Specify your finish - basecoat treated primed for painting or one of the fully finished options. If you are trying to match to existing timbers please speak to a member of our customer service team for samples.

6. Frame

Specify your frame type size and finish. If you are fitting within the reveal ensure you have allowed sufficient clearances for brickwork coursing tolerance - see page 36 onwards for full details. Don't forget to specify architrave to cover steel frames.

7. Options

Specify all the options you require such as window leading and handle type.

8. Get in touch

Our customer service team will be delighted to assist at any stage of the ordering process. If you need advice on sizing operation or any aspect of the process just call. We can also assist with bespoke design requirements - let us know what you'd like and we'll bring it to life in wood!

The Coach House Collection

The Coach House Collection of garage doors sets the standard for design durability and performance for timber garage doors. The ranges of doors are all hand-built from timber from managed renewable sources. Whatever style you select you can be confident you've chosen quality. Woodrite - "Good With Wood"!

Masta-Gear up & over

Woodrite's Masta-Gear operating mechanism combines with a lightweight & strong aluminium sub-frame for panel-constructed doors or fixes directly to solid-constructed doors. Masta-Gear is the most versatile up & over door gear on the market today.

Masta-Gear panel-constructed doors

The door panel is made first and the aluminium sub-frame and Masta-Gear operating mechanism is then built onto the door panel for maximum integrity. All doors have edge-to-edge timbers with no visible sub-frame from the outside.

Masta-Gear solid-constructed doors

The door panel is made first and the Masta-gear operating mechanism is then mounted directly onto the door panel for maximum integrity and a rear face free from bracings.

Masta-Gear is available for all up & over ranges with retractable gear as standard single doors (Up to 9'0" wide x 7'0" high) are supplied with cranked arms for increased drive through width at wing mirror height. Canopy gear as a no cost option where indicated. Masta-Gear is available in an extensive range of standard sizes and all sizes in-between within our made to measure service.



Panel-constructed



Solid-constructed

Super-Chassis up & over

A super-strong steel chassis with integrated lifting gear is at the heart of our Super-Chassis gear. The door chassis is built to the door size and the door panel is then mounted into the chassis for improved rigidity.

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.

Super-Chassis gear is available for doors from the Buckingham, Somerset, Monmouth, Thetford and Warwick ranges. A large range of standard sizes is available and all sizes in-between within our made to measure service.

Super-Chassis is available with straight arm retractable gear as standard and canopy gear as a no cost option in the sizes as indicated with each range.



Panel-constructed

Side hinged & personnel

Side hinged garage doors and personnel doors are constructed using traditional build methods employing mortice and tenoned joints. The side top and bottom rails are all machined using 43mm thick timbers and rebated centre rails eliminate gaps between panels for added security.

Side hinged garage doors and personnel doors are hung with three butt hinges per leaf. Side hinged doors have a night latch and finger pull (commonly used on front doors). Alternative finishes are available - see individual furniture packs for details.

Personnel doors have a mortice lock and lever set as standard. Side hinged doors have shoot bolts top and bottom to secure the inactive leaf and door stays to hold the door in the open position.



Solid-constructed

Section 1 Panel-Constructed Doors

The somerset cedar Up & Over Range

Page 6-7

A range of up and over designs made with selected cedar mouldings and cedar faced ply. Doors are suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sizes listed.



The buckingham cedar Up & Over Range

Page 8-11

A range of up and over designs made with selected cedar mouldings cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up and over doors are suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is available as a no cost option on single doors in the sizes listed.



The monmouth oak Up & Over Range

Page 12-13

A range of up and over designs that are fully finished as standard. Doors are made with selected oak mouldings and oak faced ply. Up & Over doors are suitable for use with Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available.



The warwick idigbo Up & Over Range

Page 14-17

Idigbo is a hardwood that looks very like oak yet is lower in price. Doors are fully finished as standard and made with selected idigbo mouldings idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Doors are suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available.



The thetford accoya Up & Over Range

Page 18

The Thetford range is fully finished as standard and made with selected Accoya mouldings, tongue and grooved boards and raised and fielded panels dependent on style. Up & Over doors are suitable for straight arm Masta-Gear and Super-Chassis and available in standard and made to measure sizes. Canopy gear is not available. Doors have a 10 year finish warranty.



Section 2 Solid-Constructed Doors

The balmoral cedar Up & Over Range

Page 19-21

A range of up and over designs made with selected cedar mouldings cedar tongue and groove boards and cedar raised and fielded panels dependent on style. Up and over are solid-built suitable for use with Masta-Gear and available in standard and made to measure sizes. Canopy gear is not available.



The warwick Idigbo Up & Over Range

Page 22-26

Idigbo is a hardwood that looks very like oak yet is lower in price. Doors are fully finished as standard and made with selected idigbo mouldings idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Doors are suitable for straight arm Masta-Gear in standard and made to measure sizes. Canopy gear is not available.



The thetford accoya Up & Over Range

Page 27

The Thetford range is fully finished as standard and made with selected Accoya mouldings, tongue and grooved boards and raised and fielded panels dependent on style. Up & Over doors are suitable for straight arm Masta-Gear in standard and made to measure sizes. Canopy gear is not available. Doors have a 10 year finish warranty.



Section 3 Side Hinged Doors

The york cedar Side Hinged & Personnel Range

Page 28-30

A range of side hinged and personnel designs. Doors are made with selected cedar mouldings cedar tongue and groove boards and cedar raised and fielded panels dependent on style. York doors are of solid-construction and available in made to measure sizes.



The warwick idigbo Side Hinged & Personnel Range

Page 31-32

Idigbo is a hardwood that looks very like oak yet is lower in price. Doors are fully finished as standard and made with selected idigbo mouldings idigbo tongue and groove boards and idigbo raised and fielded panels dependent on style. Warwick doors are of solid-construction and available in made to measure sizes.



The thetford accoya Side Hinged & Personnel Range

Page 32

The Thetford range is made with selected Accoya mouldings, tongue and groove boards and Accoya raised and fielded panels dependent on style. Doors have a 10 year finish warranty. Thetford doors are of solid-construction and available in made to measure sizes.



Section 4 Options & Technical

Page 33-39

Finishes, frames, thresholds, windows, architrave, hardware, wide board, rounded chamfers & cranked arms. Followed by technical information on sizes, clearances and care and maintenance.



Section 1 Panel-Constructed Doors

Panel constructed doors are, as the name suggests, built as panel and then mounted onto a steel / aluminium Chassis to provide rigidity.

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.




Masta-Gear panel-constructed doors

The door panel is made first and the aluminium sub-frame and Masta-Gear operating mechanism is then built onto the door panel for maximum integrity. All doors have edge-to-edge timbers with no visible sub-frame from the outside.

Super-Chassis panel-constructed doors

Woodrite's door panel design is unique in that it "cloaks" the chassis. Only beautiful timber is visible edge-to-edge from the front of the door. This innovative panel design eliminates the need for the visible chassis found on other makes of door.



You won't see this on
Woodrite doors - an exposed
steel chassis detracting from
the beauty of edge to edge
timber.

The strong steel /
aluminium chassis
sits behind the
door panel.

The top edge slam strip
on Super-Chassis doors
with a steel frame that
sits hidden behind the
frame head.

panel-built cedar

THE SOMERSET RANGE is made with selected cedar mouldings and cedar faced exterior grade ply. Doors are of panel-construction onto either Masta-Gear or Super-Chassis in standard or made to measure sizes as listed.

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Appley	Cannington	Chard	Churchill	Holcombe	Horton*	Metric (mm) Width x Height
7'0" X 6'6"	1753 1564	1775 1586	1595 1406	1644 1455	2112 1910	1849 1659	2134 x 1981
7'0" X 7'0"	1753 1611	1775 1634	1595 1453	1644 1503	2117 1963	1849 1707	2134 x 2134
7'5" x 6'6"	1759 1656	1781 1678	1601 1498	1651 1547	2122 2006	1855 1751	2261 x 1981
7'5" x 7'0"	1759 1737	1781 1759	1601 1579	1651 1628	2128 2093	1855 1833	2261 x 2134
7'6" x 6'6"	1759 1656	1781 1678	1601 1498	1651 1547	2123 2007	1855 1751	2286 x 1981
7'6" x 7'0"	1759 1739	1781 1761	1601 1581	1651 1630	2129 2096	1855 1834	2286 x 2134
8'0" x 6'6"	1782 1767	1804 1789	1623 1609	1636 1621	2154 2126	1877 1863	2438 x 1981
8'0" x 7'0"	1782 1781	1804 1803	1623 1623	1636 1636	2160 2147	1877 1877	2438 x 2134
9'0" x 6'6"	2044 2207	2079 2242	1853 2016	1924 2087	2449 2599	2142 2305	2743 x 1981
9'0" x 7'0"	2044 2255	2079 2290	1853 2064	1924 2136	2456 2655	2140 2351	2743 x 2134
10'0" x 6'6"	2222 2457	2268 2485	1990 2207	2051 2268	2649 2866	2340 2556	3048 x 1981
10'0" x 7'0"	2241 2470	2268 2497	1990 2219	2051 2280	2657 2886	2340 2569	3048 x 2134
11'0" x 6'6"	2848 3387	2832 3371	2649 3189	2670 3210	3357 3867	2977 3516	3353 x 1981
11'0" x 7'0"	2845 3399	2830 3383	2649 3203	2670 3224	3365 3890	2975 3528	3353 x 2134
12'0" x 6'6"	2977 3608	2993 3624	2759 3389	2771 3402	3406 4008	3107 3738	3658 x 1981
12'0" x 7'0"	2977 3622	2993 3638	2759 3404	2771 3416	3415 4032	3107 3752	3658 x 2134
13'0" x 6'6"	3169 3962	3201 3994	2893 3686	2947 3740	4003 4679	3338 4132	3962 x 1981
13'0" x 7'0"	3177 3978	3208 4009	2901 3702	2955 3756	4013 4704	3346 4147	3962 x 2134
14'0" x 6'6"	3233 3951	3270 3988	2919 3637	3016 3733	4048 4648	3371 4089	4267 x 1981
14'0" x 7'0"	3241 3951	3278 3988	2927 3637	3023 3733	4059 4659	3379 4089	4267 x 2134
15'0" x 6'6"	3496 4133	3593 4230	3181 3818	3376 4013	4359 4875	3688 4325	4572 x 1981
15'0" x 7'0"	3496 4167	3593 4263	3181 3851	3376 4046	4371 4920	3688 4358	4572 x 2134
16'0" x 6'6"	3517 4279	3674 4435	3199 3961	3454 4216	4391 5032	3709 4471	4877 x 1981
16'0" x 7'0"	3517 4308	3674 4465	3199 3991	3454 4246	4404 5074	3709 4500	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0" w - 7'0" h	1753	1940	1775	1962	1595	1782	1644	1831	2117 2292
7'0" w - 7'6" h	1765	2015	1787	2037	1598	1848	1657	1907	2130 2368
7'0" w - 8'0" h	2191	2091	2199	2099	2033	1933	2068	1969	2561 2449
7'6" w - 7'0" h	1759	1997	1781	2020	1601	1839	1651	1889	2129 2355
7'6" w - 7'6" h	1771	2080	1793	2102	1604	1913	1663	1972	2147 2443
7'6" w - 8'0" h	2196	2160	2204	2168	2038	1933	2073	2038	2577 2529
8'0" w - 7'0" h	1782	2026	1804	2048	1623	1867	1636	1880	2160 2391
8'0" w - 7'6" h	1794	2123	1816	2145	1636	1964	1648	1977	2178 2495
8'0" w - 8'0" h	2220	2182	2228	2190	2061	2023	2060	2022	2610 2560
9'0" w - 7'0" h	2044	2456	2079	2491	1853	2265	1924	2336	2456 2855
9'0" w - 7'6" h	2056	2538	2121	2604	1865	2348	1937	2419	2475 2945
9'0" w - 8'0" h	2488	2637	2539	2689	2297	2447	2355	2504	2910 3046
10'0" w - 7'0" h	2241	2832	2268	2859	1990	2581	2051	2642	2657 3248
10'0" w - 7'6" h	2253	3022	2280	3050	2003	2772	2064	2833	2640 3409
10'0" w - 8'0" h	2596	-	2600	-	2336	-	2383	-	3027 - 2695 -
11'0" w - 7'0" h	2845	3738	2830	3723	2649	3542	2670	3563	3365 4229
11'0" w - 7'6" h	2874	3959	2858	3944	2675	3761	2696	3782	3399 4456
11'0" w - 8'0" h	3406	-	3362	-	3207	-	3200	-	3939 - 3535 -
12'0" w - 7'0" h	2977	3961	2993	3977	2759	3743	2771	3755	3415 4371
12'0" w - 7'6" h	3003	4089	3019	4105	2785	3871	2797	3883	3451 4508
12'0" w - 8'0" h	3535	-	3523	-	3317	-	3301	-	3991 - 3665 -
13'0" w - 7'0" h	3177	4349	3208	4381	2901	4073	2955	4127	4013 5075
13'0" w - 7'6" h	3407	4536	3439	4568	3132	4260	3186	4314	4050 5272
13'0" w - 8'0" h	3727	-	3731	-	3451	-	3477	-	4591 - 3896 -
14'0" w - 7'0" h	3241	4321	3278	4358	2927	4007	3023	4104	4059 5029
14'0" w - 7'6" h	3504	-	3508	-	3158	-	3254	-	4096 - 3610 -
14'0" w - 8'0" h	3791	-	3800	-	3477	-	3546	-	4639 - 3929 -
15'0" w - 7'0" h	3496	4628	3593	4725	3181	4312	3376	4507	4371 5381
15'0" w - 7'6" h	3523	-	3619	-	3207	-	3402	-	4409 - 3714 -
15'0" w - 8'0" h	3899	-	3968	-	3584	-	3751	-	4797 - 4091 -
16'0" w - 7'0" h	3517	4649	3674	4806	3199	4331	3454	4586	4404 5414
16'0" w - 7'6" h	3469	-	3700	-	3225	-	3481	-	4369 - 3661 -
16'0" w - 8'0" h	3846	-	4049	-	3602	-	3830	-	4758 - 4038 -

For finishes,
frames and other
options see page
33-35


Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

tel: 01280 841 010 fax: 01280 843 180 email: sales@woodritedoors.co.uk web: www.woodritedoors.co.uk

Single Door

Double Door

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



* see illustrations above for double door configuration

panel-built cedar

Coach house
Somerset

STANDARD SIZE Retractable Up & Over Gear

Imperial	Kingsdon*	Standerwick	Taunton	Tickenham*	Washford*	Yeovil	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	1949 1747	1520 1331	1743 1554	1720 1531	1735 1546	1724 1535	2134 x 1981
7'0" X 7'0"	1954 1800	1520 1379	1743 1601	1720 1578	1735 1594	1724 1582	2134 x 2134
7'5" X 6'6"	1959 1843	1526 1423	1749 1646	1726 1623	1741 1638	1730 1627	2261 x 1981
7'5" X 7'0"	1965 1930	1526 1504	1749 1727	1726 1704	1741 1719	1730 1708	2261 x 2134
7'6" X 6'6"	1960 1844	1526 1423	1749 1646	1726 1623	1741 1638	1730 1627	2286 x 1981
7'6" X 7'0"	1966 1933	1526 1506	1749 1729	1726 1706	1741 1721	1730 1710	2286 x 2134
8'0" X 6'6"	2316 2270	1553 1539	1772 1757	1712 1697	1727 1712	1716 1701	2438 x 1981
8'0" X 7'0"	2322 2291	1553 1553	1772 1771	1712 1711	1727 1726	1716 1715	2438 x 2134
9'0" X 6'6"	2521 2649	1772 1934	2016 2178	2010 2173	2028 2191	1905 2068	2743 x 1981
9'0" X 7'0"	2526 2703	1772 1983	2016 2227	2010 2222	2028 2240	1905 2117	2743 x 2134
10'0" X 6'6"	2708 2909	1899 2115	2209 2425	2167 2383	2155 2371	2034 2251	3048 x 1981
10'0" X 7'0"	2474 2702	1899 2128	2209 2438	2167 2396	2155 2384	2034 2263	3048 x 2134
11'0" X 6'6"	3126 3456	2544 3084	2811 3350	2852 3392	2900 3440	2874 3414	3353 x 1981
11'0" X 7'0"	3132 3657	2544 3098	2809 3362	2852 3406	2900 3454	2873 3426	3353 x 2134
12'0" X 6'6"	3265 3867	2644 3275	2940 3571	2953 3584	3000 3631	2974 3605	3658 x 1981
12'0" X 7'0"	3274 3890	2644 3289	2940 3585	2953 3598	3000 3646	2974 3619	3658 x 2134
13'0" X 6'6"	3601 4277	2768 3561	3136 3930	3106 3900	3149 3943	3157 3951	3962 x 1981
13'0" X 7'0"	3611 4302	2776 3577	3144 3945	3114 3915	3157 3958	3165 3966	3962 x 2134
14'0" X 6'6"	3643 4243	2776 3494	3168 3886	3115 3832	3158 3875	3165 3883	4267 x 1981
14'0" X 7'0"	3654 4254	2784 3494	3176 3886	3122 3832	3165 3875	3173 3883	4267 x 2134
15'0" X 6'6"	3972 4488	3018 3655	3445 4082	3377 4014	3420 4057	3430 4067	4572 x 1981
15'0" X 7'0"	3984 4533	3018 3688	3445 4115	3377 4048	3420 4091	3430 4100	4572 x 2134
16'0" X 6'6"	4003 4643	3055 3817	3483 4245	3414 4176	3457 4219	3466 4228	4877 x 1981
16'0" X 7'0"	4015 4685	3055 3846	3483 4275	3414 4205	3457 4248	3466 4257	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

*Kingsdon double



*Tickenham double



*Washford double



* see illustrations above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear

By width

Imperial	Metric (mm)
Width - Height	Width - Height
7'0" w - 7'0" h	2134w - 2134h
7'0" w - 7'6" h	2134w - 2286h
7'0" w - 8'0" h	2134w - 2438h
7'6" w - 7'0" h	2286w - 2134h
7'6" w - 7'6" h	2286w - 2286h
7'6" w - 8'0" h	2286w - 2438h
8'0" w - 7'0" h	2438w - 2134h
8'0" w - 7'6" h	2438w - 2286h
8'0" w - 8'0" h	2438w - 2438h
9'0" w - 7'0" h	2743w - 2134h
9'0" w - 7'6" h	2743w - 2286h
9'0" w - 8'0" h	2743w - 2438h
10'0" w - 7'0" h	3048w - 2134h
10'0" w - 7'6" h	3048w - 2286h
10'0" w - 8'0" h	3048w - 2438h
11'0" w - 7'0" h	3353w - 2134h
11'0" w - 7'6" h	3353w - 2286h
11'0" w - 8'0" h	3353w - 2438h
12'0" w - 7'0" h	3658w - 2134h
12'0" w - 7'6" h	3658w - 2286h
12'0" w - 8'0" h	3658w - 2438h
13'0" w - 7'0" h	3962w - 2134h
13'0" w - 7'6" h	3962w - 2286h
13'0" w - 8'0" h	3962w - 2438h
14'0" w - 7'0" h	4267w - 2134h
14'0" w - 7'6" h	4267w - 2286h
14'0" w - 8'0" h	4267w - 2438h
15'0" w - 7'0" h	4572w - 2134h
15'0" w - 7'6" h	4572w - 2286h
15'0" w - 8'0" h	4572w - 2438h
16'0" w - 7'0" h	4877w - 2134h
16'0" w - 7'6" h	4877w - 2286h
16'0" w - 8'0" h	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

For finishes,
frames and other
options see page
33-35

panel-built cedar

THE BUCKINGHAM RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of panel-construction onto either Mastagear or Super-Chassis in standard or made to measure sizes as listed.

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Adstock	Bierton	Bledlow	Burnham	Chalfont*	Chartridge	Metric (mm) Width x Height
7'0" X 6'6"	2713 2517	2132 1860	2156 1863	1872 1683	1983 1715	1972 1783	2134 x 1981
7'0" X 7'0"	2812 2565	2132 1908	2156 1911	1891 1749	1983 1760	1972 1830	2134 x 2134
7'5" x 6'6"	2819 2610	2153 1995	2205 1999	1953 1850	2042 1853	2031 1927	2261 x 1981
7'5" x 7'0"	2819 2692	2153 2076	2224 2098	1971 1949	2042 1930	2031 2009	2261 x 2134
7'6" x 6'6"	2819 2610	2154 1996	2206 2000	1953 1850	2042 1853	2031 1927	2286 x 1981
7'6" x 7'0"	2819 2693	2154 2079	2225 2101	1971 1951	2042 1932	2031 2011	2286 x 2134
8'0" x 6'6"	2842 2722	2232 2162	2323 2205	2050 2035	2143 2034	2133 2118	2438 x 1981
8'0" x 7'0"	2867 2736	2232 2177	2323 2220	2068 2068	2143 2048	2133 2132	2438 x 2134
9'0" x 6'6"	3409 3439	2486 2568	2404 2565	2273 2434	2347 2507	2381 2542	2743 x 1981
9'0" x 7'0"	3409 3488	2486 2616	2423 2632	2292 2501	2347 2556	2381 2590	2743 x 2134
10'0" x 6'6"	3556 3748	2679 2824	2583 2807	2474 2698	2551 2775	2587 2811	3048 x 1981
10'0" x 7'0"	3556 3760	2679 2836	2602 2838	2492 2729	2551 2788	2587 2823	3048 x 2134
11'0" x 6'6"	4155 4726	3461 3914	3271 3804	3429 3975	3144 3690	3247 3793	3353 x 1981
11'0" x 7'0"	4155 4740	3461 3928	3271 3818	3455 4015	3144 3704	3247 3807	3353 x 2134
12'0" x 6'6"	4423 5085	3558 4103	3397 4021	3543 4180	3258 3895	3362 3999	3658 x 1981
12'0" x 7'0"	4423 5099	3558 4117	3415 4054	3569 4220	3258 3909	3362 4013	3658 x 2134
13'0" x 6'6"	5322 5810	3852 4511	3756 4444	3797 4609	3444 4256	3556 4368	3962 x 1981
13'0" x 7'0"	5329 5825	3860 4526	3764 4460	3831 4651	3451 4271	3563 4383	3962 x 2134
14'0" x 6'6"	5408 5821	3932 4515	3819 4431	3910 4647	3531 4268	3645 4382	4267 x 1981
14'0" x 7'0"	5416 5821	3940 4515	3845 4450	3944 4673	3539 4268	3653 4382	4267 x 2134
15'0" x 6'6"	5652 5984	4266 4765	4284 4812	4183 4839	3879 4535	4034 4690	4572 x 1981
15'0" x 7'0"	5652 6017	4266 4799	4302 4864	4213 4902	3879 4568	4034 4724	4572 x 2134
16'0" x 6'6"	5690 6147	4345 4969	4382 5036	4407 5188	3921 4702	4243 5024	4877 x 1981
16'0" x 7'0"	5690 6176	4345 4998	4401 5084	4437 5248	3921 4732	4243 5054	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

* Chalfont double



* see illustrations above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
Masta Gear doors available from 6'0" - 8'0" high on all widths. Super-Chassis doors available 6'0" - 8'0" high on doors up to 9'0" wide 6'0" - 7'6" high on doors from 10'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide									
7'0" w - 7'0" h	2812 2894	2132 2236	2156 2240	1891 2078	1983 2170	1972 3185	2134w - 2134h	2134w - 2286h	2134w - 2438h
7'0" w - 7'6" h	2824 2969	2116 2311	2168 2315	1921 2171	2092 2342	2081 2331	2286w - 2134h	2286w - 2286h	2286w - 2438h
7'0" w - 8'0" h	3301 3195	2726 2572	2598 2395	2361 2261	2513 2413	2493 2393	2743w - 2134h	2743w - 2286h	2743w - 2438h
7'6" w - 7'0" h	2819 2952	2154 2338	2225 2360	1971 2210	2042 2280	2031 2269	2743w - 2134h	2743w - 2286h	2743w - 2438h
7'6" w - 7'6" h	2855 2969	2166 2421	2255 2462	2002 2311	2158 2468	2148 2457	2743w - 2134h	2743w - 2286h	2743w - 2438h
7'6" w - 8'0" h	3307 3195	2790 2700	2685 2546	2441 2405	2578 2543	2558 2522	2743w - 2134h	2743w - 2286h	2743w - 2438h
8'0" w - 7'0" h	2867 2981	2232 2421	2323 2464	2068 2312	2143 2387	2133 2377	2438w - 2134h	2438w - 2286h	2438w - 2438h
8'0" w - 7'6" h	2879 3078	2244 2518	2228 2557	2099 2428	2271 2600	2261 2590	2438w - 2134h	2438w - 2286h	2438w - 2438h
8'0" w - 8'0" h	3332 3287	2892 2799	2658 2620	2539 2501	2692 2654	2673 2635	2743w - 2134h	2743w - 2286h	2743w - 2438h
9'0" w - 7'0" h	3409 3688	2486 2817	2423 2833	2292 2702	2347 2757	2381 2791	2743w - 2134h	2743w - 2286h	2743w - 2438h
9'0" w - 7'6" h	3421 3771	2494 2895	2366 2847	2323 2803	2487 2967	2521 3002	2743w - 2134h	2743w - 2286h	2743w - 2438h
9'0" w - 8'0" h	3908 4048	2856 3215	2867 3014	2477 2916	2914 3062	2939 3087	2743w - 2134h	2743w - 2286h	2743w - 2438h
10'0" w - 7'0" h	3556 4122	2679 3198	2602 3200	2492 3091	2551 3150	2587 3185	3048w - 2134h	3048w - 2286h	3048w - 2438h
10'0" w - 7'6" h	3568 4313	2691 3388	2632 3409	2523 3300	2703 3480	2738 3515	3048w - 2134h	3048w - 2286h	3048w - 2438h
10'0" w - 8'0" h	4085 -	3292 -	2970 -	2870 -	3032 -	3058 -	3048w - 2134h	3048w - 2286h	3048w - 2438h
11'0" w - 7'0" h	4155 5079	3461 4268	3271 4157	3455 4354	3144 4043	3247 4149	3353w - 2134h	3353w - 2286h	3353w - 2438h
11'0" w - 7'6" h	4181 5298	3478 4477	3288 4367	3508 4600	3178 4270	3428 4520	3353w - 2134h	3353w - 2286h	3353w - 2438h
11'0" w - 8'0" h	4742 -	4072 -	3598 -	3844 -	3470 -	3720 -	3353w - 2134h	3353w - 2286h	3353w - 2438h
12'0" w - 7'0" h	4423 5439	3558 4456	3415 4393	3569 4560	3258 4249	3362 4353	3658w - 2134h	3658w - 2286h	3658w - 2438h
12'0" w - 7'6" h	4449 5567	3575 4575	3460 4540	3621 4714	3307 4400	3559 4651	3658w - 2134h	3658w - 2286h	3658w - 2438h
12'0" w - 8'0" h	5047 -	4199 -	3771 -	3957 -	3599 -	3850 -	3658w - 2134h	3658w - 2286h	3658w - 2438h
13'0" w - 7'0" h	5329 6197	3860 4898	3764 4831	3831 5022	3451 4643	3563 4755	3962w - 2134h	3962w - 2286h	3962w - 2438h
13'0" w - 7'6" h	5560 6384	4082 5075	3995 5018	4087 5235	3717 4864	3976 5124	3962w - 2134h	3962w - 2286h	3962w - 2438h
13'0" w - 8'0" h	5879 -	4728 -	4305 -	4424 -	4008 -	4268 -	3962w - 2134h	3962w - 2286h	3962w - 2438h
14'0" w - 7'0" h	5416 6191	3940 4885	3845 4820	3944 5043	3539 4638	3653 4752	4267w - 2134h	4267w - 2286h	4267w - 2438h
14'0" w - 7'6" h	5647 -	4161 -	4177 -	4201 -	3816 -	4077 -	4267w - 2134h	4267w - 2286h	4267w - 2438h
14'0" w - 8'0" h	5975 -	4539 -	4537 -	4537 -	4108 -	4369 -	4267w - 2134h	4267w - 2286h	4267w - 2438h
15'0" w - 7'0" h	5652 6479	4266 5260	4302 5325	4213 5364	3879 5030	4034 5185	4572w - 2134h	4572w - 2286h	4572w - 2438h
15'0" w - 7'6" h	5678 -	4283 -	4328 -	4269 -	3967 -	4270 -	4572w - 2134h	4572w - 2286h	4572w - 2438h
15'0" w - 8'0" h	6088 -	5040 -	4696 -	4667 -	4316 -	4619 -	4572w - 2134h	4572w - 2286h	4572w - 2438h
16'0" w - 7'0" h	5690 6517	4345 5339	4401 5424	4437 5588	3921 5072	4243 5395	4877w - 2134h	4877w - 2286h	4877w - 2438h
16'0" w - 7'6" h	5798 -	4711 -	4776 -	4842 -	4370 -	4729 -	4877w - 2134h	4877w - 2286h	4877w - 2438h
16'0" w - 8'0" h	6126 -	5141 -	4794 -	4891 -	4370 -	4729 -	4877w - 2134h	4877w - 2286h	4877w - 2438h

For finishes, frames and other options see page 33-35

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

panel-built cedar

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Chesham*		Coleshill		Gawcott		Granborough		Hardwick*		Ickford		Metric (mm) Width x Height	
	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super		
7'0" X 6'6"	1667	1478	1916	1727	1980	1791	2569	2380	1653	1399	2015	1826	2134 x 1981	
7'0" X 7'0"	1667	1525	1916	1775	1980	1838	2668	2428	1705	1495	2015	1873	2134 x 2134	
7'5" X 6'6"	1710	1607	1965	1861	2038	1935	2675	2473	1752	1576	2063	1960	2261 x 1981	
7'5" X 7'0"	1710	1688	1965	1943	2038	2016	2675	2554	1812	1711	2063	2041	2261 x 2134	
7'6" X 6'6"	1710	1607	1966	1862	2038	1935	2577	2473	1752	1576	2064	1961	2286 x 1981	
7'6" X 7'0"	1710	1690	1966	1945	2038	2018	2675	2556	1812	1713	2064	2044	2286 x 2134	
8'0" X 6'6"	1755	1741	2055	2040	2141	2126	2795	2682	1760	1668	2148	2133	2438 x 1981	
8'0" X 7'0"	1755	1755	2055	2054	2141	2140	2820	2696	1820	1739	2148	2148	2438 x 2134	
9'0" X 6'6"	1929	2090	2310	2470	2370	2531	3235	3273	2034	2195	2386	2547	2743 x 1981	
9'0" X 7'0"	1929	2139	2310	2519	2370	2579	3235	3322	2109	2318	2386	2595	2743 x 2134	
10'0" X 6'6"	2152	2376	2506	2730	2576	2800	3415	3615	2159	2383	2589	2813	3048 x 1981	
10'0" X 7'0"	2152	2389	2506	2742	2576	2812	3415	3627	2234	2471	2589	2825	3048 x 2134	
Single Door	11'0" X 6'6"	2906	3449	3259	3792	3183	3729	4232	4803	2986	3529	3393	3926	3353 x 1981
	11'0" X 7'0"	2906	3463	3259	3806	3183	3744	4232	4817	3091	3647	3393	3940	3353 x 2134
	12'0" X 6'6"	2967	3601	3354	3979	3299	3936	4242	4905	2994	3628	3487	4112	3658 x 1981
	12'0" X 7'0"	2967	3615	3354	3993	3299	3950	4242	4919	3099	3747	3487	4126	3658 x 2134
	13'0" X 6'6"	3368	4176	3669	4357	3500	4313	5143	5632	3061	3870	3804	4492	3962 x 1981
	13'0" X 7'0"	3375	4192	3677	4372	3508	4328	5151	5647	3174	3990	3812	4507	3962 x 2134
	14'0" X 6'6"	3514	4248	3745	4358	3589	4326	5165	5578	3069	3803	3880	4492	4267 x 1981
	14'0" X 7'0"	3522	4248	3753	4358	3597	4326	5173	5578	3182	3907	3888	4492	4267 x 2134
	15'0" X 6'6"	3887	4540	4077	4606	3939	4595	5603	5935	3491	4150	4212	4741	4572 x 1981
	15'0" X 7'0"	3887	4573	4077	4639	3939	4628	5603	5968	3618	4304	4212	4774	4572 x 2134
	16'0" X 6'6"	4083	4860	4191	4845	4167	4948	5642	6099	3506	4283	4308	4961	4877 x 1981
	16'0" X 7'0"	4083	4890	4191	4874	4167	4978	5642	6128	3626	4433	4308	4991	4877 x 2134
	11'0" X 6'6"	2906	3802	3259	4146	3183	4083	4232	5156	3091	3987	3393	4279	3353w x 1981
	11'0" X 7'0"	2944	4033	3588	4667	3365	4457	4258	5375	3203	4292	3758	4837	3353w x 2134
	12'0" X 6'6"	3266	-	3889	-	3657	-	4626	-	3599	-	4050	-	3353w x 2438h
	12'0" X 7'0"	2967	3954	3354	4332	3299	4290	4242	5258	3099	4086	3487	4465	3658w x 2134h
	12'0" X 8'0"	3053	4142	3713	4792	3496	4588	4269	5386	3211	4300	3883	4963	3658w x 2286h
	13'0" X 6'6"	3345	-	4014	-	3787	-	4636	-	3607	-	4175	-	3658w x 2438h
	13'0" X 7'0"	3375	4563	3677	4744	3508	4699	5151	6018	3174	4362	3812	4879	3962w x 2134h
	13'0" X 8'0"	3621	4765	4262	5286	3921	5069	5382	6205	3490	4634	4434	5458	3962w x 2286h
	13'0" X 8'0"	3913	-	4563	-	4213	-	5400	-	3887	-	4726	-	3962w x 2438h
	14'0" X 7'0"	3522	4618	3753	4728	3597	4696	5173	5948	3182	4277	3888	4863	4267w x 2134h
	14'0" X 7'6"	3764	-	4361	-	4022	-	5404	-	3498	-	4533	-	4267w x 2286h
	14'0" X 8'0"	4056	-	4662	-	4314	-	5422	-	3895	-	4825	-	4267w x 2438h
	15'0" X 7'0"	3887	5035	4077	5101	3939	5090	5603	6430	3618	4765	4212	5235	4572w x 2134h
	15'0" X 7'6"	3921	-	4511	-	4174	-	5629	-	3745	-	4688	-	4572w x 2286h
	15'0" X 8'0"	4270	-	4870	-	4523	-	5730	-	4214	-	5037	-	4572w x 2438h
	16'0" X 7'0"	4083	5230	4191	5215	4167	5318	5642	6469	3626	4773	4308	5331	4877w x 2134h
	16'0" X 7'6"	4465	-	5006	-	4653	-	5750	-	4103	-	5155	-	4877w x 2286h
	16'0" X 8'0"	4465	-	5006	-	4653	-	5769	-	4223	-	5155	-	4877w x 2438h

buckingham Coach house

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

*Chesham double



* see illustrations above for double door configuration

For finishes, frames and other options see page 33-35

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0" w - 7'0" h	1667	1854	1916	2104	1980	2167	2668	2757	1705	1892	2015	2202	2134w - 2134h
7'0" w - 7'6" h	1670	1920	2117	2368	2089	2339	2680	2832	1760	2010	2225	2475	2134w - 2286h
7'0" w - 8'0" h	2081	1982	2534	2434	2501	2401	3003	2903	2224	2125	2641	2542	2134w - 2438h
7'6" w - 7'0" h	1710	1949	1966	2204	2038	2277	2675	2815	1812	2051	2064	2302	2286w - 2134h
7'6" w - 7'6" h	1713	2023	2182	2491	2155	2465	2712	2898	1875	2185	2289	2598	2286w - 2286h
7'6" w - 8'0" h	2124	2088	2597	2561	2566	2530	3009	2973	2346	2310	2704	2542	2286w - 2438h
8'0" w - 7'0" h	1755	1999	2055	2299	2141	2385	2820	2941	1820	2064	2148	2392	2438w - 2134h
8'0" w - 7'6" h	1758	2087	2294	2622	2269	2598	2832	3038	1883	2212	2410	2739	2438w - 2286h
8'0" w - 8'0" h	2170	2132	2705	2667	2681	2643	3130	3092	2355	2317	2822	2784	2438w - 2438h
9'0" w - 7'0" h	1929	2339	2310	2720	2370	2780	3235	3522	2109	2519	2386	2796	2743w - 2134h
9'0" w - 7'6" h	1932	2413	2562	3042	2510	2991	3248	3605	2186	2667	2666	3147	2743w - 2286h
9'0" w - 8'0" h	2058	2498	2688	3127	2636	3076	3552	3699	2387	2827	2792	3232	2743w - 2438h
10'0" w - 7'0" h	2152	2750	2506	3104	2576	3174	3415	3989	2234	2832	2589	3187	3048w - 2134h
10'0" w - 7'6" h	2155	2932	2781	3558	2727	3504	3427	4180	2312	3089	2892	3668	3048w - 2286h
10'0" w - 8'0" h	2474	-	3100	-	3047	-	3736	-	2706	-	3211	-	3048w - 2438h
11'0" w - 7'0" h	2906	3802	3259	4146	3183	4083	4232	5156	3091	3987	3393	4279	3353w - 2134h
11'0" w - 7'6" h	2944	4033	3588	4667	3365	4457	4258	5375	3203	4292	3758	4837	3353w - 2286h
11'0" w - 8'0" h	3266	-	3889	-	3657	-	4626	-	3599	-	4050	-	3353w - 2438h
12'0" w - 7'0" h	2967	3954	3354	4332	3299	4290	4242	5258	3099	4086	3487	4465	3658w - 2134h
12'0" w - 7'6" h	3053	4142	3713	4792	3496	4588	4269	5386	3211	4300	3883	4963	3658w - 2286h
12'0" w - 8'0" h	3345	-	4014	-	3787	-	4636	-	3607	-	4175	-	3658w - 2438h
13'0" w - 7'0" h	3375	4563	3677	4744	3508	4699	5151	6018	3174	4362	3812	4879	3962w - 2134h
13'0" w - 7'6" h	3621	4765	4262	5286	3921	5069	5382	6205	3490	4634	4434	5458	3962w - 2286h
13'0" w - 8'0" h	3913	-	4563	-	4213	-	5400	-	3887	-	4726	-	3962w - 2438h
14'0" w - 7'0" h	3522	4618	3753	4728	3597	4696	5173	5948	3182	4277	3888	4863	4267w - 2134h
14'0" w - 7'6" h	3764	-	4361	-	4022	-	5404</td						

panel-built cedar

STANDARD SIZE Retractable Up & Over Gear



Imperial Width x Height	Hampden*	Marston	Padbury	Quainton	Woburn	Salford	Metric (mm) Width x Height
7'0" X 6'6"	1936 1669	2576 2403	2601 2399	2132 1943	1936 1669	2502 2313	2134 x 1981
7'0" X 7'0"	1936 1715	2675 2451	2700 2447	2132 1991	1936 1715	2600 2361	2134 x 2134
7'5" x 6'6"	1994 1808	2682 2496	2722 2526	2191 2088	1994 1808	2608 2406	2261 x 1981
7'5" x 7'0"	1994 1885	2682 2577	2722 2607	2191 2169	1994 1885	2608 2487	2261 x 2134
7'6" x 6'6"	1994 1808	2682 2496	2624 2527	2191 2088	1994 1808	2509 2406	2286 x 1981
7'6" x 7'0"	1994 1887	2682 2579	2723 2610	2191 2171	1994 1887	2608 2489	2286 x 2134
8'0" x 6'6"	2096 1989	2706 2608	2957 2836	2287 2273	2096 1989	2631 2518	2438 x 1981
8'0" x 7'0"	2096 2003	2730 2622	2982 2850	2287 2287	2096 2003	2656 2532	2438 x 2134
9'0" x 6'6"	2300 2460	3199 3291	3295 3296	2481 2642	2300 2460	3110 3148	2743 x 1981
9'0" x 7'0"	2300 2509	3199 3340	3295 3345	2481 2691	2300 2509	3110 3197	2743 x 2134
10'0" x 6'6"	2504 2728	3416 3670	3586 3787	2788 3012	2504 2728	3271 3470	3048 x 1981
10'0" x 7'0"	2504 2741	3416 3683	3586 3800	2788 3025	2504 2741	3271 3482	3048 x 2134
11'0" x 6'6"	3098 3644	4037 4663	4196 4644	3441 3987	3098 3644	3938 4509	3353 x 1981
11'0" x 7'0"	3098 3659	4037 4677	4196 4658	3441 4001	3098 3659	3938 4523	3353 x 2134
12'0" x 6'6"	3212 3849	4306 5023	4724 5264	3554 4192	3212 3849	4205 4868	3658 x 1981
12'0" x 7'0"	3212 3864	4306 5037	4724 5278	3554 4206	3212 3864	4205 4882	3658 x 2134
13'0" x 6'6"	3398 4210	4897 5417	5471 5600	3747 4553	3398 4210	4747 5236	3962 x 1981
13'0" x 7'0"	3406 4226	4905 5432	5479 5616	3866 4686	3406 4226	4755 5251	3962 x 2134
14'0" x 6'6"	3485 4222	5177 5621	5509 5563	3945 4682	3485 4222	5027 5440	4267 x 1981
14'0" x 7'0"	3493 4222	5185 5621	5517 5563	3953 4682	3493 4222	5035 5440	4267 x 2134
15'0" x 6'6"	3833 4489	5422 5785	5768 5835	4292 4948	3833 4489	5271 5603	4572 x 1981
15'0" x 7'0"	3833 4523	5422 5818	5768 5868	4292 4982	3833 4523	5271 5636	4572 x 2134
16'0" x 6'6"	3875 4656	5462 5950	6060 6243	4408 5189	3875 4656	5311 5768	4877 x 1981
16'0" x 7'0"	3875 4686	5462 5979	6060 6273	4408 5218	3875 4686	5311 5797	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0"w - 7'0'h	1936	2123	2675	2779	2700	2775	2132	2319	1936 2075 2600 2689 2134w - 2134h
7'0"w - 7'6'h	2033	2283	2687	2854	2712	2860	2241	2491	2033 2283 2613 2764 2134w - 2286h
7'0"w - 8'0'h	2454	2355	3126	3042	3025	2922	2671	2572	2454 2355 3051 2952 2134w - 2438h
7'6"w - 7'0'h	1994	2233	2682	2838	2723	2869	2191	2429	1994 2181 2608 2748 2286w - 2134h
7'6"w - 7'6'h	2100	2409	2719	2920	2750	2961	2308	2617	2100 2409 2644 2830 2286w - 2286h
7'6"w - 8'0'h	2520	2484	3132	3112	3038	3027	2737	2701	2520 2484 3057 3022 2286w - 2438h
8'0"w - 7'0'h	2096	2340	2730	2867	2982	3095	2287	2531	2096 2283 2656 2776 2438w - 2134h
8'0"w - 7'6'h	2212	2541	2742	2964	2994	3192	2421	2749	2212 2541 2668 2874 2438w - 2286h
8'0"w - 8'0'h	2633	2595	3156	3134	3283	3237	2851	2813	2633 2595 3082 3044 2438w - 2438h
9'0"w - 7'0'h	2300	2709	3199	3540	3295	3545	2481	2891	2300 2709 3110 3397 2743w - 2134h
9'0"w - 7'6'h	2428	2909	3211	3623	3284	3628	2622	3102	2428 2909 3122 3480 2743w - 2286h
9'0"w - 8'0'h	2855	3003	3659	3861	3578	3713	2766	3206	2855 3033 3571 3718 2743w - 2438h
10'0"w - 7'0'h	2504	3102	3416	4044	3586	4161	2788	3387	2504 3093 3271 3844 3048w - 2134h
10'0"w - 7'6'h	2644	3421	3428	4235	3589	4348	2940	3717	2644 3421 3283 4035 3048w - 2286h
10'0"w - 8'0'h	2973	-	3895	-	3884	-	3285	-	2973 - 3750 - 3048w - 2438h
11'0"w - 7'0'h	3098	3998	4037	5016	4196	4998	3441	4340	3098 3962 3938 4863 3353w - 2134h
11'0"w - 7'6'h	3119	4211	4064	5236	4223	5217	3622	4714	3119 4211 3965 5082 3353w - 2286h
11'0"w - 8'0'h	3411	-	4589	-	4590	-	3756	-	3411 - 4490 - 3353w - 2438h
12'0"w - 7'0'h	3212	4203	4306	5376	4724	5617	3554	4545	3212 4167 4205 5221 3658w - 2134h
12'0"w - 7'6'h	3248	4341	4332	5504	4751	5745	3751	4844	3248 4341 4232 5349 3658w - 2286h
12'0"w - 8'0'h	3540	-	4894	-	5118	-	3885	-	3540 - 4794 - 3658w - 2438h
13'0"w - 7'0'h	3406	4597	4905	5803	5479	5897	3866	5057	3406 4456 4755 5623 3962w - 2134h
13'0"w - 7'6'h	3658	4806	5136	5990	5710	6174	4279	5426	3658 4806 4986 5810 3962w - 2286h
13'0"w - 8'0'h	3950	-	5349	-	5729	-	4307	-	3950 - 5200 - 3962w - 2438h
14'0"w - 7'0'h	3493	4592	5185	5991	5517	5932	3953	5052	3493 4452 5035 5810 4267w - 2134h
14'0"w - 7'6'h	3757	-	5416	-	5748	-	4378	-	3757 - 5266 - 4267w - 2286h
14'0"w - 8'0'h	4049	-	5667	-	5766	-	4405	-	4049 - 5517 - 4267w - 2438h
15'0"w - 7'0'h	3833	4984	5422	6280	5768	6329	4292	5443	3833 4843 5271 6098 4572w - 2134h
15'0"w - 7'6'h	3908	-	5448	-	5794	-	4528	-	3908 - 5297 - 4572w - 2286h
15'0"w - 8'0'h	4257	-	5781	-	5895	-	4613	-	4257 - 5630 - 4572w - 2438h
16'0"w - 7'0'h	3875	5027	5462	6320	6060	6612	4408	5559	3875 4886 5311 6138 4877w - 2134h
16'0"w - 7'6'h	4311	-	5561	-	6168	-	5004	-	4311 - 5419 - 4877w - 2286h
16'0"w - 8'0'h	4311	-	5821	-	6187	-	4740	-	4311 - 5670 - 4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

Drawings illustrate a single 7'0" x 7'0" door.
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



For finishes,
frames and other
options see page
33-35

panel-built cedar


STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Sherington		Taplow		Tingwick		Uxbridge		Wendover*		Whitchurch		Metric (mm) Width x Height	
Single Door	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super		
7'0" X 6'6"	2662	2473	2181	1992	1676	1421	1721	1464	1676	1487	2653	2465	2134 x 1981	
7'0" X 7'0"	2760	2520	2156	2015	1676	1467	1721	1510	1721	1579	2752	2512	2134 x 2134	
7'5" X 6'6"	2767	2566	2232	2129	1735	1559	1772	1595	1781	1678	2759	2557	2261 x 1981	
7'5" X 7'0"	2767	2647	2232	2210	1735	1637	1772	1673	1833	1811	2759	2639	2261 x 2134	
7'6" X 6'6"	2669	2566	2233	2130	1735	1559	1772	1595	1781	1678	2660	2557	2286 x 1981	
7'6" X 7'0"	2767	2649	2233	2213	1735	1639	1772	1675	1833	1812	2759	2640	2286 x 2134	
8'0" X 6'6"	2791	2678	2293	2279	1821	1726	1824	1730	1980	1965	2782	2669	2438 x 1981	
8'0" X 7'0"	2816	2692	2293	2293	1821	1740	1824	1743	2044	2043	2807	2683	2438 x 2134	
9'0" X 6'6"	3297	3334	2594	2754	2001	2162	1964	2125	2035	2196	3277	3314	2743 x 1981	
9'0" X 7'0"	3297	3383	2594	2803	2001	2211	2013	2222	2099	2309	3277	3364	2743 x 2134	
10'0" X 6'6"	3523	3723	2843	3067	2205	2429	2228	2452	2204	2428	3433	3633	3048 x 1981	
10'0" X 7'0"	3523	3735	2843	3079	2205	2334	2228	2464	2268	2505	3433	3645	3048 x 2134	
Double Door	11'0" X 6'6"	4145	4715	3640	4182	2766	3308	2804	3347	3054	3597	4040	4610	3353 x 1981
	11'0" X 7'0"	4145	4730	3676	4223	2766	3322	2804	3361	3144	3700	4040	4624	3353 x 2134
	12'0" X 6'6"	4413	5075	3777	4402	2878	3512	2902	3536	3063	3696	4400	5062	3658 x 1981
	12'0" X 7'0"	4413	5089	3777	4416	2878	3526	2902	3550	3152	3800	4400	5076	3658 x 2134
	13'0" X 6'6"	5058	5547	4182	4870	3042	3851	3056	3864	3130	3938	5229	5718	3962 x 1981
	13'0" X 7'0"	5066	5562	4190	4886	3050	3867	3063	3880	3227	4043	5237	5733	3962 x 2134
	14'0" X 6'6"	5338	5751	4284	4897	3129	3862	3153	3886	3138	3871	5316	5728	4267 x 1981
	14'0" X 7'0"	5346	5751	4292	4897	3137	3862	3161	3886	3235	3960	5323	5728	4267 x 2134
	15'0" X 6'6"	5583	5915	4622	5151	3476	4128	3485	4137	3577	4230	5559	5910	4572 x 1981
	15'0" X 7'0"	5583	5949	4622	5184	3476	4162	3485	4171	3680	4366	5559	5944	4572 x 2134
	16'0" X 6'6"	5623	6080	4732	5386	3562	4340	3627	4404	3585	4363	5662	6119	4877 x 1981
	16'0" X 7'0"	5623	6109	4732	5415	3562	4369	3627	4434	3688	4495	5662	6149	4877 x 2134

buckingham Coach house

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

*Wendover double



* see illustrations above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height	
7'0" w - 7'0" h	2760	2849	2156	2343	1676	1863	1721	1908	1721	1908	2752	2840	2134w - 2134h	
7'0" w - 7'6" h	2772	2924	2194	2444	1776	2026	1829	2079	1768	2018	2764	2916	2134w - 2286h	
7'0" w - 8'0" h	3211	3111	2811	2711	2187	2088	2241	2141	2225	2125	3241	3142	2134w - 2438h	
7'6" w - 7'0" h	2767	2907	2233	2472	1735	1973	1772	2011	1833	2071	2759	2899	2286w - 2134h	
7'6" w - 7'6" h	2804	2990	2245	2555	1842	2151	1887	2196	1887	2196	2796	2982	2286w - 2286h	
7'6" w - 8'0" h	3217	3181	2877	2841	2253	2217	2297	2262	2349	2313	3247	3213	2286w - 2438h	
8'0" w - 7'0" h	2816	2936	2293	2537	1821	2065	1824	2068	2044	2288	2807	2928	2438w - 2134h	
8'0" w - 7'6" h	2828	3033	2306	2634	1940	2269	1946	2275	2111	2440	2819	3025	2438w - 2286h	
8'0" w - 8'0" h	3242	3204	2953	2915	2352	2314	2358	2320	2587	2549	3272	3234	2438w - 2438h	
9'0" w - 7'0" h	3297	3583	2594	3004	2001	2411	2013	2423	2099	2509	3277	3564	2743w - 2134h	
9'0" w - 7'6" h	3309	3666	2606	3086	2132	2613	2147	2628	2166	2647	3289	3646	2743w - 2286h	
9'0" w - 8'0" h	3757	3905	2998	3438	2258	2698	2274	2713	2356	2796	3776	3920	2743w - 2438h	
10'0" w - 7'0" h	3523	4097	2843	3441	2205	2803	2228	2826	2268	2867	3433	4007	3048w - 2134h	
10'0" w - 7'6" h	3535	4287	2855	3632	2348	3124	2375	3152	2335	3112	3445	4197	3048w - 2286h	
10'0" w - 8'0" h	4002	-	3471	-	2667	-	2695	-	2719	-	3962	-	3048w - 2438h	
Double Door	11'0" w - 7'0" h	4145	5069	3676	4562	2766	3662	2804	3700	3144	4040	4040	4962	3353w - 2134h
	11'0" w - 7'6" h	4171	5288	3702	4781	2929	4017	2977	4065	3241	4330	4066	5182	3353w - 2286h
	11'0" w - 8'0" h	4696	-	4330	-	3220	-	3268	-	3622	-	4626	-	3353w - 2438h
	12'0" w - 7'0" h	4413	5428	3777	4755	2878	3866	2902	3889	3152	4139	4400	5414	3658w - 2134h
	12'0" w - 7'6" h	4439	5556	3804	4883	3057	4146	3087	4176	3249	4338	4426	5542	3658w - 2286h
	12'0" w - 8'0" h	5002	-	4461	-	3348	-	3379	-	3630	-	5024	-	3658w - 2438h
	13'0" w - 7'0" h	5066	5934	4190	5257	3050	4238	3063	4251	3227	4415	5237	6103	3962w - 2134h
	13'0" w - 7'6" h	5297	6120	4421	5444	3445	4589	3466	4611	3528	4672	5468	6290	3962w - 2286h
	13'0" w - 8'0" h	5511	-	5109	-	3736	-	3758	-	3909	-	5786	-	3962w - 2438h
	14'0" w - 7'0" h	5346	6121	4292	5267	3137	4232	3161	4257	3235	4331	5323	6097	4267w - 2134h
	14'0" w - 7'6" h	5577	-	4523	-	3543	-	3577	-	3537	-	5554	-	4267w - 2286h
	14'0" w - 8'0" h	5828	-	5241	-	3835	-	3869	-	3918	-	5882	-	4267w - 2438h
	15'0" w - 7'0" h	5583	6410	4622	5645	3476	4623	3485	4632	3680	4827	5559	6404	4572w - 2134h
	15'0" w - 7'6" h	5609	-	4648	-	3693	-	3710	-	3790	-	5585	-	4572w - 2286h
	15'0" w - 8'0" h	5942	-	5454	-	4042	-	4059	-	4242	-	5996	-	4572w - 2438h
	16'0" w - 7'0" h	5623	6450	4732	5756	3562	4710	3627	4775	3688	4836	5662	6487	4877w - 2134h
	16'0" w - 7'6" h	5722	-	5108	-	4140	-	4221	-	4147	-	5706	-	4877w - 2286h
	16'0" w - 8'0" h	5982	-	5594	-	4140	-	4221	-	4250	-	6034	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

For finishes,
frames and other
options see page
33-35

panel-built oak

THE MONMOUTH RANGE of panel-built up and over garage doors is made with oak faced exterior grade ply and oak mouldings. They are available with either Masta-Gear or Super-Chassis lifting gear in a range of single and double standard and made to measure sizes.

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Broadoak	Fairoak	Kingsoak	Oakdale	Oakgrove	Oakhampton	Metric (mm) Width x Height
7'0" X 6'6"	2923 2111	3007 2196	2723 1911	2821 2010	3411 2586	3077 2266	2134 x 1981
7'0" X 7'0"	2923 2165	3007 2249	2723 1965	2821 2063	3417 2645	3077 2319	2134 x 2134
7'5" x 6'6"	2938 2222	3022 2307	2738 2022	2836 2121	3431 2702	3093 2377	2261 x 1981
7'5" x 7'0"	2938 2313	3022 2398	2738 2113	2836 2212	3437 2799	3093 2468	2261 x 2134
7'6" x 6'6"	2938 2222	3022 2307	2738 2022	2836 2121	3432 2702	3093 2377	2286 x 1981
7'6" x 7'0"	2938 2315	3022 2400	2738 2115	2836 2214	3438 2802	3093 2470	2286 x 2134
8'0" x 6'6"	2979 2363	3064 2447	2779 2162	2794 2177	3481 2851	3134 2517	2438 x 1981
8'0" x 7'0"	3089 2379	3174 2463	2889 2178	2904 2193	3599 2874	3244 2533	2438 x 2134
9'0" x 6'6"	3459 2930	3584 3056	3233 2704	3317 2788	4001 3458	3689 3160	2743 x 1981
9'0" x 7'0"	3459 2985	3584 3110	3233 2758	3317 2843	4009 3521	3686 3212	2743 x 2134
10'0" x 6'6"	3686 3300	3805 3419	3330 2944	3535 3150	4236 3851	3917 3531	3048 x 1981
10'0" x 7'0"	3686 3314	3805 3433	3330 2958	3535 3163	4245 3873	3917 3545	3048 x 2134
11'0" x 6'6"	3841 4445	3812 4415	3606 4210	3697 4301	4507 5079	4027 4630	3353 x 1981
11'0" x 7'0"	3839 4458	3809 4429	3606 4226	3697 4317	4516 5104	4024 4644	3353 x 2134
12'0" x 6'6"	3929 4635	3837 4543	3652 4358	3723 4429	4609 5283	4116 4822	3658 x 1981
12'0" x 7'0"	3929 4651	3837 4559	3652 4374	3723 4444	4619 5309	4116 4837	3658 x 2134
13'0" x 6'6"	4200 5087	4491 5378	3883 4770	4287 5174	5201 5956	4437 5325	3962 x 1981
13'0" x 7'0"	4209 5105	4500 5396	3892 4788	4296 5192	5212 5985	4446 5342	3962 x 2134
14'0" x 6'6"	4279 5082	4517 5320	3950 4753	4312 5115	5293 5964	4517 5320	4267 x 1981
14'0" x 7'0"	4287 5082	4526 5320	3958 4753	4321 5115	5305 5976	4525 5320	4267 x 2134
15'0" x 6'6"	4635 5353	4800 5518	4231 4949	4594 5312	5665 6248	4873 5591	4572 x 1981
15'0" x 7'0"	4635 5390	4800 5556	4231 4987	4594 5350	5678 6298	4873 5629	4572 x 2134
16'0" x 6'6"	5101 5569	5484 5952	4695 5163	5058 5526	6144 6476	5123 5591	4877 x 1981
16'0" x 7'0"	5101 5602	5484 5985	4695 5196	5058 5559	6158 6524	5123 5624	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta Super	Masta Super	Masta Super	Masta Super	Masta Super	Metric (mm) Width - Height
7'0"w - 7'0'h	2923 2532	3007 2616	2723 2332	2821 2430	3417 3012	3077 2686
7'0"w - 7'6'h	2947 2626	3032 2711	2726 2405	2846 2525	3448 3113	3102 2781
7'0"w - 8'0'h	3439 2727	3543 2832	3238 2527	3357 2646	3945 3220	3593 2882
7'6"w - 7'0'h	2938 2604	3022 2689	2738 2404	2836 2503	3438 3091	3093 2759
7'6"w - 7'6'h	3072 2707	3157 2792	2851 2486	2971 2606	3579 3200	3227 2862
7'6"w - 8'0'h	3452 2812	3557 2917	3252 2612	3371 2731	3966 3312	3607 2968
8'0"w - 7'0'h	3089 2652	3174 2736	2889 2451	2904 2467	3599 3147	3244 2807
8'0"w - 7'6'h	3114 2771	3198 2856	2913 2570	2928 2586	3630 3273	3268 2926
8'0"w - 8'0'h	3141 2852	3246 2957	2941 2652	2976 2687	3665 3362	3296 3007
9'0"w - 7'0'h	3459 3209	3584 3334	3233 2983	3317 3067	4009 3745	3686 3436
9'0"w - 7'6'h	3511 3312	3636 3437	3284 3086	3368 3170	4069 3856	3738 3539
9'0"w - 8'0'h	3871 3438	4017 3583	3645 3212	3749 3316	4437 3990	4099 3666
10'0"w - 7'0'h	3686 3719	3805 3837	3330 3362	3535 3568	4245 4278	3917 3949
10'0"w - 7'6'h	3710 3942	3829 4061	3354 3586	3559 3791	4278 4510	3941 4173
10'0"w - 8'0'h	4092 -	4230 -	3715 -	3961 -	4668 -	4323 -
11'0"w - 7'0'h	3839 4838	3809 4809	3606 4606	3697 4697	4516 5484	4024 5024
11'0"w - 7'6'h	3891 5105	3862 5076	3657 4871	3748 4962	4576 5758	4077 5291
11'0"w - 8'0'h	4517 -	4487 -	4283 -	4373 -	5211 -	4703 -
12'0"w - 7'0'h	3929 5031	3837 4939	3652 4754	3723 4824	4619 5689	4116 5217
12'0"w - 7'6'h	3980 5194	3888 5102	3702 4917	3773 4987	4679 5862	4166 5381
12'0"w - 8'0'h	4606 -	4512 -	4328 -	4398 -	5315 -	4792 -
13'0"w - 7'0'h	4209 5521	4500 5812	3892 5204	4296 5608	5212 6401	4446 5758
13'0"w - 7'6'h	4488 5750	4779 6041	4171 5433	4575 5837	5273 6641	4725 5987
13'0"w - 8'0'h	4630 -	4962 -	4313 -	4758 -	5910 -	4868 -
14'0"w - 7'0'h	4287 5496	4526 5735	3958 5167	4321 5530	5305 6390	4525 5734
14'0"w - 7'6'h	4566 -	4805 -	4237 -	4600 -	5367 -	4804 -
14'0"w - 8'0'h	5019 -	5298 -	4690 -	5093 -	6069 -	5257 -
15'0"w - 7'0'h	4635 5907	4800 6072	4231 5503	4594 5866	5678 6815	4873 6145
15'0"w - 7'6'h	5075 -	5240 -	4671 -	5034 -	6132 -	5313 -
15'0"w - 8'0'h	5138 -	5343 -	4734 -	5137 -	6207 -	5376 -
16'0"w - 7'0'h	5101 5984	5484 6366	4695 5578	5058 5941	6158 6905	5123 6175
16'0"w - 7'6'h	4985 -	5534 -	4745 -	5109 -	6056 -	5007 -
16'0"w - 8'0'h	5047 -	5637 -	4808 -	5211 -	6132 -	5069 -

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



* see illustrations above for double door configuration

For finishes, frames and other options see page 33-35

panel-built oak

Coach house
monmouth

STANDARD SIZE Retractable Up & Over Gear

	Oakhaven		Oakley		Oakmere		Oakridge		Oakwood		Sevenoak		Metric (mm)
Imperial	Width x Height		Width x Height										
7'0" X 6'6"	3189	2364	2384	1573	2943	2132	2922	2110	2939	2127	3006	2195	2134 x 1981
7'0" X 7'0"	3195	2423	2384	1626	2943	2185	2922	2163	2939	2181	3006	2248	2134 x 2134
7'5" X 6'6"	3209	2479	2399	1684	2958	2243	2937	2221	2954	2238	3021	2306	2261 x 1981
7'5" X 7'0"	3215	2576	2399	1774	2958	2333	2937	2312	2954	2329	3021	2396	2261 x 2134
7'6" X 6'6"	3209	2480	2399	1684	2958	2243	2937	2221	2954	2238	3021	2306	2286 x 1981
7'6" X 7'0"	3216	2579	2399	1776	2958	2335	2937	2314	2954	2331	3021	2398	2286 x 2134
8'0" X 6'6"	3257	2626	2357	1740	2999	2383	2894	2278	2911	2295	2979	2362	2438 x 1981
8'0" X 7'0"	3374	2649	2467	1756	3110	2399	3004	2294	3022	2311	3089	2378	2438 x 2134
9'0" X 6'6"	3823	3281	2865	2337	3480	2951	3497	2969	3551	3023	3520	2991	2743 x 1981
9'0" X 7'0"	3828	3340	2865	2391	3480	3006	3497	3023	3551	3077	3520	3046	2743 x 2134
10'0" X 6'6"	4056	3671	2941	2555	3703	3317	3716	3330	3769	3384	3781	3395	3048 x 1981
10'0" X 7'0"	4065	3693	2941	2569	3703	3331	3716	3344	3769	3398	3781	3409	3048 x 2134
11'0" X 6'6"	4193	4562	3455	4059	3861	4464	3723	4327	3776	4380	3787	4390	3353 x 1981
11'0" X 7'0"	4200	4787	3455	4075	3858	4478	3723	4342	3776	4396	3785	4405	3353 x 2134
12'0" X 6'6"	4292	4966	3480	4186	3949	4655	3748	4454	3801	4507	3812	4518	3658 x 1981
12'0" X 7'0"	4303	4992	3480	4202	3949	4671	3748	4470	3801	4523	3812	4533	3658 x 2134
13'0" X 6'6"	4731	5487	3699	4587	4232	5119	4270	5157	4318	5205	4366	5254	3962 x 1981
13'0" X 7'0"	4743	5515	3708	4604	4240	5136	4278	5174	4326	5223	4375	5271	3962 x 2134
14'0" X 6'6"	4821	5492	3724	4527	4310	5113	4295	5098	4343	5146	4512	5315	4267 x 1981
14'0" X 7'0"	4833	5504	3733	4527	4319	5113	4304	5098	4352	5146	4521	5315	4267 x 2134
15'0" X 6'6"	5191	5774	4005	4724	4666	5385	4576	5294	4624	5342	4795	5513	4572 x 1981
15'0" X 7'0"	5204	5824	4005	4761	4666	5422	4576	5331	4624	5380	4795	5551	4572 x 2134
16'0" X 6'6"	5451	5784	4469	4937	5131	5600	5039	5507	5087	5555	5258	5726	4877 x 1981
16'0" X 7'0"	5465	5831	4469	4970	5131	5633	5039	5540	5087	5588	5258	5759	4877 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



* see illustrations above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0"- 8'0" high on all widths.
Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide

	Imperial	Width - Height	Metric (mm)	Width - Height
Single Door				
7'0" w - 7'0" h	3195	2790	2384	1993
7'0" w - 7'6" h	3225	2891	2408	2088
7'0" w - 8'0" h	3723	2997	2868	2157
7'6" w - 7'0" h	3216	2868	2399	2066
7'6" w - 7'6" h	3357	2978	2533	2169
7'6" w - 8'0" h	3743	3089	2882	2242
8'0" w - 7'0" h	3374	2922	2467	2029
8'0" w - 7'6" h	3405	3048	2491	2148
8'0" w - 8'0" h	3440	3137	2488	2199
9'0" w - 7'0" h	3828	3565	2865	2615
9'0" w - 7'6" h	3888	3676	2917	2718
9'0" w - 8'0" h	4257	3810	3247	2813
10'0" w - 7'0" h	4065	4098	2941	2974
10'0" w - 7'6" h	4098	4330	2965	3197
10'0" w - 8'0" h	4488	-	3295	-
Double Door				
11'0" w - 7'0" h	4200	5167	3455	4455
11'0" w - 7'6" h	4262	5444	3506	4720
11'0" w - 8'0" h	4897	-	4132	-
12'0" w - 7'0" h	4303	5372	3480	4582
12'0" w - 7'6" h	4363	5546	3531	4745
12'0" w - 8'0" h	4999	-	4157	-
13'0" w - 7'0" h	4743	5931	3708	5020
13'0" w - 7'6" h	4804	6171	3987	5249
13'0" w - 8'0" h	5441	-	4130	-
14'0" w - 7'0" h	4833	5919	3733	4942
14'0" w - 7'6" h	4896	-	4012	-
14'0" w - 8'0" h	5597	-	4465	-
15'0" w - 7'0" h	5204	6341	4005	5278
15'0" w - 7'6" h	5658	-	4446	-
15'0" w - 8'0" h	5733	-	4508	-
16'0" w - 7'0" h	5465	6213	4469	5351
16'0" w - 7'6" h	5363	-	4519	-
16'0" w - 8'0" h	5440	-	4582	-

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

For finishes, frames and other options see page 33-35

panel-built idigbo

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of panel construction onto Masta-Gear in standard or made to measure sizes as listed.

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Alcester	Brandon	Bidford	Baddesley	Kenilworth*	Claverdon	Metric (mm) Width x Height
7'0" X 6'6"	3737 -	3293 3006	3618 3330	3207 2919	2991 2704	2972 2685	2134 x 1981
7'0" X 7'0"	3737 -	3293 3065	3618 3389	3207 2978	2991 2763	2972 2744	2134 x 2134
7'5" X 6'6"	3754 -	3436 3254	3641 3460	3294 3112	3085 2904	3066 2885	2261 x 1981
7'5" X 7'0"	3754 -	3436 3354	3641 3560	3294 3212	3085 3004	3066 2985	2261 x 2134
7'6" X 6'6"	3754 -	3437 3255	3643 3461	3294 3112	3085 2904	3066 2885	2286 x 1981
7'6" X 7'0"	3754 -	3437 3358	3643 3564	3294 3215	3085 3006	3066 2987	2286 x 2134
8'0" X 6'6"	3786 -	3540 3467	3816 3744	3395 3323	3193 3121	3175 3103	2438 x 1981
8'0" X 7'0"	3816 -	3570 3485	3847 3762	3425 3340	3224 3139	3206 3121	2438 x 2134
9'0" X 6'6"	4556 -	4024 4137	4349 4462	3753 3866	3678 3790	3692 3804	2743 x 1981
9'0" X 7'0"	4556 -	4024 4197	4349 4522	3753 3926	3678 3851	3692 3864	2743 x 2134
10'0" X 6'6"	4761 -	4257 4581	4582 4906	4016 4340	3884 4207	3898 4222	3048 x 1981
10'0" X 7'0"	4761 -	4257 4596	4582 4921	4016 4355	3884 4223	3898 4237	3048 x 2134
Single Door							
Double Door							
11'0" X 6'6"	5285 -	5091 6062	5423 6394	4742 5729	4391 5378	4407 5394	3353 x 1981
11'0" X 7'0"	5285 -	5091 6079	5423 6412	4742 5747	4391 5395	4407 5411	3353 x 2134
12'0" X 6'6"	5632 -	5277 6361	5609 6693	4751 5851	4573 5673	4591 5691	3658 x 1981
12'0" X 7'0"	5632 -	5277 6378	5609 6710	4751 5868	4573 5691	4591 5708	3658 x 2134
13'0" X 6'6"	6493 -	5828 7014	6271 7457	5225 6533	4943 6252	4976 6285	3962 x 1981
13'0" X 7'0"	6493 -	5828 7033	6271 7476	5225 6552	4943 6271	4976 6304	3962 x 2134
14'0" X 6'6"	7047 -	6446 7108	6959 7620	6149 6933	5557 6341	5592 6376	4267 x 1981
14'0" X 7'0"	7047 -	6446 7108	6959 7620	6149 6933	5557 6341	5592 6376	4267 x 2134
15'0" X 6'6"	7346 -	6907 7495	7420 8008	6603 7313	6011 6722	6047 6758	4572 x 1981
15'0" X 7'0"	7346 -	6907 7537	7420 8049	6603 7355	6011 6763	6047 6799	4572 x 2134
16'0" X 6'6"	7398 -	7103 7845	7616 8358	6896 7761	6051 6916	6312 7177	4877 x 1981
16'0" X 7'0"	7398 -	7103 7882	7616 8395	6896 7797	6051 6952	6312 7213	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0"w - 7'0'h	3737 -	3293 3310	3618 3795	3207 3223	2991 3168	2972 3149	2134w - 2134h		
7'0"w - 7'6'h	3755 -	3359 3610	3635 3886	3238 3489	3150 3401	3131 3382	2134w - 2286h		
7'0"w - 8'0'h	4314 -	3848 3785	4063 4000	3638 3575	3551 3488	3522 3459	2134w - 2438h		
7'6"w - 7'0'h	3754 -	3437 3506	3643 3883	3294 3362	3085 3326	3066 3307	2286w - 2134h		
7'6"w - 7'6'h	3806 -	3489 3778	3695 3894	3359 3649	3290 3579	3271 356	2286w - 2286h		
7'6"w - 8'0'h	4344 -	3954 3966	4092 4104	3729 3741	3660 3672	3631 3643	2286w - 2438h		
8'0"w - 7'0'h	3816 -	3570 3604	3847 4064	3425 3459	3224 3441	3206 3423	2438w - 2134h		
8'0"w - 7'6'h	3834 -	3588 3905	3864 4182	3456 3774	3405 3722	3386 3704	2438w - 2286h		
8'0"w - 8'0'h	4372 -	4060 4073	4262 4275	3827 3840	3775 3788	3747 3760	2438w - 2438h		
9'0"w - 7'0'h	4556 -	4024 4238	4349 4770	3753 3967	3678 4098	3692 4112	2743w - 2134h		
9'0"w - 7'6'h	4573 -	4042 4545	4127 4631	3933 4436	3881 4384	3894 4398	2743w - 2286h		
9'0"w - 8'0'h	5145 -	4528 4776	4764 5012	4303 4551	4251 4499	4254 4503	2743w - 2438h		
10'0"w - 7'0'h	4761 -	4257 4814	4582 5368	4016 4573	3884 4670	3898 4684	3048w - 2134h		
10'0"w - 7'6'h	4779 -	4275 5277	4600 5602	4196 5198	4108 5111	4123 5125	3048w - 2286h		
10'0"w - 8'0'h	5379 -	4774 -	4997 -	4566 -	4478 -	4483 -	3048w - 2438h		
Single Door									
Double Door									
11'0"w - 7'0'h	5285 -	5091 6247	5423 6832	4742 5913	4391 5815	4407 5831	3353w - 2134h		
11'0"w - 7'6'h	5305 -	5111 6766	5443 7099	4773 6444	4460 6132	4655 6327	3353w - 2286h		
11'0"w - 8'0'h	6158 -	5896 -	6113 -	5415 -	5083 -	5278 -	3353w - 2438h		
12'0"w - 7'0'h	5632 -	5277 6523	5609 7130	4751 6013	4573 6111	4591 6128	3658w - 2134h		
12'0"w - 7'6'h	6083 -	5728 6952	6060 7284	5245 6486	5096 6336	5292 6533	3658w - 2286h		
12'0"w - 8'0'h	6621 -	6166 -	6376 -	5527 -	5358 -	5555 -	3658w - 2438h		
13'0"w - 7'0'h	6493 -	5828 7195	6271 7936	5225 6714	4943 6731	4976 6764	3962w - 2134h		
13'0"w - 7'6'h	7207 -	6541 7720	6984 8136	5981 7283	5750 7051	5961 7263	3962w - 2286h		
13'0"w - 8'0'h	7289 -	6469 -	6790 -	5739 -	5488 -	5699 -	3962w - 2438h		
14'0"w - 7'0'h	7047 -	6446 7245	6959 8078	6149 7070	5557 6799	5592 6834	4267w - 2134h		
14'0"w - 7'6'h	7329 -	6728 -	7315 -	6474 -	5954 -	6168 -	4267w - 2286h		
14'0"w - 8'0'h	7684 -	6932 -	7364 -	6494 -	5954 -	6168 -	4267w - 2438h		
15'0"w - 7'0'h	7346 -	6907 7763	7420 8620	6603 7582	6011 7334	6047 7370	4572w - 2134h		
15'0"w - 7'6'h	7366 -	6927 -	7440 -	6774 -	6168 -	6383 -	4572w - 2286h		
15'0"w - 8'0'h	7721 -	7144 -	7514 -	6793 -	6168 -	6383 -	4572w - 2438h		
16'0"w - 7'0'h	7398 -	7103 7937	7616 8816	6896 7852	6051 7374	6312 7635	4877w - 2134h		
16'0"w - 7'6'h	7418 -	7123 -	7636 -	6970 -	6218 -	6524 -	4877w - 2286h		
16'0"w - 8'0'h	7774 -	7354 -	7724 -	6990 -	6218 -	6524 -	4877w - 2438h		

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

Drawings illustrate a single 7'0" x 7'0" door.
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

*Kenilworth double

For finishes, frames and other options see page

33-35

panel-built idigbo

STANDARD SIZE Retractable Up & Over Gear

Coach-house
warwick

Imperial	Charlton*	Hatton	Grendon	Grafton	Henley*	Aston	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	2953 2665	3132 2844	2961 2673	3538 -	2573 2286	3263 2976	2134 x 1981
7'0" X 7'0"	2953 2724	3132 2903	2961 2732	3538 -	2651 2422	3263 3035	2134 x 2134
7'5" X 6'6"	3040 2859	3224 3043	3055 2873	3555 -	2721 2539	3356 3175	2261 x 1981
7'5" X 7'0"	3040 2959	3224 3143	3055 2973	3555 -	2809 2728	3356 3275	2261 x 2134
7'6" X 6'6"	3040 2859	3225 3044	3055 2873	3555 -	2721 2539	3357 3176	2286 x 1981
7'6" X 7'0"	3040 2961	3225 3146	3055 2976	3555 -	2809 2730	3357 3278	2286 x 2134
8'0" X 6'6"	3129 3057	3393 3321	3164 3091	3706 -	2738 2666	3525 3453	2438 x 1981
8'0" X 7'0"	3159 3074	3424 3339	3194 3109	3736 -	2857 2772	3556 3471	2438 x 2134
9'0" X 6'6"	3504 3617	3844 3956	3676 3789	4327 -	3273 3385	3970 4082	2743 x 1981
9'0" X 7'0"	3504 3677	3844 4016	3676 3849	4327 -	3384 3556	3970 4142	2743 x 2134
10'0" X 6'6"	3723 4046	4037 4361	3883 4207	4565 -	3322 3646	4171 4495	3048 x 1981
10'0" X 7'0"	3723 4062	4037 4376	3883 4222	4565 -	3434 3773	4171 4510	3048 x 2134
Single Door							
Double Door							
11'0" X 6'6"	4304 5249	4772 5743	4391 5378	5362 -	4219 5163	5018 5989	3353 x 1981
11'0" X 7'0"	4304 5266	4772 5761	4391 5396	5362 -	4374 5336	5018 6007	3353 x 2134
12'0" X 6'6"	4420 5477	4954 6038	4576 5676	5391 -	4245 5302	5200 6284	3658 x 1981
12'0" X 7'0"	4420 5494	4954 6056	4576 5693	5391 -	4401 5475	5200 6302	3658 x 2134
13'0" X 6'6"	4856 6121	5482 6668	4951 6260	6223 -	4397 5663	5722 6908	3962 x 1981
13'0" X 7'0"	4856 6141	5482 6687	4951 6279	6223 -	4552 5837	5722 6927	3962 x 2134
14'0" X 6'6"	5513 6254	6095 6757	5566 6351	6697 -	4854 5596	6336 6997	4267 x 1981
14'0" X 7'0"	5513 6254	6095 6757	5566 6351	6697 -	5010 5751	6336 6997	4267 x 2134
15'0" X 6'6"	5921 6589	6553 7141	6022 6733	7236 -	5406 6074	6793 7381	4572 x 1981
15'0" X 7'0"	5921 6631	6553 7182	6022 6774	7236 -	5590 6299	6793 7423	4572 x 2134
16'0" X 6'6"	6148 6970	6769 7511	6287 7152	7288 -	5440 6262	7009 7751	4877 x 1981
16'0" X 7'0"	6148 7006	6769 7548	6287 7188	7288 -	5617 6475	7009 7788	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.
Super-Chassis doors available 6'0" - 8'0" high on doors up to 9'0" wide 6'0" - 7'6" high on doors from 10'0" to 13'0" wide and 6'0" - 7'0" high on doors from 13'0" - 16'0" wide

Imperial	Metric (mm)
Width - Height	Width - Height
7'0" w - 7'0" h	2953 2970
7'0" w - 7'6" h	2961 3211
7'0" w - 8'0" h	3351 3288
7'6" w - 7'0" h	3040 3109
7'6" w - 7'6" h	3082 3372
7'6" w - 8'0" h	3442 3454
8'0" w - 7'0" h	3159 3193
8'0" w - 7'6" h	3167 3485
8'0" w - 8'0" h	3527 3540
9'0" w - 7'0" h	3504 3718
9'0" w - 7'6" h	3512 4015
9'0" w - 8'0" h	3872 4120
10'0" w - 7'0" h	3723 4279
10'0" w - 7'6" h	3730 4733
10'0" w - 8'0" h	4091 -
11'0" w - 7'0" h	4304 5434
11'0" w - 7'6" h	4304 5933
11'0" w - 8'0" h	4927 -
12'0" w - 7'0" h	4420 5639
12'0" w - 7'6" h	4851 6048
12'0" w - 8'0" h	5113 -
13'0" w - 7'0" h	4856 6302
13'0" w - 7'6" h	5549 6807
13'0" w - 8'0" h	5287 -
14'0" w - 7'0" h	5513 6391
14'0" w - 7'6" h	5775 -
14'0" w - 8'0" h	5775 -
15'0" w - 7'0" h	5921 6858
15'0" w - 7'6" h	5921 -
15'0" w - 8'0" h	5921 -
16'0" w - 7'0" h	6148 7061
16'0" w - 7'6" h	6148 -
16'0" w - 8'0" h	6148 -
Single Door	
Double Door	
7'0" w - 7'0" h	3132 3309
7'0" w - 7'6" h	3237 3488
7'0" w - 8'0" h	3633 3570
7'6" w - 7'0" h	3225 3466
7'6" w - 7'6" h	3373 3662
7'6" w - 8'0" h	3738 3750
8'0" w - 7'0" h	3194 3411
8'0" w - 7'6" h	3548 3866
8'0" w - 8'0" h	3735 3693
9'0" w - 7'0" h	3844 4264
9'0" w - 7'6" h	3982 4485
9'0" w - 8'0" h	4239 4487
10'0" w - 7'0" h	4037 4823
10'0" w - 7'6" h	4189 5192
10'0" w - 8'0" h	4549 -
11'0" w - 7'0" h	4772 6181
11'0" w - 7'6" h	4935 6590
11'0" w - 8'0" h	5567 -
12'0" w - 7'0" h	4954 6476
12'0" w - 7'6" h	5562 6786
12'0" w - 8'0" h	5834 -
13'0" w - 7'0" h	5482 7146
13'0" w - 7'6" h	6365 7544
13'0" w - 8'0" h	6113 -
14'0" w - 7'0" h	5566 7215
14'0" w - 7'6" h	6143 -
14'0" w - 8'0" h	6143 -
15'0" w - 7'0" h	6022 7345
15'0" w - 7'6" h	6770 -
15'0" w - 8'0" h	6499 -
16'0" w - 7'0" h	6287 7610
16'0" w - 7'6" h	7010 -
16'0" w - 8'0" h	6499 -
7'0" w - 7'0" h	2961 3138
7'0" w - 7'6" h	3120 3371
7'0" w - 8'0" h	3510 3447
7'6" w - 7'0" h	3055 3295
7'6" w - 7'6" h	3259 3549
7'6" w - 8'0" h	3619 3631
8'0" w - 7'0" h	3194 3411
8'0" w - 7'6" h	3735 3748
8'0" w - 8'0" h	4096 4237
9'0" w - 7'0" h	3879 4382
9'0" w - 7'6" h	4345 -
9'0" w - 8'0" h	4715 -
10'0" w - 7'0" h	4565 -
10'0" w - 7'6" h	5110 -
10'0" w - 8'0" h	4468 -
11'0" w - 7'0" h	4391 5816
11'0" w - 7'6" h	5382 -
11'0" w - 8'0" h	5262 -
12'0" w - 7'0" h	4576 6113
12'0" w - 7'6" h	5277 6517
12'0" w - 8'0" h	5539 -
13'0" w - 7'0" h	4951 6739
13'0" w - 7'6" h	5936 7238
13'0" w - 8'0" h	5674 -
14'0" w - 7'0" h	5566 6809
14'0" w - 7'6" h	6697 -
14'0" w - 8'0" h	6143 -
15'0" w - 7'0" h	5726 -
15'0" w - 7'6" h	6358 -
15'0" w - 8'0" h	6499 -
16'0" w - 7'0" h	5236 -
16'0" w - 7'6" h	7256 -
16'0" w - 8'0" h	7275 -
7'0" w - 7'0" h	2651 2828
7'0" w - 7'6" h	2736 2987
7'0" w - 8'0" h	3204 3141
7'6" w - 7'0" h	2809 3050
7'6" w - 7'6" h	2939 3229
7'6" w - 8'0" h	3388 3400
8'0" w - 7'0" h	2857 3074
8'0" w - 7'6" h	2953 3271
8'0" w - 8'0" h	3402 3415
9'0" w - 7'0" h	3384 3804
9'0" w - 7'6" h	3502 4006
9'0" w - 8'0" h	3974 4222
10'0" w - 7'0" h	3434 4220
10'0" w - 7'6" h	3552 4555
10'0" w - 8'0" h	4024 -
11'0" w - 7'0" h	4374 5756
11'0" w - 7'6" h	4529 6158
11'0" w - 8'0" h	5307 -
12'0" w - 7'0" h	4401 5895
12'0" w - 7'6" h	4987 6184
12'0" w - 8'0" h	5404 -
13'0" w - 7'0" h	4552 6297
13'0" w - 7'6" h	5200 6447
13'0" w - 8'0" h	5843 -
14'0" w - 7'0" h	5010 6209
14'0" w - 7'6" h	6336 7134
14'0" w - 8'0" h	5427 -
15'0" w - 7'0" h	5590 6870
15'0" w - 7'6" h	6793 7649
15'0" w - 8'0" h	5794 -
16'0" w - 7'0" h	5617 6897
16'0" w - 7'6" h	7280 -
16'0" w - 8'0" h	5971 -
7'0" w - 7'0" h	3263 3280
7'0" w - 7'6" h	3384 3635
7'0" w - 8'0" h	3780 3717
7'6" w - 7'0" h	3357 3426
7'6" w - 7'6" h	3519 3809
7'6" w - 8'0" h	3885 3717
8'0" w - 7'0" h	3556 3589
8'0" w - 7'6" h	3695 4013
8'0" w - 8'0" h	4055 4068
9'0" w - 7'0" h	3384 3804
9'0" w - 7'6" h	3970 4184
9'0" w - 8'0" h	4123 4626
10'0" w - 7'0" h	3974 4222
10'0" w - 7'6" h	4483 4731
10'0" w - 8'0" h	4267w - 2134h
11'0" w - 7'0" h	4267w - 2134h
11'0" w - 7'6" h	5211 6866
11'0" w - 8'0" h	3353w - 2438h
12'0" w - 7'0" h	5200 6447
12'0" w - 7'6" h	4877w - 2286h
12'0" w - 8'0" h	6110 -
13'0" w - 7'0" h	5722 7089
13'0" w - 7'6" h	3962w - 2134h
13'0" w - 8'0" h	6635 7814
14'0" w - 7'0" h	5555 -
14'0" w - 7'6" h	6383 -
14'0" w - 8'0" h	3962w - 2438h
15'0" w - 7'0" h	5010 6209
15'0" w - 7'6" h	6336 7134
15'0" w - 8'0" h	5427 -
16'0" w - 7'0" h	6841 -
16'0" w - 7'6" h	4267w - 2438h
16'0" w - 8'0" h	6793 7649
17'0" w - 7'0" h	5590 6870
17'0" w - 7'6" h	4572w - 2134h
17'0" w - 8'0" h	5767 -
18'0" w - 7'0" h	7040 -
18'0" w - 7'6" h	4572w - 2286h
18'0" w - 8'0" h	7050 -
19'0" w - 7'0" h	5944 -
19'0" w - 7'6" h	4572w - 2438h
20'0" w - 7'0" h	7280 -
20'0" w - 7'6" h	4877w - 2134h
20'0" w - 8'0" h	7280 -
21'0" w - 7'0" h	5794 -
21'0" w - 7'6" h	4877w - 2286h
21'0" w - 8'0" h	7280 -
22'0" w - 7'0" h	5971 -
22'0" w - 7'6" h	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

Drawings illustrate a single 7'0" x 7'0" door.
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

* see illustrations above for double door configuration

* see illustrations above for double door configuration

For finishes,
frames and other
options see page
33-35

panel-built idigbo

STANDARD SIZE Retractable Up & Over Gear



Imperial Width x Height	Harbury	Welford	Bentley	Langley	Southam	Gaydon	Metric (mm) Width x Height
7'0" X 6'6"	2912 2624	3605 -	3738 -	3217 2929	2912 2624	3522 -	2134 x 1981
7'0" X 7'0"	2912 2683	3605 -	3738 -	3217 2988	2912 2683	3522 -	2134 x 2134
7'5" x 6'6"	3006 2824	3622 -	3762 -	3311 3129	3006 2824	3539 -	2261 x 1981
7'5" x 7'0"	3006 2925	3622 -	3762 -	3311 3229	3006 2925	3539 -	2261 x 2134
7'6" x 6'6"	3006 2824	3622 -	3764 -	3311 3129	3006 2824	3539 -	2286 x 1981
7'6" x 7'0"	3006 2927	3622 -	3764 -	3311 3232	3006 2927	3539 -	2286 x 2134
8'0" x 6'6"	3114 3042	3653 -	4042 -	3374 3302	3114 3042	3570 -	2438 x 1981
8'0" x 7'0"	3144 3059	3684 -	4072 -	3404 3319	3144 3059	3600 -	2438 x 2134
9'0" x 6'6"	3599 3711	4388 -	4589 -	3915 4027	3599 3711	4292 -	2743 x 1981
9'0" x 7'0"	3599 3771	4388 -	4589 -	3915 4087	3599 3771	4292 -	2743 x 2134
10'0" x 6'6"	3804 4128	4670 -	5037 -	4224 4548	3804 4128	4505 -	3048 x 1981
10'0" x 7'0"	3804 4143	4670 -	5037 -	4224 4563	3804 4143	4505 -	3048 x 2134
11'0" x 6'6"	4311 5299	5227 -	5327 -	4765 5752	4311 5299	5118 -	3353 x 1981
11'0" x 7'0"	4311 5316	5227 -	5327 -	4765 5770	4311 5316	5118 -	3353 x 2134
12'0" x 6'6"	4494 5594	5574 -	6061 -	4948 6048	4494 5594	5464 -	3658 x 1981
12'0" x 7'0"	4494 5611	5574 -	6061 -	4948 6065	4494 5611	5464 -	3658 x 2134
13'0" x 6'6"	4864 6173	6045 -	6735 -	5274 6583	4864 6173	5875 -	3962 x 1981
13'0" x 7'0"	4864 6192	6045 -	6735 -	5460 6788	4864 6192	5875 -	3962 x 2134
14'0" x 6'6"	5478 6262	6838 -	7225 -	6073 6857	5478 6262	6668 -	4267 x 1981
14'0" x 7'0"	5478 6262	6838 -	7225 -	6073 6857	5478 6262	6668 -	4267 x 2134
15'0" x 6'6"	5931 6642	7138 -	7542 -	6527 7237	- -	6967 -	4572 x 1981
15'0" x 7'0"	5931 6684	7138 -	7542 -	6527 7279	- -	6967 -	4572 x 2134
16'0" x 6'6"	5971 6836	7192 -	7929 -	6733 7598	- -	7021 -	4877 x 1981
16'0" x 7'0"	5971 6873	7192 -	7929 -	6733 7634	- -	7021 -	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Super	Masta	Super	Masta	Super	Masta	Super	Metric (mm) Width - Height
7'0"w - 7'0'h	2912	3089	3605	-	3738	-	3217	3394	2134w - 2134h
7'0"w - 7'6'h	3071	3322	3622	-	3756	-	3376	3626	2134w - 2286h
7'0"w - 8'0'h	3472	3409	4163	-	4156	-	3792	3729	2134w - 2438h
7'6"w - 7'0'h	3006	3247	3622	-	3764	-	3311	3551	2286w - 2134h
7'6"w - 7'6'h	3210	3500	3674	-	3815	-	3515	3804	2286w - 2286h
7'6"w - 8'0'h	3580	3592	4184	-	4186	-	3901	3913	2286w - 2438h
8'0"w - 7'0'h	3144	3361	3684	-	4072	-	3404	3621	2438w - 2134h
8'0"w - 7'6'h	3325	3643	3701	-	4090	-	3585	3903	2438w - 2286h
8'0"w - 8'0'h	3695	3709	4211	-	4460	-	3971	3985	2438w - 2438h
9'0"w - 7'0'h	3599	4019	4388	-	4589	-	3915	4335	2743w - 2134h
9'0"w - 7'6'h	3801	4305	4405	-	4606	-	4117	4621	2743w - 2286h
9'0"w - 8'0'h	4171	4420	4949	-	4967	-	4504	4752	2743w - 2438h
10'0"w - 7'0'h	3804	4590	4670	-	5037	-	4224	5010	3048w - 2134h
10'0"w - 7'6'h	4029	5031	4687	-	5055	-	4449	5451	3048w - 2286h
10'0"w - 8'0'h	4399	-	5252	-	5425	-	4846	-	3048w - 2438h
11'0"w - 7'0'h	4311	5736	5227	-	5327	-	4765	6190	3353w - 2134h
11'0"w - 7'6'h	4381	6053	5247	-	5347	-	5014	6685	3353w - 2286h
11'0"w - 8'0'h	5004	-	6078	-	5990	-	5420	-	3353w - 2438h
12'0"w - 7'0'h	4494	6031	5574	-	6061	-	4948	6485	3658w - 2134h
12'0"w - 7'6'h	5017	6257	6025	-	6512	-	5649	6890	3658w - 2286h
12'0"w - 8'0'h	5279	-	6542	-	6794	-	5695	-	3658w - 2438h
13'0"w - 7'0'h	4864	6651	6045	-	6735	-	5460	7247	3962w - 2134h
13'0"w - 7'6'h	5670	6972	6758	-	7448	-	6445	7746	3962w - 2286h
13'0"w - 8'0'h	5408	-	6750	-	7206	-	5822	-	3962w - 2438h
14'0"w - 7'0'h	5478	6720	6838	-	7225	-	6073	7316	4267w - 2134h
14'0"w - 7'6'h	5875	-	7120	-	7507	-	6471	-	4267w - 2286h
14'0"w - 8'0'h	5875	-	7419	-	7527	-	6110	-	4267w - 2438h
15'0"w - 7'0'h	5931	7255	7138	-	7542	-	6527	7850	4572w - 2134h
15'0"w - 7'6'h	6088	-	7158	-	7562	-	6862	-	4572w - 2286h
15'0"w - 8'0'h	6088	-	7457	-	7582	-	6502	-	4572w - 2438h
16'0"w - 7'0'h	5971	7294	7192	-	7929	-	6733	8056	4877w - 2134h
16'0"w - 7'6'h	6139	-	7202	-	7949	-	7090	-	4877w - 2286h
16'0"w - 8'0'h	6139	-	7511	-	7969	-	6730	-	4877w - 2438h

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



For finishes, frames and other options see page 33-35

panel-built idigbo

STANDARD SIZE Retractable Up & Over Gear

Coach-house
warwick

Imperial	Dorchester	Thrapston	Stratford	Thames	Whitnash*	Kennington	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	3718 -	3520 3232	2651 2363	2456 2168	2404 2116	3722 -	2134 x 1981
7'0" X 7'0"	3718 -	3520 3291	2651 2422	2456 2227	2456 2227	3722 -	2134 x 2134
7'5" X 6'6"	3735 -	3575 3394	2745 2563	2525 2343	2539 2358	3739 -	2261 x 1981
7'5" X 7'0"	3735 -	3575 3494	2745 2664	2525 2443	2599 2518	3739 -	2261 x 2134
7'6" X 6'6"	3735 -	3577 3395	2745 2563	2525 2343	2539 2358	3739 -	2286 x 1981
7'6" X 7'0"	3735 -	3577 3498	2745 2666	2525 2446	2599 2521	3739 -	2286 x 2134
8'0" X 6'6"	3766 -	3681 3609	2840 2768	2594 2522	2775 2703	3770 -	2438 x 1981
8'0" X 7'0"	3797 -	3712 3627	2871 2786	2625 2540	2880 2795	3801 -	2438 x 2134
9'0" X 6'6"	4508 -	4276 4389	3258 3370	2811 2923	2989 3101	4499 -	2743 x 1981
9'0" X 7'0"	4508 -	4276 4449	3258 3430	2957 3130	3063 3236	4499 -	2743 x 2134
10'0" X 6'6"	4801 -	4511 4834	3463 3786	3111 3435	3083 3407	4715 -	3048 x 1981
10'0" X 7'0"	4801 -	4511 4850	3463 3802	3111 3450	3158 3497	4715 -	3048 x 2134
11'0" X 6'6"	5358 -	5264 6235	3969 4913	3602 4547	3897 4841	5249 -	3353 x 1981
11'0" X 7'0"	5358 -	5353 6342	3969 4931	3602 4564	4001 4963	5249 -	3353 x 2134
12'0" X 6'6"	5705 -	5542 6626	4151 5208	3733 4790	3924 4981	5768 -	3658 x 1981
12'0" X 7'0"	5705 -	5542 6643	4151 5225	3733 4808	4028 5103	5768 -	3658 x 2134
13'0" X 6'6"	6260 -	6148 7334	4457 5723	3963 5229	4052 5318	6498 -	3962 x 1981
13'0" X 7'0"	6260 -	6148 7354	4457 5742	3963 5248	4156 5441	6498 -	3962 x 2134
14'0" X 6'6"	7052 -	6768 7430	5070 5811	4525 5266	4510 5251	7051 -	4267 x 1981
14'0" X 7'0"	7052 -	6768 7430	5070 5811	4525 5266	4614 5355	7051 -	4267 x 2134
15'0" X 6'6"	7353 -	6599 7188	5523 6191	4926 5594	5045 5713	7351 -	4572 x 1981
15'0" X 7'0"	7353 -	6599 7229	5523 6232	4926 5636	5165 5875	7351 -	4572 x 2134
16'0" X 6'6"	7407 -	6799 7541	5705 6527	5110 5932	5072 5894	7482 -	4877 x 1981
16'0" X 7'0"	7407 -	6799 7577	5705 6563	5110 5968	5192 6051	7482 -	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0"- 8'0" high on all widths.
Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide

Imperial	Metric (mm)
Width - Height	Width - Height
7'0"w - 7'0"h	3718 - 2134w - 2134h
7'0"w - 7'6"h	3735 - 2134w - 2286h
7'0"w - 8'0"h	4276 - 2134w - 2438h
7'6"w - 7'0'h	3735 - 2286w - 2134h
7'6"w - 7'6" h	3787 - 2286w - 2286h
7'6"w - 8'0" h	4297 - 2286w - 2438h
8'0"w - 7'0" h	3797 - 2438w - 2134h
8'0"w - 7'6" h	3814 - 2438w - 2286h
8'0"w - 8'0" h	4324 - 2438w - 2438h
9'0"w - 7'0" h	4508 - 2743w - 2134h
9'0"w - 7'6" h	4525 - 2743w - 2286h
9'0"w - 8'0" h	5069 - 2743w - 2438h
10'0"w - 7'0" h	4801 - 3048w - 2134h
10'0"w - 7'6" h	4819 - 3048w - 2286h
10'0"w - 8'0" h	5383 - 3048w - 2438h
11'0"w - 7'0" h	5358 - 3353w - 2134h
11'0"w - 7'6" h	5378 - 3353w - 2286h
11'0"w - 8'0" h	6210 - 3353w - 2438h
12'0"w - 7'0" h	5705 - 3658w - 2134h
12'0"w - 7'6" h	6156 - 3658w - 2286h
12'0"w - 8'0" h	6673 - 3658w - 2438h
13'0"w - 7'0" h	6260 - 3962w - 2134h
13'0"w - 7'6" h	6973 - 3962w - 2286h
13'0"w - 8'0" h	6965 - 3962w - 2438h
14'0"w - 7'0" h	7052 - 4267w - 2134h
14'0"w - 7'6" h	7334 - 4267w - 2286h
14'0"w - 8'0" h	7634 - 4267w - 2438h
15'0"w - 7'0" h	7353 - 4572w - 2134h
15'0"w - 7'6" h	6599 - 4572w - 2286h
15'0"w - 8'0" h	6619 - 4572w - 2438h
16'0"w - 7'0" h	7407 - 4877w - 2134h
16'0"w - 7'6" h	7726 - 4877w - 2286h
16'0"w - 8'0" h	7726 - 4877w - 2438h

For finishes,
frames and other
options see page
33-35

Drawings illustrate a single 7'0" x 7'0" door.
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



* see illustrations above for double door configuration

Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).

panel-built accoya

THE THETFORD RANGE is made with selected Accoya mouldings, Accoya tongue groove boards and raised and fielded panels dependent on design. Doors are of panel construction onto Super-Chassis or Masta-Gear in standard or made to measure sizes as listed.



thefford Coach house

STANDARD SIZE Retractable Up & Over Gear

	Barnham*	Culford	Elveden	Oulton	Harling	Ingham	Northwold	Fincham	Metric (mm)
Imperial									Width x Height
Width x Height	Masta Super								
7'0" x 6'6"	2967 2697	2960 2690	3164 2895	3504 -	2949 2679	2613 2343	2378 2109	3229 2965	2134 x 1981
7'0" x 7'0"	2967 2753	2960 2746	3164 2951	3504 -	2949 2735	2613 2399	2378 2165	3229 2994	2134 x 2134
7'5" x 6'6"	3064 2896	3058 2889	3266 3097	3585 -	3046 2878	2710 2542	2447 2279	3310 3172	2261 x 1981
7'5" x 7'0"	3064 2991	3058 2984	3266 3193	3585 -	3046 2973	2710 2637	2447 2374	3310 3268	2261 x 2134
7'6" x 6'6"	3064 2896	3058 2889	3267 3196	3592 -	3046 2878	2710 2542	2447 2279	3317 3271	2286 x 1981
7'6" x 7'0"	3064 2994	3058 2987	3267 3196	3592 -	3046 2976	2710 2640	2447 2376	3317 3271	2286 x 2134
8'0" x 6'6"	3180 3115	3174 3109	3460 3395	3806 -	3163 3098	2810 2745	2518 2453	3531 3467	2438 x 1981
8'0" x 7'0"	3209 3132	3203 3126	3489 3412	3806 -	3192 3115	2839 2762	2547 2470	3531 3487	2438 x 2134
9'0" x 6'6"	3624 3737	3691 3804	3906 4019	4251 -	3676 3789	3207 3320	2733 2845	3976 4094	2743 x 1981
9'0" x 7'0"	3624 3794	3691 3861	3906 4076	4251 -	3676 3846	3207 3377	2854 3024	3976 4102	2743 x 2134
10'0" x 6'6"	3837 4151	3905 4219	4112 4425	4467 -	3890 4204	3419 3733	3008 3322	4192 4507	3048 x 1981
10'0" x 7'0"	3837 4165	3905 4233	4112 4440	4467 -	3890 4219	3419 3747	3008 3337	4192 4522	3048 x 2134
Single Door									
Double Door									
11'0" x 6'6"	4493 5230	4561 5298	5047 5769	5426 -	4547 5284	4087 4784	3656 4352	5151 5881	3353 x 1981
11'0" x 7'0"	4493 5247	4561 5315	5047 5785	5426 -	4547 5300	4087 4800	3656 4369	5151 5897	3353 x 2134
12'0" x 6'6"	4684 5528	4754 5599	5249 6078	5611 -	4740 5584	4277 5081	3789 4592	5336 6160	3658 x 1981
12'0" x 7'0"	4684 5545	4754 5615	5249 6095	5611 -	4740 5601	4277 5097	3789 4609	5336 6193	3658 x 2134
13'0" x 6'6"	4991 6034	5120 6163	5766 6693	6116 -	5096 6139	4568 5570	3996 4999	5841 6776	3962 x 1981
13'0" x 7'0"	5000 6052	5129 6181	5775 6711	6116 -	5105 6157	4577 5588	4006 5017	5841 6821	3962 x 2134
14'0" x 6'6"	5592 6136	5724 6267	6379 6805	6729 -	5700 6243	5168 5671	4539 5042	6454 6892	4267 x 1981
14'0" x 7'0"	5602 6136	5733 6267	6388 6805	6729 -	5709 6243	5177 5671	4548 5042	6454 6892	4267 x 2134
15'0" x 6'6"	6060 -	6193 -	6857 -	7214 -	6169 -	5634 -	4948 -	6939 -	4572 x 1981
15'0" x 7'0"	6060 -	6193 -	6857 -	7214 -	6169 -	5634 -	4948 -	6939 -	4572 x 2134
16'0" x 6'6"	6097 -	6486 -	7101 -	7461 -	6462 -	5824 -	5133 -	7186 -	4877 x 1981
16'0" x 7'0"	6097 -	6486 -	7101 -	7461 -	6462 -	5824 -	5133 -	7186 -	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear By width For finishes, frames and other options see page 33-35

Masta Gear doors available from 6' 0" - 8'0" high on all widths.

Super-Chassis doors available 6' 0" - 8' 0" high on doors up to 9' 0" wide 6' 0" - 7' 6" high on doors from 10' 0" to 13' 0" wide and 6' 0" - 7' 0" high on doors from 13' 0" - 16' 0" wide

Super-Chassis doors available 6'0"- 8'0" high on doors up to 9'0" wide 6'0"- 7'6" high on doors from 10'0" to 13'0" wide and 6'0"- 7'0" high on doors from 13'0"- 16'0" wide												Metric (mm)			
Imperial Width - Height												Width - Height			
		Masta	Super	Masta	Super	Masta	Super								
	7'0" w - 7'0" h	2967	3140	2960	3133	3164	3337	3504	-	2949	3122	2613	2789	2378	2551
	7'0" w - 7'6" h	3139	3382	3132	3375	3201	3444	3554	-	3121	3364	2772	3016	2506	2749
	7'0" w - 8'0" h	3524	3468	3504	3448	3579	3524	3893	-	3493	3437	3145	3089	2878	2822
	7'6" w - 7'0" h	3064	3298	3058	3291	3267	3500	3592	-	3046	3280	2710	2944	2447	2681
	7'6" w - 7'6" h	3281	3561	3274	3554	3338	3618	3638	-	3263	3543	2915	3195	2615	2895
	7'6" w - 8'0" h	3636	3468	3616	3632	3686	3701	3896	-	3605	3621	3256	3272	2957	2972
	8'0" w - 7'0" h	3209	3420	3203	3414	3489	3700	3806	-	3192	3403	2839	3050	2547	2758
	8'0" w - 7'6" h	3404	3711	3399	3706	3534	3842	3894	-	3387	4381	3022	3329	2689	2997
	8'0" w - 8'0" h	3760	3777	3742	3758	3878	3894	3931	-	3731	4480	3365	3382	3033	3049
	9'0" w - 7'0" h	3624	4030	3691	4097	3906	4312	4251	-	3676	4082	3207	3613	2854	3260
	9'0" w - 7'6" h	3843	4328	3910	4395	3955	4440	4366	-	3895	4381	3414	3899	3012	3497
	9'0" w - 8'0" h	4199	4441	4253	4495	4298	4540	4512	-	4239	4480	3757	3999	3355	3597
	10'0" w - 7'0" h	3837	4591	3905	4659	4112	4865	4467	-	3890	4644	3419	4173	3008	3762
	10'0" w - 7'6" h	4080	5040	4148	5108	4162	5123	4513	-	4133	5093	3649	4609	3181	4141
	10'0" w - 8'0" h	4435	-	4491	-	4505	-	4655	-	4476	-	3992	-	3524	-
Single Door ↑	11'0" w - 7'0" h	4493	5647	4561	5715	5047	6185	5426	-	4547	5700	4087	5200	3656	4769
Double Door ↓	11'0" w - 7'6" h	4571	5950	4842	6222	5109	6473	5526	-	4827	6207	4343	5682	3854	5192
	11'0" w - 8'0" h	5164	-	5435	-	5714	-	5684	-	5420	-	4936	-	4447	-
	12'0" w - 7'0" h	4684	5945	4754	6015	5249	6495	5611	-	4740	6001	4277	5497	3789	5009
	12'0" w - 7'6" h	5196	6165	5469	6438	5724	6678	5891	-	5454	6422	4967	5895	4412	5340
	12'0" w - 8'0" h	5445	-	5719	-	5986	-	6274	-	5704	-	5216	-	4661	-
	13'0" w - 7'0" h	5000	6490	5129	6619	5775	7149	6116	-	5105	6595	4577	6026	4006	5455
	13'0" w - 7'6" h	5776	6803	6108	7135	6493	7404	6345	-	6084	7111	5530	6517	4884	5870
	13'0" w - 8'0" h	5517	-	5849	-	6247	-	6542	-	5825	-	5530	-	4884	-
	14'0" w - 7'0" h	5602	6572	5733	6703	6388	7242	6729	-	5709	6679	5177	6107	4548	5478
	14'0" w - 7'6" h	5990	-	6324	-	6698	-	6812	-	6300	-	5744	-	5031	-
	14'0" w - 8'0" h	5990	-	6324	-	6711	-	6954	-	6300	-	5744	-	5031	-
	15'0" w - 7'0" h	6060	-	6193	-	6857	-	7214	-	6169	-	5634	-	4948	-
	15'0" w - 7'6" h	6232	-	6567	-	6929	-	7428	-	6544	-	5984	-	5206	-
	15'0" w - 8'0" h	6232	-	6567	-	6942	-	7564	-	6544	-	5984	-	5206	-
	16'0" w - 7'0" h	6097	-	6486	-	7101	-	7461	-	6462	-	5824	-	5133	-
	16'0" w - 7'6" h	6281	-	6720	-	7189	-	7621	-	6696	-	6197	-	5414	-
	16'0" w - 8'0" h	6281	-	6720	-	7189	-	7855	-	6696	-	6197	-	5414	-

**Canopy gear available as a no-cost-option on doors up to 2438mm wide & 2134mm high.
Minimum height on Super-Chassis doors for Canopy gear is 6'0" (1830mm).**

Section 2 Solid-Constructed Doors

Solid-constructed doors use traditional joinery to create a solid timber panel that, other than on very large doors, requires no chassis or sub-frame to provide its strength.

The door panel is made first and the Masta-gear operating mechanism is then mounted directly onto the door panel for maximum integrity and a rear face free from bracings.

Solid-build doors are available with Masta-Gear lifting gear. From the front, solid-build doors have deeper edge rails, solid profiles front to back and beautiful rounded chamfer detailing. From the back they look just as good - edge to edge timber!



Masta-Gear doors have edge-to-edge timber all round

You won't see this on
Woodrite doors - an exposed
steel chassis detracting from
the beauty of edge to edge
timber.

solid-built cedar

THE BALMORAL RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction onto Masta-Gear in standard or made to measure sizes as listed.



* see illustration above for double door configuration

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Adstock	Bierton	Burnham	Chalfont*	Chalfont* wide	Chartridge	Chartridge wide	Coleshill	Metric (mm) Width x Height
7'0" X 6'6"	4453	3279	2880	2593	2852	2671	2938	2786	2134 x 1981
7'0" X 7'0"	4453	3279	2880	2593	2852	2671	2938	2786	2134 x 2134
7'5" X 6'6"	4621	3401	2984	2697	2967	2800	3080	2881	2261 x 1981
7'5" X 7'0"	4621	3401	2984	2697	2967	2800	3080	2881	2261 x 2134
7'6" X 6'6"	4621	3403	2984	2697	2967	2800	3080	2882	2286 x 1981
7'6" X 7'0"	4621	3403	2984	2697	2967	2800	3080	2882	2286 x 2134
8'0" X 6'6"	4625	3455	3042	2755	3030	2857	3143	2943	2438 x 1981
8'0" X 7'0"	4625	3455	3042	2755	3030	2857	3143	2943	2438 x 2134
9'0" X 6'6"	5373	4029	3380	3166	3482	3299	3629	3439	2743 x 1981
9'0" X 7'0"	5373	4029	3380	3166	3482	3299	3629	3439	2743 x 2134
10'0" X 6'6"	5859	4219	3673	3354	3690	3540	3894	3636	3048 x 1981
10'0" X 7'0"	5859	4219	3673	3354	3690	3540	3894	3636	3048 x 2134
Single Door									
Double Door									
11'0" X 6'6"	6348	4574	4153	3425	3767	3737	4110	3819	3353 x 1981
11'0" X 7'0"	6348	4574	4153	3425	3767	3737	4110	3819	3353 x 2134
12'0" X 6'6"	6643	4737	4261	3585	3944	3925	4317	3973	3658 x 1981
12'0" X 7'0"	6641	4737	4261	3585	3944	3925	4317	3973	3658 x 2134
13'0" X 6'6"	7624	5409	4723	4016	4418	4351	4786	4548	3962 x 1981
13'0" X 7'0"	7624	5409	4723	4016	4418	4351	4786	4548	3962 x 2134
14'0" X 6'6"	7997	5575	5093	4177	4594	4538	4992	4706	4267 x 1981
14'0" X 7'0"	7997	5575	5093	4177	4594	4538	4992	4706	4267 x 2134
15'0" X 6'6"	8177	5754	5257	4341	4775	4728	5201	4861	4572 x 1981
15'0" X 7'0"	8177	5754	5257	4341	4775	4728	5201	4861	4572 x 2134
16'0" X 6'6"	8460	5916	5418	4501	4952	4914	5406	5016	4877 x 1981
16'0" X 7'0"	8460	5916	5418	4501	4952	4914	5406	5016	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear

By width


For finishes, frames and other options see page 33-35

Imperial Width - Height	Masta Gear doors available from 6' 0" - 8' 0" high on all widths.								Metric (mm) Width - Height
7'0"w - 7'0'h	4453	3279	2880	2593	2852	2671	2938	2786	2134w - 2134h
7'0"w - 7'6'h	4643	3442	3058	2755	3031	2807	3088	3089	2134w - 2286h
7'0"w - 8'0'h	5101	3924	3374	3157	3473	3217	3538	3405	2134w - 2438h
7'6"w - 7'0'h	4621	3403	2984	2697	2967	2800	3080	2882	2286w - 2134h
7'6"w - 7'6'h	4811	3565	3162	2859	3145	2937	3230	3200	2286w - 2286h
7'6"w - 8'0'h	5283	4062	3478	3268	3595	3354	3689	3516	2286w - 2438h
8'0"w - 7'0'h	4625	3455	3042	2755	3030	2857	3143	2943	2438w - 2134h
8'0"w - 7'6'h	4815	3617	3219	2917	3208	2994	3293	3276	2438w - 2286h
8'0"w - 8'0'h	5287	4129	3536	3334	3667	3418	3760	3593	2438w - 2438h
9'0"w - 7'0'h	5373	4029	3380	3166	3482	3299	3629	3439	2743w - 2134h
9'0"w - 7'6'h	5563	4191	3670	3328	3661	3436	3780	3802	2743w - 2286h
9'0"w - 8'0'h	6063	4734	3986	3761	4137	3869	4255	4118	2743w - 2438h
10'0"w - 7'0'h	5859	4219	3673	3354	3690	3540	3894	3636	3048w - 2134h
10'0"w - 7'6'h	5972	4283	3864	3418	3760	3579	3936	3916	3048w - 2286h
10'0"w - 8'0'h	6476	4816	4156	3834	4217	4002	4402	4208	3048w - 2438h
Single Door									
Double Door									
11'0"w - 7'0'h	6348	4574	4153	3425	3767	3737	4110	3819	3353w - 2134h
11'0"w - 7'6'h	6387	4612	4275	3488	3837	3775	4153	4129	3353w - 2286h
11'0"w - 8'0'h	6987	5146	4567	3904	4295	4214	4635	4421	3353w - 2438h
12'0"w - 7'0'h	6641	4737	4261	3585	3944	3925	4317	3973	3658w - 2134h
12'0"w - 7'6'h	6679	4775	4407	3649	4014	3963	4359	4314	3658w - 2286h
12'0"w - 8'0'h	7307	5339	4699	4080	4488	4417	4859	4605	3658w - 2438h
13'0"w - 7'0'h	7624	5409	4723	4016	4418	4351	4786	4548	3962w - 2134h
13'0"w - 7'6'h	7662	5447	4869	4080	4488	4389	4828	4918	3962w - 2286h
13'0"w - 8'0'h	8319	6040	5161	4527	4979	4851	5336	5210	3962w - 2438h
14'0"w - 7'0'h	7997	5575	5093	4177	4594	4538	4992	4706	4267w - 2134h
14'0"w - 7'6'h	8035	5613	5239	4240	4665	4577	5034	5107	4267w - 2286h
14'0"w - 8'0'h	8720	6237	5530	4703	5173	5054	5560	5399	4267w - 2438h
15'0"w - 7'0'h	8177	5754	5257	4341	4775	4728	5201	4861	4572w - 2134h
15'0"w - 7'6'h	8216	5792	5410	4404	4845	4766	5243	5292	4572w - 2286h
15'0"w - 8'0'h	8915	6447	5702	4882	5370	5259	5785	5584	4572w - 2438h
16'0"w - 7'0'h	8460	5916	5418	4501	4952	4914	5406	5016	4877w - 2134h
16'0"w - 7'6'h	8498	5954	5571	4565	5022	4953	5448	5477	4877w - 2286h
16'0"w - 8'0'h	9225	6638	5863	5058	5564	5461	6008	5768	4877w - 2438h

solid-built cedar

STANDARD SIZE Retractable Up & Over Gear

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



Coach house balmoral

Imperial	Coleshill wide	Gawcott	Gawcott wide	Granborough	Hampden*	Ickford	Marston	Padbury	Metric (mm)
Width x Height									Width x Height
7'0" X 6'6"	3065	2671	2938	3700	2318	3191	3679	4249	2134 x 1981
7'0" X 7'0"	3065	2671	2938	3700	2371	3191	3679	4249	2134 x 2134
7'5" X 6'6"	3169	2800	3080	3864	2446	3297	3832	4425	2261 x 1981
7'5" X 7'0"	3169	2800	3080	3864	2506	3297	3832	4425	2261 x 2134
7'6" X 6'6"	3170	2800	3080	3864	2446	3298	3832	4426	2286 x 1981
7'6" X 7'0"	3170	2800	3080	3864	2506	3298	3832	4426	2286 x 2134
8'0" X 6'6"	3238	2857	3143	3969	2450	3351	3937	4540	2438 x 1981
8'0" X 7'0"	3238	2857	3143	3969	2510	3351	3937	4540	2438 x 2134
9'0" X 6'6"	3783	3299	3629	4591	2863	4103	4538	5322	2743 x 1981
9'0" X 7'0"	3783	3299	3629	4591	2937	4103	4538	5322	2743 x 2134
10'0" X 6'6"	4000	3540	3894	4924	2998	4095	4871	5581	3048 x 1981
10'0" X 7'0"	4000	3540	3894	4924	3072	4095	4871	5581	3048 x 2134
11'0" X 6'6"	4201	3737	4110	5358	3091	4771	5569	5924	3353 x 1981
11'0" X 7'0"	4201	3737	4110	5358	3165	4771	5569	5924	3353 x 2134
12'0" X 6'6"	4371	3925	4317	5638	3470	4891	5849	6224	3658 x 1981
12'0" X 7'0"	4371	3925	4317	5638	3574	4891	5849	6224	3658 x 2134
13'0" X 6'6"	5002	4351	4786	6350	3714	5526	6369	7175	3962 x 1981
13'0" X 7'0"	5002	4351	4786	6350	3818	5526	6369	7148	3962 x 2134
14'0" X 6'6"	5177	4538	4992	6708	3763	5651	6769	7480	4267 x 1981
14'0" X 7'0"	5177	4538	4992	6708	3868	5651	6769	7480	4267 x 2134
15'0" X 6'6"	5347	4728	5201	6976	3988	5774	7037	7768	4572 x 1981
15'0" X 7'0"	5347	4728	5201	6976	4108	5774	7037	7768	4572 x 2134
16'0" X 6'6"	5517	4914	5406	7345	4035	5894	7406	7956	4877 x 1981
16'0" X 7'0"	5517	4914	5406	7345	4155	5894	7406	7956	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear

By width

For finishes, frames and other options see page 33-35

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.


Single Door

Double Door

Imperial Width - Height	Masta	Metric (mm) Width - Height							
7'0" w - 7'0" h	3065	2671	2938	3700	2371	3191	3679	4249	2134w - 2134h
7'0" w - 7'6" h	3398	2807	3088	3859	2569	3530	3859	4411	2134w - 2286h
7'0" w - 8'0" h	3746	3217	3538	4175	2937	3846	4345	4727	2134w - 2438h
7'6" w - 7'0" h	3170	2800	3080	3864	2506	3298	3832	4426	2286w - 2134h
7'6" w - 7'6" h	3520	2937	3230	4022	2712	3652	4001	4588	2286w - 2286h
7'6" w - 8'0" h	3868	3354	3689	4339	3088	3969	4501	4904	2286w - 2438h
8'0" w - 7'0" h	3238	2857	3143	3969	2510	3351	3937	4540	2438w - 2134h
8'0" w - 7'6" h	3604	2994	3293	4127	2716	3720	4106	4702	2438w - 2286h
8'0" w - 8'0" h	3952	3419	3760	4443	3093	4036	4620	5018	2438w - 2438h
9'0" w - 7'0" h	3783	3299	3629	4591	2937	4103	4538	5322	2743w - 2134h
9'0" w - 7'6" h	4182	3436	3780	4749	3163	4503	4707	5484	2743w - 2286h
9'0" w - 8'0" h	4530	3869	4255	5066	3554	4819	5235	5801	2743w - 2438h
10'0" w - 7'0" h	4000	3540	3894	4924	3072	4095	4871	5581	3048w - 2134h
10'0" w - 7'6" h	4308	3579	3936	4815	3199	4426	4942	5645	3048w - 2286h
10'0" w - 8'0" h	4629	4002	4402	5106	3565	4718	5474	5936	3048w - 2438h
11'0" w - 7'0" h	4201	3737	4110	5358	3165	4771	5569	5924	3353w - 2134h
11'0" w - 7'6" h	4542	3775	4153	5396	3287	5168	5682	5988	3353w - 2286h
11'0" w - 8'0" h	4863	4214	4635	5731	3663	5460	6242	6279	3353w - 2438h
12'0" w - 7'0" h	4371	3925	4317	5638	3574	4891	5849	6224	3658w - 2134h
12'0" w - 7'6" h	4745	3963	4359	5676	3726	5304	5962	6288	3658w - 2286h
12'0" w - 8'0" h	5066	4417	4859	6010	4133	5595	6550	6579	3658w - 2438h
13'0" w - 7'0" h	5002	4351	4786	6350	3818	5526	6369	7148	3962w - 2134h
13'0" w - 7'6" h	5410	4389	4828	6389	3970	5954	6482	7239	3962w - 2286h
13'0" w - 8'0" h	5731	4851	5336	6723	4377	6245	7099	7531	3962w - 2438h
14'0" w - 7'0" h	5177	4538	4992	6708	3868	5651	6769	7480	4267w - 2134h
14'0" w - 7'6" h	5618	4577	5034	6746	4020	6093	6882	7544	4267w - 2286h
14'0" w - 8'0" h	5939	5054	5560	7081	4427	6385	7527	7835	4267w - 2438h
15'0" w - 7'0" h	5347	4728	5201	6976	4108	5774	7037	7768	4572w - 2134h
15'0" w - 7'6" h	5821	4766	5243	7015	4276	6231	7150	7832	4572w - 2286h
15'0" w - 8'0" h	6142	5259	5785	7349	4698	6523	7824	8123	4572w - 2438h
16'0" w - 7'0" h	5517	4914	5406	7345	4155	5894	7406	7956	4877w - 2134h
16'0" w - 7'6" h	6024	4953	5448	7383	4323	6366	7519	8020	4877w - 2286h
16'0" w - 8'0" h	6345	5461	6008	7717	4745	6658	8235	8311	4877w - 2438h

solid-built cedar

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



* see illustration above for double door configuration

STANDARD SIZE Retractable Up & Over Gear

Coach house balmoral

Imperial Width x Height	Quainton	Salford	Sherington	Woburn	Uttoxeter	Wemford*	Whitchurch	Metric (mm) Width x Height
7'0" X 6'6"	3731	3334	3873	2436	2512	2397	3710	2134 x 1981
7'0" X 7'0"	3731	3334	3873	2436	2512	2447	3710	2134 x 2134
7'5" X 6'6"	3861	3477	4037	2497	2674	2532	3863	2261 x 1981
7'5" X 7'0"	3861	3477	4037	2497	2674	2532	3863	2261 x 2134
7'6" X 6'6"	3861	3477	4037	2497	2674	2532	3863	2286 x 1981
7'6" X 7'0"	3861	3477	4037	2497	2674	2532	3863	2286 x 2134
8'0" X 6'6"	3866	3581	4141	2554	2678	2537	3867	2438 x 1981
8'0" X 7'0"	3866	3581	4141	2554	2678	2594	3867	2438 x 2134
9'0" X 6'6"	4498	4260	4767	2781	3133	2974	4572	2743 x 1981
9'0" X 7'0"	4498	4260	4767	2912	3133	3046	4572	2743 x 2134
10'0" X 6'6"	4888	4591	5100	3152	3369	3109	5051	3048 x 1981
10'0" X 7'0"	4888	4591	5100	3152	3369	3181	5051	3048 x 2134
Single Door								
Double Door								
11'0" X 6'6"	5129	5105	5688	3415	3628	3580	5300	3353 x 1981
11'0" X 7'0"	5129	5105	5691	3415	3628	3680	5300	3353 x 2134
12'0" X 6'6"	5315	5364	5971	3585	3794	3626	5558	3658 x 1981
12'0" X 7'0"	5315	5364	5971	3585	3794	3727	5558	3658 x 2134
13'0" X 6'6"	5409	5776	6685	3907	4164	3870	6262	3962 x 1981
13'0" X 7'0"	5923	5776	6685	3907	4164	3971	6262	3962 x 2134
14'0" X 6'6"	6205	6111	7051	4077	4330	3920	6617	4267 x 1981
14'0" X 7'0"	6205	6111	7051	4077	4330	4020	6617	4267 x 2134
15'0" X 6'6"	6342	6358	6402	4249	4498	4161	6782	4572 x 1981
15'0" X 7'0"	6342	6358	6402	4249	4498	4276	6782	4572 x 2134
16'0" X 6'6"	6528	6705	6771	4419	4664	4208	7040	4877 x 1981
16'0" X 7'0"	6528	6705	6771	4419	4664	4323	7040	4877 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear

By width

For finishes, frames and other options see page 33-35

Masta Gear doors available from 6' 0" - 8'0" high on all widths.

Imperial Width - Height	Masta	Metric (mm) Width - Height						
7'0"w - 7'0"h	3731	3334	3873	2436	2512	2447	3710	2134w - 2134h
7'0"w - 7'6'h	3868	3503	4009	2666	2750	2693	4042	2134w - 2286h
7'0"w - 8'0'h	4315	3989	4527	2982	3066	3110	4358	2134w - 2438h
7'6"w - 7'0'h	3861	3477	4037	2497	2674	2590	3863	2286w - 2134h
7'6"w - 7'6'h	3997	3645	4173	2727	2925	2850	4209	2286w - 2286h
7'6"w - 8'0'h	4452	4145	4705	3043	3242	3282	4525	2286w - 2438h
8'0"w - 7'0'h	3866	3581	4141	2554	2678	2594	3867	2438w - 2134h
8'0"w - 7'6'h	4003	3750	4278	2791	2930	2855	4213	2438w - 2286h
8'0"w - 8'0'h	4458	4264	4824	3107	3246	3286	4529	2438w - 2438h
9'0"w - 7'0'h	4498	4260	4767	2912	3133	3046	4572	2743w - 2134h
9'0"w - 7'6'h	4635	4448	4903	3165	3414	3340	4946	2743w - 2286h
9'0"w - 8'0'h	5105	4976	5464	3482	3730	3800	5262	2743w - 2438h
10'0"w - 7'0'h	4888	4591	5100	3152	3369	3181	5051	3048w - 2134h
10'0"w - 7'6'h	4926	4681	5170	3322	3565	3376	5376	3048w - 2286h
10'0"w - 8'0'h	5409	5213	5702	3614	3857	3812	5668	3048w - 2438h
Single Door								
Double Door								
11'0"w - 7'0'h	5129	5105	5691	3415	3628	3680	5300	3353w - 2134h
11'0"w - 7'6'h	5167	5487	5729	3611	3849	3929	5435	3353w - 2286h
11'0"w - 8'0'h	5671	5779	6364	3903	4141	4432	5939	3353w - 2438h
12'0"w - 7'0'h	5315	5364	5971	3585	3794	3727	5558	3658w - 2134h
12'0"w - 7'6'h	5353	5774	6009	3797	4029	3975	5693	3658w - 2286h
12'0"w - 8'0'h	5873	6065	6672	4088	4321	4479	6225	3658w - 2438h
13'0"w - 7'0'h	5923	5776	6685	3907	4164	3971	6262	3962w - 2134h
13'0"w - 7'6'h	5961	6214	6723	4127	4414	4219	6396	3962w - 2286h
13'0"w - 8'0'h	6497	6506	7415	4418	4706	4723	6957	3962w - 2438h
14'0"w - 7'0'h	6205	6111	7051	4077	4330	4020	6617	4267w - 2134h
14'0"w - 7'6'h	6243	6577	7089	4312	4594	4269	6752	4267w - 2286h
14'0"w - 8'0'h	6794	6869	6892	4603	4886	4772	7340	4267w - 2438h
15'0"w - 7'0'h	6342	6358	6402	4249	4498	4276	6782	4572w - 2134h
15'0"w - 7'6'h	6380	6853	6440	4499	4776	4553	6916	4572w - 2286h
15'0"w - 8'0'h	6939	7144	7189	4791	5068	5085	7519	4572w - 2438h
16'0"w - 7'0'h	6528	6705	6771	4419	4664	4323	7040	4877w - 2134h
16'0"w - 7'6'h	6567	7242	7207	4685	4957	4600	7174	4877w - 2286h
16'0"w - 8'0'h	7141	7534	7998	4976	5248	5132	7805	4877w - 2438h

Solid-built idigbo

THE WARWICK RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed.

Coach-house
warwick

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Alcester	Brandon	Baddesley	Kenilworth*	Kenilworth* wide	Claverdon	Metric (mm) Width x Height
7'0" X 6'6"	5225	4501	3943	3507	3858	3624	2134 x 1981
7'0" X 7'0"	5225	4501	3943	3507	3858	3624	2134 x 2134
7'5" X 6'6"	5291	4725	4149	3713	4084	3830	2261 x 1981
7'5" X 7'0"	5291	4725	4149	3713	4084	3830	2261 x 2134
7'6" X 6'6"	5291	4726	4149	3713	4084	3830	2286 x 1981
7'6" X 7'0"	5291	4726	4149	3713	4084	3830	2286 x 2134
8'0" X 6'6"	5306	4831	4248	3812	4194	3928	2438 x 1981
8'0" X 7'0"	5339	4863	4281	3845	4229	3961	2438 x 2134
9'0" X 6'6"	6177	5977	5043	4732	5205	4807	2743 x 1981
9'0" X 7'0"	6177	5977	5043	4732	5205	4807	2743 x 2134
10'0" X 6'6"	6531	6107	5324	4847	5331	5006	3048 x 1981
10'0" X 7'0"	6531	6107	5324	4847	5331	5006	3048 x 2134
11'0" X 6'6"	7077	5966	5347	4467	4914	4849	3353 x 1981
11'0" X 7'0"	7077	5966	5347	4467	4914	4849	3353 x 2134
12'0" X 6'6"	7339	6222	5509	4701	5171	5106	3658 x 1981
12'0" X 7'0"	7339	6222	5509	4701	5171	5106	3658 x 2134
13'0" X 6'6"	8565	7148	6137	5289	5818	5660	3962 x 1981
13'0" X 7'0"	9026	7610	6599	5751	6326	6122	3962 x 2134
14'0" X 6'6"	9342	7872	7166	5985	6583	6379	4267 x 1981
14'0" X 7'0"	9342	7872	7166	5985	6583	6379	4267 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

*Kenilworth double



* see illustration above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6'0" - 8'0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0" w - 7'0" h	5225	4501	3943	3507	3858	3624	2134w - 2134h
7'0" w - 7'6" h	5225	4501	3965	3506	3857	3623	2134w - 2286h
7'0" w - 8'0" h	5727	4967	4351	4020	4422	4149	2134w - 2438h
7'6" w - 7'0" h	5291	4726	4149	3713	4084	3830	2286w - 2134h
7'6" w - 7'6" h	5291	4725	4171	3712	4083	3829	2286w - 2286h
7'6" w - 8'0" h	5805	5199	4557	4238	4662	4367	2286w - 2438h
8'0" w - 7'0" h	5339	4863	4281	3845	4229	3961	2438w - 2134h
8'0" w - 7'6" h	5305	4830	4271	3811	4193	3927	2438w - 2286h
8'0" w - 8'0" h	5819	5311	4657	4349	4784	4477	2438w - 2438h
9'0" w - 7'0" h	6177	5977	5043	4732	5205	4807	2743w - 2134h
9'0" w - 7'6" h	6144	5943	5211	4698	5168	4774	2743w - 2286h
9'0" w - 8'0" h	6682	6439	5597	5259	5785	5335	2743w - 2438h
10'0" w - 7'0" h	6531	6107	5324	4847	5331	5006	3048w - 2134h
10'0" w - 7'6" h	6498	6074	5492	4813	5295	4972	3048w - 2286h
10'0" w - 8'0" h	7059	6576	5878	5386	5924	5556	3048w - 2438h
11'0" w - 7'0" h	7077	5966	5347	4467	4914	4849	3353w - 2134h
11'0" w - 7'6" h	7043	5932	5325	4434	4877	4816	3353w - 2286h
11'0" w - 8'0" h	7604	6435	5711	5007	5507	5424	3353w - 2438h
12'0" w - 7'0" h	7339	6222	5509	4701	5171	5106	3658w - 2134h
12'0" w - 7'6" h	7767	6651	5984	5130	5643	5534	3658w - 2286h
12'0" w - 8'0" h	7966	6782	5984	5340	5874	5779	3658w - 2438h
13'0" w - 7'0" h	9026	7610	6599	5751	6326	6122	3962w - 2134h
13'0" w - 7'6" h	8993	7577	6612	5717	6289	6089	3962w - 2286h
13'0" w - 8'0" h	9214	7722	6612	5951	6546	6345	3962w - 2438h
14'0" w - 7'0" h	9342	7872	7166	5985	6583	6379	4267w - 2134h
14'0" w - 7'6" h	9308	7838	7179	5951	6546	6345	4267w - 2286h
14'0" w - 8'0" h	9553	7999	7179	6208	6829	6625	4267w - 2438h

For finishes,
frames and other
options see page
33-35

solid-built idigbo

STANDARD SIZE Retractable Up & Over Gear

Imperial Width x Height	Claverdon wide	Hatton	Hatton wide	Grendon	Grendon wide	Grafton	Metric (mm) Width x Height
7'0" X 6'6"	3986	3906	4296	3624	3986	4229	2134 x 1981
7'0" X 7'0"	3986	3906	4296	3624	3986	4229	2134 x 2134
7'5" x 6'6"	4213	4112	4523	3830	4213	4295	2261 x 1981
7'5" x 7'0"	4213	4112	4523	3830	4213	4295	2261 x 2134
7'6" x 6'6"	4213	4113	4525	3830	4213	4295	2286 x 1981
7'6" x 7'0"	4213	4113	4525	3830	4213	4295	2286 x 2134
8'0" x 6'6"	4321	4216	4638	3928	4321	4394	2438 x 1981
8'0" x 7'0"	4357	4249	4674	3961	4357	4427	2438 x 2134
9'0" x 6'6"	5288	5298	5828	4807	5288	5266	2743 x 1981
9'0" x 7'0"	5288	5298	5828	4807	5288	5266	2743 x 2134
10'0" x 6'6"	5506	5438	5982	5006	5506	5471	3048 x 1981
10'0" x 7'0"	5506	5438	5982	5006	5506	5471	3048 x 2134
11'0" x 6'6"	5334	5225	5747	4849	5334	5783	3353 x 1981
11'0" x 7'0"	5334	5225	5747	4849	5334	5783	3353 x 2134
12'0" x 6'6"	5617	5472	6019	5106	5617	6043	3658 x 1981
12'0" x 7'0"	5617	5472	6019	5106	5617	6043	3658 x 2134
13'0" x 6'6"	6226	6273	6901	5660	6226	6925	3962 x 1981
13'0" x 7'0"	6734	6735	7409	6122	6734	7386	3962 x 2134
14'0" x 6'6"	7017	6988	7686	6379	7017	7700	4267 x 1981
14'0" x 7'0"	7017	6988	7686	6379	7017	7700	4267 x 2134

MADE TO MEASURE SIZE Retractable Up & Over Gear

By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'0'h	3986	3906	4296	3624	3986	4229	2134w - 2134h
7'0"w - 7'6'h	3985	3985	4383	3623	3985	4228	2134w - 2286h
7'0"w - 8'0'h	4564	4371	4808	4149	4564	4614	2134w - 2438h
7'6"w - 7'0'h	4213	4113	4525	3830	4213	4295	2286w - 2134h
7'6"w - 7'6'h	4212	4200	4620	3829	4212	4294	2286w - 2286h
7'6"w - 8'0'h	4803	4586	5045	4367	4803	4680	2286w - 2438h
8'0"w - 7'0'h	4357	4249	4674	3961	4357	4427	2438w - 2134h
8'0"w - 7'6'h	4320	4310	4741	3927	4320	4394	2438w - 2286h
8'0"w - 8'0'h	4924	4696	5166	4477	4924	4780	2438w - 2438h
9'0"w - 7'0'h	5288	5298	5828	4807	5288	5266	2743w - 2134h
9'0"w - 7'6'h	5251	5374	5912	4774	5251	5233	2743w - 2286h
9'0"w - 8'0'h	5868	5760	6336	5335	5868	5619	2743w - 2438h
10'0"w - 7'0'h	5506	5438	5982	5006	5506	5471	3048w - 2134h
10'0"w - 7'6'h	5469	5521	6073	4972	5469	5287	3048w - 2286h
10'0"w - 8'0'h	6112	5907	6498	5556	6112	5673	3048w - 2438h
11'0"w - 7'0'h	5334	5225	5747	4849	5334	5783	3353w - 2134h
11'0"w - 7'6'h	5298	5323	5855	4816	5298	5750	3353w - 2286h
11'0"w - 8'0'h	5966	5709	6279	5424	5966	6136	3353w - 2438h
12'0"w - 7'0'h	5617	5472	6019	5106	5617	6043	3658w - 2134h
12'0"w - 7'6'h	6088	6046	6650	5534	6088	6471	3658w - 2286h
12'0"w - 8'0'h	6357	6046	6650	5779	6357	6471	3658w - 2438h
13'0"w - 7'0'h	6734	6735	7409	6122	6734	7386	3962w - 2134h
13'0"w - 7'6'h	6697	6862	7548	6089	6697	7353	3962w - 2286h
13'0"w - 8'0'h	6980	6862	7548	6345	6980	7353	3962w - 2438h
14'0"w - 7'0'h	7017	6988	7686	6379	7017	7700	4267w - 2134h
14'0"w - 7'6'h	6980	7129	7842	6345	6980	7667	4267w - 2286h
14'0"w - 8'0'h	7288	7129	7842	6625	7288	7667	4267w - 2438h

For finishes,
frames and other
options see page
33-35


Solid-built idigbo

STANDARD SIZE Retractable Up & Over Gear

Coach house
warwick

Imperial	Harbury*	Aston	Welford	Bentley	Langley	Gaydon	Metric (mm)
Width x Height							Width x Height
7'0" X 6'6"	3215	3987	4201	4975	4885	3767	2134 x 1981
7'0" X 7'0"	3298	3987	4201	4975	4885	3767	2134 x 2134
7'5" X 6'6"	3324	4195	4267	5065	5091	3833	2261 x 1981
7'5" X 7'0"	3419	4195	4267	5065	5091	3833	2261 x 2134
7'6" X 6'6"	3324	4197	4267	5067	5091	3833	2286 x 1981
7'6" X 7'0"	3419	4197	4267	5067	5091	3833	2286 x 2134
8'0" X 6'6"	3339	4301	4366	5179	5107	3932	2438 x 1981
8'0" X 7'0"	3466	4334	4399	5212	5139	3965	2438 x 2134
9'0" X 6'6"	3983	5118	5185	6151	6250	4861	2743 x 1981
9'0" X 7'0"	4102	5118	5185	6151	6250	4861	2743 x 2134
10'0" X 6'6"	4012	5320	5386	6301	6602	5064	3048 x 1981
10'0" X 7'0"	4131	5320	5386	6301	6602	5064	3048 x 2134
11'0" X 6'6"	4442	6162	5990	6597	6435	5478	3353 x 1981
11'0" X 7'0"	4594	6162	5990	6597	6435	5478	3353 x 2134
12'0" X 6'6"	4658	6352	6250	6883	6690	5718	3658 x 1981
12'0" X 7'0"	4824	6352	6250	6883	6690	5718	3658 x 2134
13'0" X 6'6"	4974	7203	6895	8031	6868	6211	3962 x 1981
13'0" X 7'0"	5602	7665	7357	8457	8010	6673	3962 x 2134
14'0" X 6'6"	5495	7850	7709	8785	8342	6966	4267 x 1981
14'0" X 7'0"	5661	7850	7709	8785	8342	6966	4267 x 2134

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



* see illustrations above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0"w - 7'0"h	3298	3987	4201	4975	4885	3767	2134w - 2134h
7'0"w - 7'6"h	3522	4059	4200	4974	4884	3766	2134w - 2286h
7'0"w - 8'0'h	3991	4445	4726	5360	5387	4292	2134w - 2438h
7'6"w - 7'0'h	3419	4197	4267	5067	5091	3833	2286w - 2134h
7'6"w - 7'6" h	3655	4276	4266	5066	5090	3832	2286w - 2286h
7'6"w - 8'0" h	4136	4662	4803	5452	5605	4369	2286w - 2438h
8'0"w - 7'0" h	3466	4334	4399	5212	5139	3965	2438w - 2134h
8'0"w - 7'6" h	3670	4388	4365	5178	5106	3932	2438w - 2286h
8'0"w - 8'0" h	4150	4774	4915	5564	5620	4481	2438w - 2438h
9'0"w - 7'0" h	4102	5118	5185	6151	6250	4861	2743w - 2134h
9'0"w - 7'6" h	4401	5187	5152	6117	6216	4811	2743w - 2286h
9'0"w - 8'0" h	4906	5573	5713	6503	6754	5372	2743w - 2438h
10'0"w - 7'0" h	4131	5320	5386	6301	6602	5064	3048w - 2134h
10'0"w - 7'6" h	4430	5403	5353	6268	6568	5014	3048w - 2286h
10'0"w - 8'0" h	4935	5789	5937	6654	7129	5598	3048w - 2438h
11'0"w - 7'0" h	4594	6162	5990	6597	6435	5478	3353w - 2134h
11'0"w - 7'6" h	4723	6253	5957	6564	6402	5666	3353w - 2286h
11'0"w - 8'0" h	5260	6639	6565	6950	6963	6052	3353w - 2438h
12'0"w - 7'0" h	4824	6352	6250	6883	6690	5718	3658w - 2134h
12'0"w - 7'6" h	5429	6911	6678	7311	7118	6391	3658w - 2286h
12'0"w - 8'0" h	5596	6911	6923	7311	7317	6391	3658w - 2438h
13'0"w - 7'0" h	5602	7665	7357	8457	8010	6673	3962w - 2134h
13'0"w - 7'6" h	5746	7770	7324	8459	7977	6907	3962w - 2286h
13'0"w - 8'0" h	5912	7770	7592	8459	8198	6907	3962w - 2438h
14'0"w - 7'0" h	5661	7850	7709	8785	8342	6966	4267w - 2134h
14'0"w - 7'6" h	5805	7962	7675	8752	8308	7224	4267w - 2286h
14'0"w - 8'0" h	5971	7962	7967	8752	8553	7224	4267w - 2438h

For finishes, frames and other options see page 33-35

solid-built idigbo

STANDARD SIZE Retractable Up & Over Gear

Coach-house
warwick

Imperial	Dorchester	Southam	Southam wide	Harbury wide	Kennington	Metric (mm)
Width x Height						Width x Height
7'0" X 6'6"	4425	3384	3169	3027	4291	2134 x 1981
7'0" X 7'0"	4425	3384	3169	3083	4291	2134 x 2134
7'5" x 6'6"	4491	3386	3283	3119	4357	2261 x 1981
7'5" x 7'0"	4491	3386	3283	3183	4357	2261 x 2134
7'6" x 6'6"	4491	3386	3283	3119	4357	2286 x 1981
7'6" x 7'0"	4491	3386	3283	3183	4357	2286 x 2134
8'0" x 6'6"	4591	3484	3298	3133	4372	2438 x 1981
8'0" x 7'0"	4624	3517	3331	3230	4405	2438 x 2134
9'0" x 6'6"	5467	3858	3903	3712	5280	2743 x 1981
9'0" x 7'0"	5467	4032	3903	3792	5280	2743 x 2134
10'0" x 6'6"	5672	4228	4044	3742	5632	3048 x 1981
10'0" x 7'0"	5672	4228	4044	3822	5632	3048 x 2134
11'0" x 6'6"	6136	4544	4307	4227	5833	3353 x 1981
11'0" x 7'0"	6141	4544	4307	4339	5833	3353 x 2134
12'0" x 6'6"	6400	4790	4498	4283	6068	3658 x 1981
12'0" x 7'0"	6400	4790	4498	4394	6068	3658 x 2134
13'0" x 6'6"	7284	5220	4956	4599	6942	3962 x 1981
13'0" x 7'0"	7746	5681	5418	5172	7404	3962 x 2134
14'0" x 6'6"	8061	5927	5609	5120	7710	4267 x 1981
14'0" x 7'0"	8061	5927	5609	5232	7710	4267 x 2134

Drawings illustrate a single 7'0" x 7'0" door.
Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked with *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.

*Harbury wide double



* see illustrations above for double door configuration

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Masta Gear doors available from 6' 0" - 8' 0" high on all widths.

For finishes,
frames and other
options see page
33-35

Imperial Width - Height	Masta	Masta	Masta	Masta	Masta	Metric (mm) Width - Height
7'0" w - 7'0" h	4,425	3,384	3,169	3,083	4,291	2134w - 2134h
7'0" w - 7'6" h	4,425	3,523	3,288	3,205	4,407	2134w - 2286h
7'0" w - 8'0" h	4,951	3,909	3,674	3,702	4,793	2134w - 2438h
7'6" w - 7'0" h	4,491	3,386	3,283	3,183	4,357	2286w - 2134h
7'6" w - 7'6" h	4,491	3,526	3,419	3,322	4,484	2286w - 2286h
7'6" w - 8'0" h	5,028	3,912	3,805	3,836	4,870	2286w - 2438h
8'0" w - 7'0" h	4,624	3,517	3,331	3,230	4,405	2438w - 2134h
8'0" w - 7'6" h	4,590	3,635	3,434	3,336	4,499	2438w - 2286h
8'0" w - 8'0" h	5,140	4,021	3,820	3,851	4,885	2438w - 2438h
9'0" w - 7'0" h	5,467	4,032	3,903	3,792	5,280	2743w - 2134h
9'0" w - 7'6" h	5,434	4,173	4,040	3,935	5,398	2743w - 2286h
9'0" w - 8'0" h	5,995	4,559	4,425	4,480	5,784	2743w - 2438h
10'0" w - 7'0" h	5,672	4,228	4,044	3,822	5,632	3048w - 2134h
10'0" w - 7'6" h	5,639	4,392	4,198	3,964	5,773	3048w - 2286h
10'0" w - 8'0" h	6,223	4,778	4,584	4,510	6,159	3048w - 2438h
11'0" w - 7'0" h	6,141	4,544	4,307	4,339	5,833	3353w - 2134h
11'0" w - 7'6" h	6,107	4,732	4,477	4,540	5,799	3353w - 2286h
11'0" w - 8'0" h	6,715	5,118	4,863	5,149	6,360	3353w - 2438h
12'0" w - 7'0" h	6,400	4,790	4,498	4,394	6,068	3658w - 2134h
12'0" w - 7'6" h	6,828	5,463	5,147	5,057	6,496	3658w - 2286h
12'0" w - 8'0" h	7,073	5,463	5,147	5,281	6,694	3658w - 2438h
13'0" w - 7'0" h	7,746	5,681	5,418	5,172	7,404	3962w - 2134h
13'0" w - 7'6" h	7,712	5,905	5,623	5,373	7,371	3962w - 2286h
13'0" w - 8'0" h	7,980	5,905	5,623	5,597	7,592	3962w - 2438h
14'0" w - 7'0" h	8,061	5,927	5,609	5,232	7,710	4267w - 2134h
14'0" w - 7'6" h	8,027	6,174	5,831	5,432	7,677	4267w - 2286h
14'0" w - 8'0" h	7,105	6,174	5,831	5,656	7,922	4267w - 2438h

solid-built accoya

THE THETFORD RANGE is made with selected Accoya mouldings, Accoya tongue groove boards and raised and fielded panels dependent on design. Doors are of solid construction onto Masta-Gear in standard or made to measure sizes as listed.



Coach house
thetford

STANDARD SIZE Retractable Up & Over Gear

Imperial	Barnham*	Culford	Elveden	Oulton	Harling	Ingham	Northwold	Fincham	Metric (mm)
Width x Height									Width x Height
7'0" X 6'6"	3468	3584	3698	4818	3584	3161	3339	3968	2134 x 1981
7'0" X 7'0"	3468	3584	3698	4818	3584	3246	3339	3968	2134 x 2134
7'5" X 6'6"	3712	3828	3755	4962	3828	3308	3378	4219	2261 x 1981
7'5" X 7'0"	3712	3828	3755	4961	3828	3405	3378	4219	2261 x 2134
7'6" X 6'6"	3712	3828	3755	4963	3828	3308	3378	4219	2286 x 1981
7'6" X 7'0"	3712	3828	3755	4963	3828	3405	3378	4219	2286 x 2134
8'0" X 6'6"	3815	3930	3843	5130	3930	3325	3480	4333	2438 x 1981
8'0" X 7'0"	3845	3960	3843	5130	3960	3452	3510	4364	2438 x 2134
9'0" X 6'6"	4586	4657	4512	5952	4657	3919	3821	5245	2743 x 1981
9'0" X 7'0"	4586	4657	4512	5952	4657	4040	3983	5245	2743 x 2134
10'0" X 6'6"	4707	4862	4629	6116	4862	3953	4186	5396	3048 x 1981
10'0" X 7'0"	4707	4862	4629	6116	4862	4074	4186	5396	3048 x 2134
11'0" X 6'6"	4350	4742	4979	6488	4742	4540	4426	5220	3353 x 1981
11'0" X 7'0"	4350	4742	4979	6488	4742	4709	4426	5220	3353 x 2134
12'0" X 6'6"	4583	4998	5159	6816	4998	4591	4666	5478	3658 x 1981
12'0" X 7'0"	4583	4998	5159	6816	4998	4760	4666	5478	3658 x 2134
13'0" X 6'6"	5147	5528	5910	7773	5528	4885	5074	6254	3962 x 1981
13'0" X 7'0"	5578	5959	6341	8204	5959	5485	5505	6685	3962 x 2134
14'0" X 6'6"	5811	6223	6582	8537	6218	5370	5745	6950	4267 x 1981
14'0" X 7'0"	5811	6223	6582	8537	6218	5539	5745	6950	4267 x 2134

*Barnham double



* see illustrations above for double door configuration

Drawings illustrate a single 7'0" x 7'0" door. Over 10'6" wide double doors have the appearance of two single doors side by side unless shown otherwise (marked *). Under 10'6" wide doors employ repeated features or wider features to achieve well balanced proportions.



For finishes,
frames and other
options see page
33-35

MADE TO MEASURE SIZE Retractable Up & Over Gear By width

Imperial Width - Height	Masta	Metric (mm) Width - Height							
7'0" w - 7'0" h	3468	3584	3698	4818	3584	3246	3339	3968	2134w - 2134h
7'0" w - 7'6" h	3498	3615	3698	4818	3615	3507	3515	3998	2134w - 2286h
7'0" w - 8'0" h	3992	4121	4089	5209	4121	3952	3876	4358	2134w - 2438h
7'6" w - 7'0" h	3712	3828	3755	4963	3828	3405	3378	4219	2286w - 2134h
7'6" w - 7'6" h	3743	3859	3755	4963	3859	3679	3555	4250	2286w - 2286h
7'6" w - 8'0" h	4249	4377	4145	5353	4377	4136	3915	4610	2286w - 2438h
8'0" w - 7'0" h	3845	3960	3843	5130	3960	3452	3510	4364	2438w - 2134h
8'0" w - 7'6" h	3845	3960	3843	5130	3960	3695	3668	4364	2438w - 2286h
8'0" w - 8'0" h	4363	4491	4204	5491	4491	4152	4028	4724	2438w - 2438h
9'0" w - 7'0" h	4586	4657	4512	5952	4657	4040	3983	5245	2743w - 2134h
9'0" w - 7'6" h	4586	4657	4512	5952	4657	4380	4165	5245	2743w - 2286h
9'0" w - 8'0" h	5129	5200	4872	6312	5200	4861	4525	5606	2743w - 2438h
10'0" w - 7'0" h	4707	4862	4629	6116	4862	4074	4186	5396	3048w - 2134h
10'0" w - 7'6" h	4707	4862	4432	6116	4862	4414	4393	5396	3048w - 2286h
10'0" w - 8'0" h	5262	5429	4792	6476	5429	4895	4753	5756	3048w - 2438h
11'0" w - 7'0" h	4350	4742	4979	6488	4742	4709	4426	5220	3353w - 2134h
11'0" w - 7'6" h	4350	4742	4979	6488	4742	4891	4657	5220	3353w - 2286h
11'0" w - 8'0" h	4905	5334	5339	6848	5334	5421	5017	5580	3353w - 2438h
12'0" w - 7'0" h	4583	4998	5159	6816	4998	4760	4666	5478	3658w - 2134h
12'0" w - 7'6" h	5014	5429	5590	7247	5429	5373	5352	5909	3658w - 2286h
12'0" w - 8'0" h	5233	5684	5590	7247	5684	5542	5352	5909	3658w - 2438h
13'0" w - 7'0" h	5578	5959	6341	8204	5959	5485	5505	6685	3962w - 2134h
13'0" w - 7'6" h	5578	5959	6341	8204	5959	5667	5772	6685	3962w - 2286h
13'0" w - 8'0" h	5821	6227	6341	8204	6227	5837	5772	6685	3962w - 2438h
14'0" w - 7'0" h	5811	6223	6582	8537	6218	5539	5745	6950	4267w - 2134h
14'0" w - 7'6" h	5811	6223	6582	8537	6218	5722	6037	6950	4267w - 2286h
14'0" w - 8'0" h	6078	6514	6582	8537	6510	5891	6037	6950	4267w - 2438h

Section 3 Side Hinged & Personnel


Side hinged garage doors and personnel doors are constructed using traditional build methods employing mortice and tenoned joints. The side, top and bottom rails are all machined using 43mm thick timbers and rebated centre rails eliminate gaps between panels for added security.

Side hinged garage doors and personnel doors are hung with three butt hinges per leaf. Side hinged doors have a night latch and finger pull (commonly used on front doors). Alternative finishes are available - see individual furniture packs for details.

Personnel doors have a mortice lock and lever set as standard. Side hinged doors have shoot bolts top and bottom to secure the inactive leaf and door stays to hold the door in the open position.



Side hinged and personnel doors have edge-to-edge timber all round



You won't see this on Woodrite doors - an exposed steel chassis detracting from the beauty of edge to edge timber.

solid-built cedar

THE YORK RANGE is made with selected cedar mouldings, cedar tongue and groove boards and raised and fielded cedar panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

Coach house
york

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont**	
Imperial Width								For heights >7'0"-8'0" add
6'0 - 7'0"	3657	2410	2933	2972	2966	2435	2484	90 1829 - 2134
>7'0"-8'0"	4035	2445	3037	3077	2999	2470	2623	100 >2134 - 2438
>8'0"-9'0"	4379	2808	3577	3617	3259	2822	2986	120 >2438 x 2743
>9'0"-10'0"	4597	2962	3662	3701	3289	2909	3096	140 >2743 x 3048

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Adstock	Appley	Bierton	Bledlow	Burnham	Cannington	Chalfont	
Imperial Width								For finishes, frames and other options see page 33-35
2'0 - 2'6"	-	1227	1337	1513	1369	1313	1145	35 610 - 762
>2'6"-3'0"	1820	1230	1396	1603	1427	1329	1194	40 >762 - 914
>3'0"-3'6"	1873	1262	1441	1610	1456	1332	1249	50 >914 x 1066
>3'6"-4'0"	1975	1275	1519	1701	1520	1339	1329	60 >1066 x 1220

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden**	
Imperial Width								** Also available as 1/3 - 2/3 opening
6'0 - 7'0"	2273	2607	2228	2804	2587	3497	2546	90 1829 - 2134
>7'0"-8'0"	2342	2745	2263	2904	2726	3767	2669	100 >2134 - 2438
>8'0"-9'0"	2708	3151	2615	3389	3132	4379	3097	120 >2438 x 2743
>9'0"-10'0"	2719	3261	2699	3469	3241	4597	3128	140 >2743 x 3048

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

	Chard	Chartridge	Churchill	Coleshill	Gawcott	Granborough	Hampden	
Imperial Width								Metric (mm) Width
2'0 - 2'6"	1121	1286	1159	1273	1215	1585	1188	35 610 - 762
>2'6"-3'0"	1138	1355	1163	1330	1269	1689	1267	40 >762 - 914
>3'0"-3'6"	1140	1409	1165	1374	1324	1791	1284	50 >914 x 1066
>3'6"-4'0"	1180	1492	1172	1453	1410	1860	1325	60 >1066 x 1220

solid-built cedar

Coach house
york

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7'0"- 8'0" add the supplement at the right of the table (other heights on request)

	Ickford	Marston	Padbury	Quainton	Salford	Sherington	Standerwick	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width									
6'0 - 7'0"	3034	3461	4119	2749	3230	3605	2215	90	1829 - 2134
>7'0"-8'0"	3150	3722	4514	2889	3488	3875	2250	100	>2134 - 2438
>8'0"-9'0"	3355	4396	5410	3295	4192	4594	2624	120	>2438 x 2743
>9'0"-10'0"	3441	4617	5433	3458	4231	4789	2634	140	>2743 x 3048

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7'0"- 8'0" add the supplement at the right of the table (other heights on request)

	Ickford	Marston	Padbury	Quainton	Salford	Sherington	Standerwick	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width									
2'0 - 2'6"	1218			1236	1451		1121	35	610 - 762
>2'6"-3'0"	1275	1817	2248	1284	1554	2217	1124	40	>762 - 914
>3'0"-3'6"	1319	1819	2256	1339	1656	2319	1126	50	>914 x 1066
>3'6"-4'0"	1398	1822	2264	1420	1759	2422	1137	60	>1066 x 1220

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7'0"- 8'0" add the supplement at the right of the table (other heights on request)

	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil	For heights >7'0"- 8'0" add	For finishes, frames and other options see page 33-35	Metric (mm) Width
Imperial Width									
6'0 - 7'0"	3389	2459	2299	2305	3698	2413	90	1829 - 2134	
>7'0"-8'0"	3496	2494	2334	2340	3861	2448	100	>2134 - 2438	
>8'0"-9'0"	3968	2765	2728	2734	4554	2799	120	>2438 x 2743	
>9'0"-10'0"	4055	2919	2813	2818	4926	2885	140	>2743 x 3048	

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7'0"- 8'0" add the supplement at the right of the table (other heights on request)

	Taplow	Taunton	Tickenham	Washford	Whitchurch	Yeovil	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width								
2'0 - 2'6"	1481	1282	1131	1131	-	1184	35	610 - 762
>2'6"-3'0"	1542	1305	1148	1148	1949	1201	40	>762 - 914
>3'0"-3'6"	1589	1355	1151	1151	2002	1203	50	>914 x 1066
>3'6"-4'0"	1668	1385	1173	1173	2104	1226	60	>1066 x 1220

solid-built idigbo

THE WARWICK SIDE HINGED RANGE is made with selected idigbo mouldings, idigbo tongue and groove boards and raised and fielded idigbo panels depending on design. Doors are of solid-construction in made to measure sizes as listed.

**Coach-house
warwick**

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Alcester	Brandon	Bidford	Baddesley	Kenilworth**	Claverdon	Hatton	For heights >7'0"-8'0" add	Metric (mm) Width
6'0 - 7'0"	3899	3788	3841	3968	3254	3397	3560	130	1829 - 2134
>7'0"-8'0"	4224	3968	4021	4039	3492	3635	3734	140	>2134 - 2438
>8'0"-9'0"	4740	4552	4604	4253	3871	4053	4245	155	>2438 x 2743
>9'0"-10'0"	4940	4700	4753	4319	4062	4244	4387	180	>2743 x 3048

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Alcester	Brandon	Bidford	Baddesley	Kenilworth	Claverdon	Hatton	For heights >7'0"-8'0" add	Metric (mm) Width
2'0 - 2'6"	-	1749	1990	1831	1493	1602	1656	55	610 - 762
>2'6"-3'0"	2056	1845	2134	1927	1576	1712	1751	60	>762 - 914
>3'0"-3'6"	2113	1932	2155	1982	1674	1809	1837	70	>914 x 1066
>3'6"-4'0"	2212	2063	2301	2086	1806	1944	1968	80	>1066 x 1220

For finishes,
frames and
other options
see page 33-35

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Grendon	Grafton	Harbury**	Aston	Welford	Bentley	Langley	For heights >7'0"-8'0" add	Metric (mm) Width
6'0 - 7'0"	3374	3774	3296	3803	3726	4539	3603	130	1829 - 2134
>7'0"-8'0"	3611	4012	3501	3990	3958	4889	3842	140	>2134 - 2438
>8'0"-9'0"	4030	4740	3994	4234	4724	5875	4261	155	>2438 x 2743
>9'0"-10'0"	4221	4940	4060	4399	4928	5924	4530	180	>2743 x 3048

** Also
available
as 1/3 - 2/3
opening

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7' 0" high. For heights >7' 0" - 8' 0" add the supplement at the right of the table (other heights on request)

Imperial Width	Grendon	Grafton	Harbury	Aston	Welford	Bentley	Langley	For heights >7'0"-8'0" add	Metric (mm) Width
2'0 - 2'6"	1561	1830	1541	1579	-	-	1124	55	610 - 762
>2'6"-3'0"	1651	1930	1680	1675	2009	2590	1181	60	>762 - 914
>3'0"-3'6"	1748	2029	1717	1761	2023	2612	1279	70	>914 x 1066
>3'6"-4'0"	1889	2100	1788	1892	2038	2634	1383	80	>1066 x 1220

solid-built idigbo

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Gaydon	Dorchester	Thrapston	Kennington	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width						
6'0 - 7'0"	3420	3880	4376	3876	130	1829 - 2134
>7'0"-8'0"	3649	4119	4558	4022	140	>2134 - 2438
>8'0"-9'0"	4370	4923	5141	4804	155	>2438 x 2743
>9'0"-10'0"	4417	5105	5293	5136	180	>2743 x 3048

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Gaydon	Dorchester	Thrapston	Kennington	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width						
2'0 - 2'6"	1675	-	1907	-	55	610 - 762
>2'6"-3'0"	1776	-	2007	2227	60	>762 - 914
>3'0"-3'6"	1875	2493	2097	2283	70	>914 x 1066
>3'6"-4'0"	1974	2592	2229	2383	80	>1066 x 1220

For finishes frames
and other options
see page 33-35

solid-built accoya

THE THETFORD SIDE HINGED RANGE is made with selected Accoya mouldings, tongue and grooved boards and raised and fielded panels dependent on style. Doors are of solid-construction in made to measure sizes as listed.

MADE TO MEASURE SIZE Side Hinged gear By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Barnham	Culford	Elveden	Oulton	Harling	Northwold	Fincham	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width									
6'0 - 7'0"	3342	3493	3762	3888	3471	3676	3788	135	1829 - 2134
>7'0"-8'0"	3586	3739	3948	4153	3717	3944	3968	160	>2134 - 2438
>8'0"-9'0"	4006	4209	4603	4952	4187	4406	4652	185	>2438 x 2743
>9'0"-10'0"	4200	4406	4753	5107	4384	4620	4792	200	>2743 x 3048

Coach house thetford

MADE TO MEASURE SIZE Personnel doors By width

All doors available from 3' 0" - 7'0" high. For heights >7'0" - 8'0" add the supplement at the right of the table (other heights on request)

	Barnham	Culford	Elveden	Oulton	Harling	Northwold	Fincham	For heights >7'0"- 8'0" add	Metric (mm) Width
Imperial Width									
2'0 - 2'6"	1593	1691	1870	2196	1661	1752	1920	55	610 - 762
>2'6"-3'0"	1676	1781	1976	2349	1751	1844	2026	60	>762 - 914
>3'0"-3'6"	1774	1878	2075	2493	1848	1951	2015	75	>914 x 1066
>3'6"-4'0"	1906	2019	2223	2595	1989	2096	2273	80	>1066 x 1220


Finishes



Coach house options

All cedar doors are treated with a base coat ready for staining. Factory finished doors are available in a range of colours. Woodrite uses the TEKNOS wood finish system for Cedar Oak Accoya and Idigbo and recommends this for on site finishing.

Cedar - Somerset, Buckingham, Balmoral & York ranges



FINISHES FOR CEDAR DOORS

Light Oak, Antique Oak, Chestnut, Mahogany, Walnut, Burnt Oak, Teak, Pale Oak
Silver, Silver Grey, Ice Silver, Slate Grey
RAL
White or Grey primer (Please state when ordering)

single/double	side / pers
120 / 205	175 / 160
175 / 235	215 / 200
245 / 425	310 / 275
85 / 145	105 / 90

Single doors ≤ 10'0" wide
Double doors > 10'0" wide




Cedar natural colour variation

The image right shows the effect of the base colour of the cedar on the finished colour. All are Cedar treated with our basecoat preservative (1) the first coat of Light Oak (2) and the final second topcoat of Light Oak (3).

The colour variation across a light medium and dark mottled timber can be seen from left to right. All Woodrite doors are made from timbers selected to blend well for depth of colour however by its very nature uniformity for every door is not possible.

Some doors will be made from predominantly darker timbers and some will be made from predominantly lighter timbers. Each will have a different density for the same colour finish so if you are matching to other timbers talk to our customer services team about samples.

Idigbo - Warwick Ranges - fully finished as standard



Free sample service

Woodrite offers a free sample service to help provide a more accurate example of finishes (notwithstanding the notes on natural variation above).

If a sample has not been requested we reserve the right to refuse any claim on colour variance as photographic and printing processes make it impossible to guarantee colours from this brochure and images are intended as a guide only.

Oak - Monmouth ranges - fully finished as standard



Idigbo, Oak & Accoya are available in any RAL colour or matched to paint colour included in the price.

Accoya - Thetford Ranges - fully finished as standard



EXTRA STAIN

1 Litre Stain (STANDARD CEDAR COLOURS & IDIBGO)	35
1 Litre Stain (SILVERS & SLATE GREY)	55
1 Litre RAL Colour/Paint	45

Delivered free when ordered with a door + P&P when ordered separately.

OPTIONS Single doors ≤ 10'0" wide
Double doors > 10'0" wide

HANDLES UP & OVER DOORS

Black (standard)
Brass effect or Chrome effect*

0	40 / 50
---	---------

*Masta-Gear Only



Black Super-Chassis

Black Masta-Gear

Brass Effect Masta-Gear

Chrome Effect Masta-Gear

FRAMES UP & OVER DOORS

Single doors ≤ 10'0" wide Double doors > 10'0" wide

[△] 60mm for canopy doors

* Super-Chassis Only

	75mm (Super) [△] single/double	70mm x 70mm single	70mm x 90mm single/double
Steel white/brown*	115 / 170	-	-
Hardwood	-	363	363 / 444
Softwood	-	213	213 / 253
Cedar Clad softwood	-	376	376 / 442
Cedar Clad hardwood	-	497	497 / 609
Oak	-	959	959 / 1150
Idigbo	-	450	450 / 516
Accoya	-	450	450 / 516



Need a special size frame? Get in touch!

FRAMES SIDE HINGED & PERSONNEL

	70mm x 90mm side hinged	70mm rebated personnel
Hardwood	363	290
Softwood	213	182
Cedar Clad softwood	376	328
Cedar Clad hardwood	497	430
Idigbo	450	372
Accoya	450	372

Please note:
Frames will only
be supplied
with a door

FRAMES FINISHES

Frame finishes

Light Oak Antique Oak Chestnut Mahogany Walnut Burnt Oak Teak Pale Oak

Silver Silver Grey Ice Silver Slate Grey

RAL

White or Grey primer (Please state when ordering)

Black Frame and Chassis for Super-Chassis Doors

single/double	side/pers
45 / 60	55 / 45
70 / 95	80 / 70
80 / 110	90 / 80
30 / 50	40 / 35
75 / 145	-

Rebated personnel

All frames will be finished to match the door/s unless otherwise stated.

ARCHITRAVE



CEDAR

Architrave 6mm x 75mm per linear metre*
Architrave 6mm x 50mm per linear metre*
Standard Board Tongue & Groove per linear metre
Wide Board Tongue & Groove per linear metre

Finished in standard colours 26 RAL 30
Finished in standard colours 22 RAL 26

Finished in standard colours 26 RAL 30

Finished in standard colours 38 RAL 42

* 4mm chamfer to one edge ideal as cover strips for frames



OAK

Architrave 6mm x 75mm per linear metre*
Architrave 6mm x 50mm per linear metre*

Finished in standard colours 35 RAL 39
Finished in standard colours 30 RAL 34

* 4mm chamfer to one edge ideal as cover strips for frames



IDIGBO

Architrave 6mm x 75mm per linear metre*
Architrave 6mm x 50mm per linear metre*
Standard Board Tongue & Groove per linear metre
Wide Board Tongue & Groove per linear metre

Finished in standard colours 35 RAL 39

Finished in standard colours 30 RAL 34

Finished in standard colours 35 RAL 39

Finished in standard colours 42 RAL 47

* 4mm chamfer to one edge ideal as cover strips for frames



ACCOYA

Architrave 6mm x 75mm per linear metre*
Architrave 6mm x 50mm per linear metre*
Standard Board Tongue & Groove per linear metre
Wide Board Tongue & Groove per linear metre

Finished in standard colours 35 RAL 39

Finished in standard colours 30 RAL 34

Finished in standard colours 35 RAL 39

Finished in standard colours 42 RAL 47

* 4mm chamfer to one edge ideal as cover strips for frames

Stainless steel fixings must be used on Accoya

Single doors ≤ 10'0" wide Double doors > 10'0" wide

GLAZING Up & Over

Stippled Polycarb (standard)
Clear Polycarb
4mm toughened glass clear
4mm toughened glass stippled

Doors with windows	Granborough*	Sherington*
single/double	single/double	single/double
0	175 / 340	175 / 340
0	175 / 340	175 / 340
40 / 80	215 / 420	215 / 420
40 / 80	215 / 420	215 / 420



GLAZING Side / Personnel

Stippled Polycarb (standard)
Clear Polycarb
4mm toughened glass clear
4mm toughened glass stippled

Doors with windows	Granborough*	Sherington*
side / pers	side / pers	side / pers
0	175 / 95	175 / 95
0	175 / 95	175 / 95
40 / 40	215 / 115	215 / 115
40 / 40	215 / 115	215 / 115

Stippled Plain

Stippled Square Leading

Stippled Diamond Leading

Clear

Square or diamond leading is available on the following styles as a no cost option:
Coleshill Hatton and Ickford.

*The Granborough & Sherington, which do not have windows as standard, are available with glazing to the top row of features at the prices shown above. With the supplement added, leading options are then available as a no cost option.

Please Note: Doors with windows may have cross bracings/metal plates visible behind windows depending on door style/size and gear type.

SIDE HINGED FURNITURE PACKS

Contemporary Pack (standard)
Classic Pack
Traditional Pack

side / pers
0 / 0
65 / 45
85 / 65

Upgrade to Mortice lock & lever*

Black
Brass effect
Chrome effect
Stainless steel

side & pers

85 / 20
65 / 0
75 / 10
75 / 10



Mortice & Lever in brass/silver effect, antique or stainless steel.

Contemporary Pack (Standard)



Also available with black or silver effect hinges finger pull bolts and white or black stays. Please specify when ordering.

Classic Pack



Traditional Pack



THRESHOLDS - SIDE HINGE & PERSONNEL DOORS

Hardwood 2'0" - 4'0" wide
Hardwood 4'0" - 10'0" wide
Idigbo 2'0" - 4'0" wide
Idigbo 4'0" - 10'0" wide
Accoya 2'0" - 4'0" wide
Accoya 4'0" - 10'0" wide

side / pers
-- / 84
121 / --
-- / 124
150 / --
-- / 124
150 / --



Hardwood Threshold

Hardwood Thresholds are 35mm thick and a maximum of 180mm deep.

WIDE BOARD

+10%

Any door made with narrow boards can be ordered with wide boards. Whilst the precise size of boards varies from design to design typically narrow boards are 85mm wide and wide boards 138mm.



Wide Board

ROUNDED CHAMFER

185

(Not available on Somerset or Monmouth range doors and is standard on all solid built up and over doors)



Rounded Chamfer

CRANKED ARM

Retractable gear upgrade - single doors

Masta-Gear

Standard on doors up to 2743mm wide x 2134mm high

Super-Chassis

Available on door heights 1931mm 1981mm & 2134mm on doors up to 2743mm wide

Masta-Gear cranked arm is NOT available on Warwick (idigbo) or Thetford (Accoya) doors



Cranked Arm

Clearances & Dimensions

Doors should be fitted to a Woodrite steel frame or timber goalpost type frame. Doors can be fitted within or behind the garage reveal - see the details shown right

When fitting within the reveal a 3mm gap for timber frames and 5mm gap for steel frames on all three sides should be included in the size to allow for brickwork coursing tolerances.

Door sizes represent the inside dimensions of the frame. Up and over door sizes are approximately 19mm narrower and 25mm shorter to allow for operating clearances and tolerances.

A 19 mm square weather bead should always be fitted to the under-side of the door frame lintel in front of the door to hide the top gap. This feature is integral on Woodrite steel up and over frames.

Between the reveal fixing up & over

Super-Chassis to a Woodrite Steel Frame



Behind the reveal fixing up & over

Super-Chassis to a Woodrite Steel Frame



Super-Chassis & Masta-Gear to a Woodrite Timber Frame





Super-Chassis & Masta-Gear to a Woodrite Timber Frame



Opening Arcs & Clearances up & over

	Masta-Gear Cranked	Masta-Gear Straight				DOOR HEIGHT				Super-Chassis Single Straight	Super-Chassis Plus Cranked	Super-Chassis Double Straight
		1981	2134	1981	2134	2286	2438	1981	2134	2286	2438	1981
	1981 2134	1981 2134	2286	2438	1981	2134	2286	2438	1981 2134	1981 2134	2286	2438
	6'6" 7'0"	6'6" 7'0"	7'6" 8'0"		6'6" 7'0" 7'6" 8'0"		6'6" 7'0" 7'6" 8'0"		6'6" 7'0"	6'6" 7'0"	7'6" 8'0"	
A	888 1041	888 1041	1194	1347	935	1010	1085	1163	1024 1093	950 1030	1110	1190
B	1720 1890	1720 1890	2195	2195	1896	2049	2201	2353	1680 1835	1624 1814	2004	2194
C	1900 2053	1900 2053	2206	2359	1871	2024	2176	2328	1871 2024	1842 1994	2146	2298
D	25 25	25 25	25	25	40	40	40	40	45 45	50 50	50	50




E Height to the bottom of the lifting arm.

F Projection of lifting arm into the opening from the inside edge of the frame above height E per side.

	Masta-Gear Cranked	Masta-Gear Straight				DOOR HEIGHT				Super-Chassis Single Straight	Super-Chassis Plus Cranked	Super-Chassis Double Straight
		1981	2134	1981	2134	2286	2438	1981	2134	2286	2438	1981
	1981 2134	1981 2134	2286	2438	1981	2134	2286	2438	1981 2134	1981 2134	2286	2438
	6'6" 7'0"	6'6" 7'0"	7'6" 8'0"		6'6" 7'0" 7'6" 8'0"		6'6" 7'0" 7'6" 8'0"		6'6" 7'0"	6'6" 7'0"	7'6" 8'0"	
E	1050 1126	820 972	1073	1225	1005	1080	1155	1230	1105 1260	1145 1205	1265	1325
F	23 23	63 63	63	63	45	45	55	55	55 55	55 55	55	55

Between & behind the reveal fixing side hinged & personnel

Side hinged to a Woodrite Timber Frame



Outward opening shown


Behind

When fitting behind the reveal stays must be set to allows the doors to open no further than 90°.

Personnel to a Woodrite Timber Rebated Frame



Side hinged to a Woodrite Timber Frame



Outward opening shown

Between

Personnel to a Woodrite Timber Rebated Frame




Opening Sizes

Typical opening sizes are tabulated below for the most common sizes of door fitted within the reveal.

Door size code	Door size width x height	70mm timber frame Brickwork aperture width x height	75mm steel frame Brickwork aperture width x height	60mm steel frame canopy gear Brickwork aperture width x height	70mm timber frame (side hinged) Brickwork aperture width x height
6666	1981mm x 1981mm	2127mm x 2054mm	2134mm x 2044mm	2104mm x 2044mm	2127mm x 2054mm
6670	1981mm x 2134mm	2127mm x 2207mm	2134mm x 2199mm	2104mm x 2199mm	2127mm x 2207mm
7066	2134mm x 1981mm	2280mm x 2054mm	2284mm x 2044mm	2254mm x 2044mm	2280mm x 2054mm
7070	2134mm x 2134mm	2280mm x 2207mm	2284mm x 2199mm	2254mm x 2199mm	2280mm x 2207mm
7364	2222mm x 1930mm	2368mm x 2003mm	2374mm x 1994mm	2343mm x 1994mm	2368mm x 2003mm
7566	2261mm x 1981mm	2407mm x 2054mm	2409mm x 2044mm	2379mm x 2044mm	2407mm x 2054mm
7570	2261mm x 2134mm	2407mm x 2207mm	2409mm x 2199mm	2379mm x 2199mm	2407mm x 2207mm
7666	2286mm x 1981mm	2432mm x 2054mm	2434mm x 2044mm	2404mm x 2044mm	2432mm x 2054mm
7670	2286mm x 2134mm	2432mm x 2207mm	2434mm x 2199mm	2404mm x 2199mm	2432mm x 2207mm
8066	2438mm x 1981mm	2584mm x 2054mm	2589mm x 2044mm	2559mm x 2044mm	2584mm x 2054mm
8070	2438mm x 2134mm	2584mm x 2207mm	2589mm x 2199mm	2559mm x 2199mm	2584mm x 2207mm
1466	4267mm x 1981mm	4413mm x 2054mm	4419mm x 2044mm	n/a	n/a
1470	4267mm x 2134mm	4413mm x 2207mm	4419mm x 2199mm	n/a	n/a

Typical opening sizes are tabulated below for the most common sizes of door fitted behind the reveal.


Door size code	Door size width x height	All frame sizes Brickwork aperture width x height
6666	1981 x 1981mm	2007 x 1981mm
6670	1981 x 2134mm	2007 x 2134mm
7066	2134 x 1981mm	2160 x 1981mm
7070	2134 x 2134mm	2160 x 2134mm
7364	2222 x 1930mm	2248 x 1930mm
7566	2261 x 1981mm	2287 x 1981mm
7570	2261 x 2134mm	2287 x 2134mm
7666	2286 x 1981mm	2312 x 1981mm
7670	2286 x 2134mm	2312 x 2134mm
8066	2438 x 1981mm	2464 x 1981mm
8070	2438 x 2134mm	2464 x 2134mm
1466	4267 x 1981mm	4293 x 1981mm
1470	4267 x 2134mm	4293 x 2134mm



Frames

Dimension for each frame type as shown in the table.

Dimension	Super-Chassis Canopy 60mm steel frame	Super-Chassis Retractable 75mm steel frame	70mm x 70mm timber frame (single doors only)	70mm x 90mm timber frame	Personnel 70mm rebated timber frame (20mm rebate)
L	60mm	75mm	70mm	70mm	50mm
H	49mm	49mm	70mm	70mm	50mm
D	40mm	40mm	70mm	90mm	70mm



guarantee

Woodrite doors are guaranteed against any form of manufacturing defect or mechanical failure for a period of 2 years from the date of original purchase.

The exterior factory fully finished panel is guaranteed to provide a weatherproof membrane which will resist perforation of the substrate from the weather side due to corrosion for a period of up to 5 years (10 years for Accoya) dependent on location and position of door and provided door has been maintained in accordance with the manufacturers instructions.

conditions

1. During the comprehensive 2 year guarantee period Woodrite undertake to repair or replace (at its discretion) and without charge products or components which have suffered any form of manufacturing defect. Claims must be notified within 3 days from the date of delivery or within a reasonable time after discovery of any defect.
2. Products covered by these guarantees must have been purchased through an authorised Woodrite garage door supplier or as original equipment attached to a newly built dwelling.
3. The warranties shall apply for normal use only. Normal use constitutes no more than 5 operations (open/close cycles) per day.
4. The warranties offered attach to Woodrite product only and no consequential damages will apply no matter how caused.
5. No liability will be accepted as a result of normal wear and tear incorrect storage incorrect handling faulty installation incorrect use or wilful damage.
6. Claims under this guarantee must be made through the original supplier and accompanied by relevant documentation indicating the date of purchase (e.g. receipt).
7. Woodrite's maximum liability shall be the original purchase price inclusive of Value Added Tax at the rate prevailing when supplied.
8. Any product which is the subject of a claim:
 - i) must have been correctly installed in accordance with the installation instructions supplied and thereafter properly maintained by a suitably experienced engineer on a regular basis as set out in the Maintenance and Operating Instructions provided with every door. (Additional copies of these instructions are available by contacting the installer or the manufacturing company). We recommend that regular maintenance is provided by a suitably experienced engineer.
 - ii) must have the manufacturers reference number still intact
 - iii) must not have been modified in any way.
9. Claims will not be accepted where the cause is due to:
 - i) impact or mechanical damage suffered during or following installation e.g scratches indentations tears scuffs or other surface abrasion.
 - ii) damage or discolouration caused by contact with any form of caustic abrasive or corrosive substance fumes bird droppings fire smoke floodwater salts acids or from exposure to abnormal atmospheric pollution.
10. The Exterior Finish Guarantee applies only to the weatherside surface and where more than 5% of the surface area of the door is affected. Surfaces must be freely exposed to washing by rainfall and kept clear of accumulated dirt and debris and given equal exposure to local environmental conditions and consistent natural lighting conditions across the face of the door. Special attention is drawn to Clause (9) (ii).
11. **Basecoated timber doors** are supplied with a dip immersion coat of Teknos low build matt water based basecoat of light oak. This operation is for temporary protection for transit and installation purposes only. If the timber panel becomes exposed to excessive water splashes or rain it may result in water marks or stains which could effect the final coating of the door. The topcoat finish must be applied immediately after installation to all surfaces. We recommend a Teknos high build microporous water based finishing stain or equivalent.
12. **Fully finished RAL colours** - Tannin bleed through is possible with Western Red Cedar on white and pale colours. Whilst Woodrite Doors Limited uses tannin blockers within the primer Woodrite will not guarantee against this phenomenon.
13. **Idigbo Oak & Accoya** - The stain used will offer an up to 5 yr /10yr (accoya only) protection as per the guarantee within this time scale you will find that the colour may fade. This is a natural process and does not effect the protection of the stain.
14. Due to the acetylation processes with Accoya the use of non-stainless steel fixings may result in the failure of these fixing - this will not be covered under warranty.
15. Storage – All doors are delivered with cardboard and shrink wrap protection this should remain in place until final finishing on site. Doors must always be stored in an upright position and protected from possible contaminations prior to fixing. Do not store doors in direct sunlight. Do not puncture the polythene shrink wrap before installation. Do not expose doors to water contaminations as staining may occur.
16. Attempted repairs by non-qualified individuals shall invalidate this guarantee.
17. The specific terms of this guarantee shall only apply to products purchased on or after September 2010 within the UK and Eire.
18. Woodrite garage doors and associated products are sold subject to the Woodrite's Standard Terms and Conditions of Sale copies of which are available upon request. Woodrite shall not be liable as a result of any representation implied warranty or other term or condition or for any consequential loss or damage costs expenses or other claims whatsoever except as expressly set out in these Terms and Conditions of Sale.

General Advice

Door Cleaning. Periodically clean the door panel using warm water and a soft cloth or sponge. Allow to dry naturally. Never use detergent abrasive caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic.

Door Servicing and Maintenance

All doors should be operated and maintained in line with operating and maintenance instructions supplied with every door. Every six months visually inspect all wear items (including cables) for signs of wear. If wear is detected we recommend you contact your supplier to arrange for a replacement. Garage door springs are under extreme tension and should only be repaired or replaced by a suitably qualified engineer.

Other performance issues affecting Woodrite garage doors are:

The fully finished factory option is supplied in various coloured woodstains and can provide up to 5 years erosion period (dependant on location and position of door). If the door becomes affected by rain soon after installation you may notice a milky coloured staining on the finish of the door and where the sealant is used this will disappear when dry. This is common phenomenon in water based coatings and over a period of time this will disperse and disappear this has no adverse effect on the quality and finish of the door.

Woodrite doors are individually handcrafted products manufactured to specific customer order. Due to the nature of the product and the hand finishing processes used they may occasionally display small blemishes which do not detract from the overall appearance of the product. These are regarded as being within manufacturers tolerance when such blemishes are not visible to the naked eye when viewed from a distance of three metres.

Similarly Timber products will display colour variations across their surface and colour will vary from door to door. Ordering doors to match helps reduce the variation but will not eradicate it entirely.

Woodrite's timber doors are made from the finest timber obtained from managed and sustainable sources. Prior to fitting they must not be stored in direct sunlight or exposed to splashes or rain as colour fading and/or staining may result. Woodrite's product guarantee does not cover natural variations in colour warping swelling or shrinkage due to the ordinary natural processes of ageing fading or the effects of weather or climate nor does it cover the incidence of similar degradation which could have been prevented by carrying out finishing and maintenance procedures as recommended by Woodrite. Doors that are not factory finished should be finished with a microporous stain front and back in accordance with the stain manufacturers instructions immediately after fitting.

Garage doors should be inspected upon delivery and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion stains blemishes indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.

These terms and conditions do not affect your statutory rights.

Care & Maintenance

Doors Finish

These notes are for guidance only and do not form any part of the guarantee given with your door. Woodrite Doors Limited uses only the top grades of timber available however timber is a natural product therefore colour grain and finish will vary from panel to panel.

A regular visual inspection of your door is essential with periodic cleaning of the door panel using warm water and a soft clean cloth or sponge. Allow the door to dry naturally never use detergents abrasives caustic or solvent based cleaners as they may damage the door surface. Bird droppings should be removed immediately as these can be particularly caustic. Initial application and periodic treatment should be carried out strictly in accordance with the wood stain manufacturer's instructions. Failure to follow these instructions will result in early deterioration of the timber panel.

Doors Supplied Basecoated Light Oak (Western Red Cedar only)

Preparation

Lightly de-nib all surfaces with fine grade abrasive paper e.g P280 or P320 rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of decorative stain. Wash the surface with clean warm water to remove any dirt grease and all de-nibbing dust and allow surfaces to dry naturally.

Method of Application

The stain should be applied in a full flowing coat using a long synthetic bristle brush laying off in the direction of the grain and using the minimum number of brush strokes necessary to produce an acceptable finish. Avoid over brushing as this will reduce the protection afforded. Always pay special attention to any area of exposed end grain tops and bottoms of doors and undersides of thresholds. Your door must be treated on both sides and all exposed timber to the sides tops and bottoms.

Plywood doors + Raised and Fielded panel doors
Decide on whether to start on the left or the right hand side of the door. Coat the cedar moulding around the first panel then complete the panel itself carefully wiping excess stain from the face of the moulded section with a damp cloth. Treat each panel in the same way until all panels are coated.

The faces of each of the vertical uprights between panels should then be coated with any excess coating on horizontal rails wiped off with damp cloth to avoid build up of stain at each vertical/horizontal join. The top horizontal rail should then be finished and finally the bottom horizontal rail.

Tongue & Groove panels

Decide on whether to start on the left or the right hand side of the door. Coat the first section of boarding leaving the outer rails until later. Brush the stain into the grooves each side of the first board then fully coat the complete board. Carefully wipe off excess stain with a damp cloth from the outer vertical/horizontal rails to avoid build up of stain which may dry before the door can be completed. Brush stain in to the next groove and finish the board remove excess as described above. Complete the full width of the door in the same manner. The top horizontal rail should be coated followed by the bottom rail finally finishing with the vertical rails.

Two coats of top coat stain should be applied to all exposed surfaces. The second coat should be applied to all exposed surfaces as soon as possible after the first coat has dried but no sooner than 5 hours.

Weather Conditions

Do not apply if there is a risk of rain high winds or when air temperatures are below 8°C or above 25°C during application and drying periods. Protect from frost and rain until dry failure to meet these requirements may adversely effect the drying visual quality and durability of the finish.

Please note these are guidance notes only – always use a top quality water based stain and ensure you read the stain manufacturer's instructions carefully prior to finishing your timber door

Maintenance of Fully Finished Western Red Cedar Doors and Existing Coatings

The period between maintenance applications will vary and is dependent upon the degree of exposure elevation and design of the door panel. A lightening of colour reduction in sheen as the coating erodes and a loss of water repellency indicate the need for maintenance. Follow instructions for the Basecoated door – if a definite colour change is chosen more than one coat maybe required.

Doors Supplied White Primed (Western Red Cedar only)

Timber panels that have been supplied White Primed have been given one coat of a water borne tannin blocking primer that has been spray applied under factory conditions. Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system.

To reduce the risk of this phenomenon occurring it is recommended that a solvent borne coating system is to be applied over the water borne primer. The primer is compatible with most commercially available solvent borne coating systems but it is always advisable to try a small test area. Even using a solvent borne system does not guarantee that it will not occur.

Irrespective of the product selected always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

Doors Supplied Fully Finished RAL Colours (Western Red Cedar Only)

Timber panels that have been supplied factory fully finished have been given one coat of a water borne tannin blocking primer and two top coats that have been spray applied under factory conditions.

Western Red Cedar can be problematic when using white or light colours as a finish - the soluble extractives contained within the timber that can leach through a water borne coating system. To reduce the risk of this phenomenon occurring when re-treating it is recommended that a solvent borne coating system is employed. Always follow the manufacturer's technical instructions and pay particular attention to end grain at the top and bottom of the doors.

Fully Finished Idigbo Accoya & Oak Doors

To help optimise the life of surfaces factory treated the following procedures should be followed. All vertical treated surfaces should be at least annually cleaned to remove all atmospheric soiling. If you need to re-stain your door a fine grade abrasive paper e.g. P280 or P320 should be used rubbing in the direction of the grain to produce a smooth finish and provide a key for subsequent coats of stain. Wash the surface with a damp clean cloth or sponge and allow surfaces to dry naturally.

Apply new coat of stain in accordance with the manufacturer's instructions.

Door Gear – Masta-Gear or Super-Chassis

Door lifting gear is guaranteed for a maximum of two years against any form or manufacturing defect from date of purchase. See the back page for applicable conditions.

Upon Installation

Immediately after the door is fitted and after every 5000 operations of the door or at least once a year oil all pivot points check screws and clamp connections for tightness.

Keep the running tracks clean (do not grease them) check parts and replace any worn components as necessary.

Springs should be replaced after approximately 25000 operations by an experienced door fitter.

Do not oil the lock cylinder. If it is sticking lubricate with graphite dust.


Check the lifting cables on canopy doors every 6 months with normal usage (8 ops per day). Cables should be replaced by an expert if any wear is found.

Coach house



Coach house kinver

The brochure features a grid of eight gate designs: Baysnall, Blakethall Panelled, Highley, Highley Panelled, Romsley, Romsley Panelled, Enville, and Winwood 5 Bar Gate. To the right, there are three color swatch charts: Accoya Colours (Accoya), Idigbo & Iroko Colours (Idigbo & Iroko), and Cedar Colours (Cedar). A 'Free sample service' section includes four small panels of wood samples labeled Accoya, Cedar, Iroko, and Iroko. The Woodrite logo is at the top right.




gates in Accoya, Iroko, Idigbo and Cedar

The Kinver Gate collection

The Kinver Gate collection uses proven construction techniques to ensure each gate looks great and will maintain its integrity over time.

Ask for your copy of our brochure and price list today!

presented by:



Woodrite Doors Limited Unit G2 Borough Road Buckingham Road Industrial Estate Brackley Northants NN13 7BE

Tel 01280 841010 Fax 01280 843180 Email sales@woodritedoors.co.uk Web www.woodritedoors.co.uk

Woodrite reserves the right to alter specifications to design and manufacture without notification. All specifications are correct at time of publication errors and omissions excepted. Aug 2017 V1